Parallel Systems

Supplied PCB Footprints key and list 17.2-2016 onwards

Library	Type	Content	Description
BCONI00T	PTH	Block Connectors - .100	Odd-Even & Sequential Pinout
BCON156T	PTH	Block Connectors - .156	Sequential Pinout
BGA	SMD	Ball Grid Arrays	
CLCC	SMD, PTH	CLCC	Devices & Sockets
DCON050T	PTH	D-Connectors - .050	
DCON085T	PTH	D-Connectors - .085	Centronics Compatible
DIMM050F	-	Dimm Edge Fingers - .050	8 Byte & Standard Styles
DIMM050T	PTH	Dimm Sockets - .050	8 Byte & Standard Styles
DIN	PTH	DIN Connectors	41612, Half size, Circular
DIPI00B	PTH	DIP - .100 Buttmount	
DIPI00T	PTH	DIP - .100 Standard	
DSUBT	PTH	D-Sub Connectors	
DSUBT HD	PTH	D-Sub High Density Connectors	
ECONI00T	PTH	Edge Connector Sockets - .100	AN/Seq/OE Pinouts
FBUS	PTH	Future Bus Connectors - 2mm	
ISA	-	ISA	Fingers & Socket
LCONI00T	PTH	Latch Connectors - .100	Odd-Even Pinouts
PC104	-	PC/104	Headers
PCI	-	PCI	Fingers & Socket
PCONI00T	PTH	Polar/Friction Connectors - .100	Sequential Pinout
PCON156T	PTH	Polar/Friction Connectors - .156	Sequential Pinout
PGA	PTH	Pin Grid Arrays	
PLCC	SMD, PTH	PLCC	Devices & Sockets
QUAD	SMD, PTH	Gull-Wing Quads	Devices & Sockets
QUADB	SMD, PTH	Gull-Wing Bumpered Quads	Devices & Sockets
RELAY	SMD, PTH	Relays	
RF	PTH	RF Connectors	BNC, SMA, SMB, SSMB, TNC
SBUS	PTH	Sbus Connectors	
SIMM050F	-	Simm Edge Fingers - .050	Left & Right Polarized
SIMM050T	PTH	Simm Sockets - .050	Low Profile, Rt. Angle, Vertical
SIMMI00F	-	Simm Edge Fingers - .100	Left & Right Polarized
SIMMI00T	PTH	Simm Sockets - .100	Low Profile, Rt. Angle, Vertical
SIP	SMD, PTH	SIP's	
SM	SMD	SM Discrete Components	Caps, Tants, Diodes, SOT, Res, etc
SOG	SMD	SM SO Gull-Wing Families	SOIC, SSOIC, SOP, TSOP, etc
SOJ	SMD	SM SO J-lead Family	SOIC & Sockets
TELE	SMD, PTH	Telecom Connectors	TM & SM Rt. Angle Jacks
Library	**Type**	**Content**	**Description**
TM CAP P	PTH	TM Capacitors	Polarized Axial-Lead & Cylinder.
TM CYLND	PTH	TM Cylindricals	Non-polarized
TM DIODE	PTH	TM Diodes	Polarized Axial-Leaded

© 2017 Parallel Systems Limited

TM DISC	PTH	TM Discs	Non-polarized Offset-Leaded
TM RAD	PTH	TM Radial-Leaded	Non-polarized
TO	SMD, PTH	TO's	
VRES	SMD, PTH	Variable Resistors	
WCONJ00T	PTH	Wall/Shroud Connectors - .100	Odd-Even Pinouts
XT	-	XT	Fingers & Socket ZIGZAG
ZIGZAG	PTH	ZIGZAG - .100 Staggered Rows	

TM_AXIAL Library - Thru-Hole Mount - Non-Polarized Axial-Lead

AX300X100028	AX600X200034	AX900X175031	AX1250X375037
AX300X100031	AX600X200037	AX900X225034	AX1250X375046
AX325X100031	AX625X100031	AX900X225037	AX1250X425037
AX350X100031	AX625X100034	AX900X225040	AX1250X500034
AX350X100034	AX650X150037	AX925X225034	AX1250X500037
AX375X100031	AX650X150040	AX925X225037	AX1250X500040
AX375X100034	AX650X175040	AX925X225040	AX1275X425034
AX400X100031	AX650X175042	AX950X325031	AX1275X425037
AX400X100034	AX650X200031	AX950X325034	AX1300X225031
AX400X125031	AX650X200034	AX950X400034	AX1300X375037
AX400X125034	AX650X200037	AX950X400037	AX1300X375046
AX425X100031	AX650X200040	AX950X450034	AX1300X400037
AX425X100034	AX650X200058	AX950X450037	AX1325X400034
AX425X150040	AX650X225037	AX950X675050	AX1325X675037
AX450X100031	AX650X250031	AX975X275034	AX1325X675046
AX450X100034	AX675X175040	AX975X275037	AX1325X675050
AX450X125034	AX675X200037	AX975X275042	AX1325X700037
AX450X150034	AX675X200040	AX975X300037	AX1325X700046
AX475X100031	AX675X225034	AX1000X225034	AX1350X375037
AX475X100034	AX675X225037	AX1000X300031	AX1350X375046
AX475X125031	AX725X150034	AX1000X300034	AX1350X400037
AX475X125034	AX750X150031	AX1000X300037	AX1375X200034
AX500X100031	AX750X150034	AX1000X325034	AX1400X675037
AX500X100034	AX775X200031	AX1000X325037	AX1400X675046
AX500X125034	AX775X200034	AXl000X350034	AX1400X700037
AX500X150034	AX775X200037	AXl000X350037	AX1400X700046
AX500X150037	AX775X200042	AX1000X375034	AX1425X675050
AX500X175034	AX800X200034	AX1000X375037	AX1450X675037
AX500X175037	AX800X200037	AX1000X400034	AX1450X675046
AX500X200034	AX800X200042	AX1000X400037	AX1450X700037
AX500X200037	AX800X250031	AX1025X225037	AX1450X700046
AX500X200040	AX800X250034	AX1025X300037	AX1500X500037
AX525X100031	AX800X325031	AX1100X375034	AX1500X500040
AX525X125034	AX825X200034	AX1100X675050	AX1500X650037

© 2017 Parallel Systems Limited

AX550X100031
AX550X125034
AX550X150034
AX550X150037
AX550X175034
AX550X200031
AX575X150031
AX575X150034
AX575X150037
AX575X175034
AX600X100034
AX600X175037
AX825X200037
AX825X200042
AX850X325034
AX850X325037
AX850X350034
AX850X350037
AX875X300034
AX875X300037
AX875X325034
AX875X325037
AX875X350034
AX875X350037
AX1125X300037
AX1125X350037
AX1200X325034
AX1200X325037
AX1200X325050
AX1200X350034
AX1200X350037
AX1200X350050
AX1200X400034
AX1200X400037
AX1200X400050
AX1225X325037
AX1500X650040
AX1500X675037
AX1500X675046
AX1500X700037
AX1500X700046
AX1600X300034
AX1625X400034
AX1650X300034
AX1650X400037
AX1700X325034
AX1775X675050

MIL Types

AXRC05
AXRC07
AXRC20
AXRC32
AXRC42
AXRCR05
AXRCR07
AXRCR20
AXRCR32
AXRCR42
AXRLR05
AXRLR05C
AXRLR07
AXRLR05C
AXRLR20
AXRLR20C
AXRLR32C
AXRLV30
AXRLV31
AXRN50
AXRN50C
AXRN50E
AXRN55
AXRN55C
AXRN55D
AXRN55E
AXRN60
AXRN60C
AXRN60D
AXRN60E
AXRN65
AXRN65C
AXRN65E
AXRNC50
AXRNC50H
AXRNC50J
AXRNC55
AXRNC55H
AXRNC55J
AXRNC60
AXRNC60H
AXRNC60J
AXRNC65
AXRNC65H
AXRNC65J
AXRNN55
AXRNN57
AXRNN60
AXRNN65
AXRNN70
AXRNR55
AXRNR57
AXRNR60
AXRNR65
AXRNR70
AXRW67
AXRW67V
AXRW68
AXRW68V
AXRW69
AXRW69V
AXRW70
AXRW70UF
AXRW74
AXRW74UF
AXRW78
AXRW78UF
AXRW79
AXRW79UF
AXRW80
AXRW81

BGA Library - Ball-Grid Arrays - Surface Mount – Array Grid_Pitch, Pins, B -Ball Size, W - Width.

BGA6M10020B60W700
BGA6M10032B60W700
BGA6M10036B60W700
BGA10M100100B60Wl100
BGA10Ml0036B60W1100
BGA10M10064B60Wl100
BGA10M127100B76W1300
BGA10M12736B76W1300
BGA10M12764B76W1300
BGA11M127121B76W1500
BGA19M127240B76W2500
BGA19M127361B76W2500
BGA20M127144B76W2700
BGA20M127204B76W2700
BGA20M127256B76W2700
BGA20M127272B76W2700
BGA20M127400B76W2700
BGA23M127168B76W3100
BGA23M127240B76W3100
BGA23M127304B76W3100
BGA29M127480B76W3700
BGA29M127503B76W4000
BGA29M127841B76W4000
BGA31M127336B76W4000
BGA31M127428B76W4000
BGA31M127432B76W4000
BGA31M127520B76W4000
BGA31M127961B76W4000
BGA33M1271089B76W4250
BGA33M127360B76W4250

© 2017 Parallel Systems Limited

BGA11M12740B76W1500
BGA11M12772B76W1500
BGA11M12796B76W1500
BGA13M150169B76W2300
BGA14M127132B76W1900
BGA14M127196B76W1900
BGA14M12752B76W1900
BGA14M12796B76W1900
BGA15M150225B76W2700
BGA17M127120B76W2300
BGA17M127168B76W2300
BGA17M127208B76W2300
BGA17M127289B76W2300
BGA17M12764B76W2300
BGA19M127136B76W2500
BGA19M127192B76W2500
BGA23M127360B76W3100
BGA23M127529B76W3100
BGA25M127313B76W3500
BGA25M127625B76W3500
BGA26M127192B76W3500
BGA26M127276B76W3500
BGA26M127338B76W3500
BGA26M127352B76W3500
BGA26M127416B76W3500
BGA26M127420B76W3500
BGA26M127676B76W3300
BGA26M127676B76W3400
BGA26M127676B76W3500
BGA29M127312B76W3750
BGA29M127400B76W3750
BGA29M127479B76W4000
BGA33M127464B76W4250
BGA33M127560B76W4250
BGA35Ml271225B76W4500
BGA35Ml27384B76W4500
BGA35Ml27496B76W4500
BGA35Ml27596B76W4500
BGA35Ml27600B76W4500
BGA37Ml271369B76W4750
BGA37Ml27408B76W4750
BGA37Ml27528B76W4750
BGA37Ml27640B76W4750
BGA39Ml271521B76W5000
BGA39Ml27432B76W5000
BGA39Ml27560B76W5000
BGA39Ml27680B76W5000
BGA39Ml27761B76W5000

Bcon100 T Library - 100 Block Connectors, Thru-hole Mount

RH - Right Angle headers, TM - Thru-hole Mount, 1 - 1-in-line row, SQ - Sequential pinout, W – 0.425 Wide

BLKCON100RHTM1SQW4252
BLKCON100RHTM1SQW4253
BLKCON100RHTM1SQW4254
BLKCON100RHTM1SQW4255
BLKCON100RHTM1SQW4256
BLKCON100RHTM1SQW4257
BLKCON100RHTM1QW4258
BLKCON100RHTM1SQW4259
BLKCON100RHTM1SQW42510
BLKCON100RHTM1SQW42511
BLKCON100RHTM1SQW42512
BLKCON100RHTM1SQW42513
BLKCON100RHTM1SQW42514
BLKCON100RHTM1SQW42515
BLKCON100RHTM1SQW42516
BLKCON100RHTM1SQW42517
BLKCON100RHTM1SQW42518
BLKCON100RHTM1SQW42519
BLKCON100RHTM1SQW42520
BLKCON100RHTM1SQW42521
BLKCON100RHTM1SQW42522
BLKCON100RHTM1SQW42523
BLKCON100RHTM1SQW42524

RH - Right Angle headers, TM - Thru-hole Mount, 1 - 1-in-line row, SQ - Sequential pinout, W – 0.325 Wide, S – 0.025 sq posts

BLKCON100RHTM1SQSW3502
BLKCON100RHTM1SQSW3503
BLKCON100RHTM1SQSW3504
BLKCON100RHTM1SQSW3505
BLKCON100RHTM1SQSW3506
BLKCON100RHTM1SQSW3507
BLKCON100RHTM1SQSW3508
BLKCON100RHTM1SQSW3509
BLKCON100RHTM1SQSW35010
BLKCON100RHTM1SQSW35011
BLKCON100RHTM1SQSW35012
BLKCON100RHTM1SQSW35013
BLKCON100RHTM1SQSW35014
BLKCON100RHTM1SQSW35015
BLKCON100RHTM1SQSW35016
BLKCON100RHTM1SQSW35017
BLKCON100RHTM1SQSW35018
BLKCON100RHTM1SQSW35019
BLKCON100RHTM1SQSW35020
BLKCON100RHTM1SQSW35021
BLKCON100RHTM1SQSW35022
BLKCON100RHTM1SQSW35023
BLKCON100RHTM1SQSW35024

RH - Right Angle headers, TM - Thru-hole Mount, 2 - 2-in-line row, OE – odd even pinout, W – 0.525 Wide

BLKCON100RHTM2OEW5252
BLKCON100RHTM2OEW5254
BLKCON100RHTM2OEW52524
BLKCON100RHTM2OEW52526
BLKCON100RHTM2OEW52546
BLKCON100RHTM2OEW52548

© 2017 Parallel Systems Limited

BLKCON100RHTM2OEW5256	BLKCON100RHTM2OEW52528	BLKCON100RHTM2OEW52550
BLKCON100RHTM2OEW5258	BLKCON100RHTM2OEW52530	BLKCON100RHTM2OEW52552
BLKCON100RHTM2OEW52510	BLKCON100RHTM2OEW52532	BLKCON100RHTM2OEW52554
BLKCON100RHTM2OEW52512	BLKCON100RHTM2OEW52534	BLKCON100RHTM2OEW52556
BLKCON100RHTM2OEW52514	BLKCON100RHTM2OEW52536	BLKCON100RHTM2OEW52558
BLKCON100RHTM2OEW52516	BLKCON100RHTM2OEW52538	BLKCON100RHTM2OEW52560
BLKCON100RHTM2OEW52518	BLKCON100RHTM2OEW52540	BLKCON100RHTM2OEW52562
BLKCON100RHTM2OEW52520	BLKCON100RHTM2OEW52542	BLKCON100RHTM2OEW52564
BLKCON100RHTM2OEW52522	BLKCON100RHTM2OEW52544	

VH - Vertical headers, TM - Thru-hole Mount, 1 - 1-in-line row, SQ - Sequential pinout, W – 0.100 Wide

BLKCON100VHTMSQW1001	BLKCON100VHTMSQW10013	BLKCON100VHTMSQW10025
BLKCON100VHTMSQW1002	BLKCON100VHTMSQW10014	BLKCON100VHTMSQW10026
BLKCON100VHTMSQW1003	BLKCON100VHTMSQW10015	BLKCON100VHTMSQW10027
BLKCON100VHTMSQW1004	BLKCON100VHTMSQW10016	BLKCON100VHTMSQW10028
BLKCON100VHTMSQW1005	BLKCON100VHTMSQW10017	BLKCON100VHTMSQW10029
BLKCON100VHTMSQW1006	BLKCON100VHTMSQW10018	BLKCON100VHTMSQW10030
BLKCON100VHTMSQW1007	BLKCON100VHTMSQW10019	BLKCON100VHTMSQW10031
BLKCON100VHTMSQW1008	BLKCON100VHTMSQW10020	BLKCON100VHTMSQW10032
BLKCON100VHTMSQW1009	BLKCON100VHTMSQW10021	BLKCON100VHTMSQW10033
BLKCON100VHTMSQW10010	BLKCON100VHTMSQW10022	BLKCON100VHTMSQW10034
BLKCON100VHTMSQW10011	BLKCON100VHTMSQW10023	BLKCON100VHTMSQW10035
BLKCON100VHTMSQW10012	BLKCON100VHTMSQW10024	BLKCON100VHTMSQW10036

VH - Vertical headers, TM - Thru-hole Mount, 1 - 1-in-line row, SQ - Sequential pinout, W – 0.350 Wide, S – 0.025 sq posts

BLKCON100VWTM1SQSW1001	BLKCON100VWTM1SQSW1009	BLKCON100VWTM1SQSW10017
BLKCON100VWTM1SQSW1002	BLKCON100VWTM1SQSW10010	BLKCON100VWTM1SQSW10018
BLKCON100VWTM1SQSW1003	BLKCON100VWTM1SQSW10011	BLKCON100VWTM1SQSW10019
BLKCON100VWTM1SQSW1004	BLKCON100VWTM1SQSW10012	BLKCON100VWTM1SQSW10020
BLKCON100VWTM1SQSW1005	BLKCON100VWTM1SQSW10013	BLKCON100VWTM1SQSW10021
BLKCON100VWTM1SQSW1006	BLKCON100VWTM1SQSW10014	BLKCON100VWTM1SQSW10022
BLKCON100VWTM1SQSW1007	BLKCON100VWTM1SQSW10015	BLKCON100VWTM1SQSW10023
BLKCON100VWTM1SQSW1008	BLKCON100VWTM1SQSW10016	BLKCON100VWTM1SQSW10024

VH - Vertical headers, TM – Thru-hole mount, 2 - 2-in-line row, OE – odd/even pinout, W – 0.200 Wide

BLKCON100VHTM2OEW2002	BLKCON100VHTM2OEW20036	BLKCON100VHTM2OEW20070
BLKCON100VHTM2OEW2004	BLKCON100VHTM2OEW20038	BLKCON100VHTM2OEW20072
BLKCON100VHTM2OEW2006	BLKCON100VHTM2OEW20040	BLKCON100VHTM2OEW20074
BLKCON100VHTM2OEW2008	BLKCON100VHTM2OEW20042	BLKCON100VHTM2OEW20076
BLKCON100VHTM2OEW20010	BLKCON100VHTM2OEW20044	BLKCON100VHTM2OEW20078
BLKCON100VHTM2OEW20012	BLKCON100VHTM2OEW20046	BLKCON100VHTM2OEW20080
BLKCON100VHTM2OEW20014	BLKCON100VHTM2OEW20048	BLKCON100VHTM2OEW20082
BLKCON100VHTM2OEW20016	BLKCON100VHTM2OEW20050	BLKCON100VHTM2OEW20084

© 2017 Parallel Systems Limited

BLKCON100VHTM2OEW20018	BLKCON100VHTM2OEW20052	BLKCON100VHTM2OEW20086
BLKCON100VHTM2OEW20020	BLKCON100VHTM2OEW20054	BLKCON100VHTM2OEW20088
BLKCON100VHTM2OEW20022	BLKCON100VHTM2OEW20056	BLKCON100VHTM2OEW20090
BLKCON100VHTM2OEW20024	BLKCON100VHTM2OEW20058	BLKCON100VHTM2OEW20092
BLKCON100VHTM2OEW20026	BLKCON100VHTM2OEW20060	BLKCON100VHTM2OEW20094
BLKCON100VHTM2OEW20028	BLKCON100VHTM2OEW20062	BLKCON100VHTM2OEW20096
BLKCON100VHTM2OEW20030	BLKCON100VHTM2OEW20064	BLKCON100VHTM2OEW20098
BLKCON100VHTM2OEW20032	BLKCON100VHTM2OEW20066	BLKCON100VHTM2OEW200100
BLKCON100VHTM2OEW20034	BLKCON100VHTM2OEW20068	

Bcon156 T Library - 156 Block Connectors, Thru-hole Mount

RH - Right Angle headers, TM - Thru-hole Mount, 1 - 1-in-line row, SQ - Sequential pinout, S – 0.045 sq post, W – 0.545 Wide

BLKCON156RHTM1SQSW5452	BLKCON156RHTM1SQSW54510	BLKCON156RHTM1SQSW54518
BLKCON156RHTM1SQSW5453	BLKCON156RHTM1SQSW54511	BLKCON156RHTM1SQSW54519
BLKCON156RHTM1SQSW5454	BLKCON156RHTM1SQSW54512	BLKCON156RHTM1SQSW54520
BLKCON156RHTM1SQSW5455	BLKCON156RHTM1SQSW54513	BLKCON156RHTM1SQSW54521
BLKCON156RHTM1SQSW5456	BLKCON156RHTM1SQSW54514	BLKCON156RHTM1SQSW54522
BLKCON156RHTM1SQSW5457	BLKCON156RHTM1SQSW54515	BLKCON156RHTM1SQSW54523
BLKCON156RHTM1SQSW5458	BLKCON156RHTM1SQSW54516	BLKCON156RHTM1SQSW54524
BLKCON156RHTM1SQSW5459	BLKCON156RHTM1SQSW54517	

RH - Right Angle headers, TM - Thru-hole Mount, 1 - 1-in-line row, SQ - Sequential pinout, S – 0.045 sq post, W – 0.585 Wide

BLKCON156RHTM1SQSW5852	BLKCON156RHTM1SQSW58510	BLKCON156RHTM1SQSW58518
BLKCON156RHTM1SQSW5853	BLKCON156RHTM1SQSW58511	BLKCON156RHTM1SQSW58519
BLKCON156RHTM1SQSW5854	BLKCON156RHTM1SQSW58512	BLKCON156RHTM1SQSW58520
BLKCON156RHTM1SQSW5855	BLKCON156RHTM1SQSW58513	BLKCON156RHTM1SQSW58521
BLKCON156RHTM1SQSW5856	BLKCON156RHTM1SQSW58514	BLKCON156RHTM1SQSW58522
BLKCON156RHTM1SQSW5857	BLKCON156RHTM1SQSW58515	BLKCON156RHTM1SQSW58523
BLKCON156RHTM1SQSW5858	BLKCON156RHTM1SQSW58516	BLKCON156RHTM1SQSW58524
BLKCON156RHTM1SQSW5859	BLKCON156RHTM1SQSW58517	

VH - Vertical headers, TM - Thru-hole Mount, 1 - 1-in-line row, SQ - Sequential pinout, S – 0.045 sq post, W – 0.156 Wide

BLKCON156VHTM1SQSW1562	BLKCON156VHTM1SQSW15610	BLKCON156VHTM1SQSW15618
BLKCON156VHTM1SQSW1563	BLKCON156VHTM1SQSW15611	BLKCON156VHTM1SQSW15619
BLKCON156VHTM1SQSW1564	BLKCON156VHTM1SQSW15612	BLKCON156VHTM1SQSW15620
BLKCON156VHTM1SQSW1565	BLKCON156VHTM1SQSW15613	BLKCON156VHTM1SQSW15621
BLKCON156VHTM1SQSW1566	BLKCON156VHTM1SQSW15614	BLKCON156VHTM1SQSW15622
BLKCON156VHTM1SQSW1567	BLKCON156VHTM1SQSW15615	BLKCON156VHTM1SQSW15623
BLKCON156VHTM1SQSW1568	BLKCON156VHTM1SQSW15616	BLKCON156VHTM1SQSW15624

© 2017 Parallel Systems Limited

BLKCON156VHTM1SQSW1569 BLKCON156VHTM1SQSW15617

VH - Vertical headers, TM - Thru-hole Mount, 1 - 1-in-line row, SQ - Sequential pinout, S – 0.045 sq post, W – 0.312 Wide

BLKCON156VHTM1SQSW3122	BLKCON156VHTM1SQSW31210	BLKCON156VHTM1SQSW31218
BLKCON156VHTM1SQSW3123	BLKCON156VHTM1SQSW31211	BLKCON156VHTM1SQSW31219
BLKCON156VHTM1SQSW3124	BLKCON156VHTM1SQSW31212	BLKCON156VHTM1SQSW31220
BLKCON156VHTM1SQSW3125	BLKCON156VHTM1SQSW31213	BLKCON156VHTM1SQSW31221
BLKCON156VHTM1SQSW3126	BLKCON156VHTM1SQSW31214	BLKCON156VHTM1SQSW31222
BLKCON156VHTM1SQSW3127	BLKCON156VHTM1SQSW31215	BLKCON156VHTM1SQSW31223
BLKCON156VHTM1SQSW3128	BLKCON156VHTM1SQSW31216	BLKCON156VHTM1SQSW31224
BLKCON156VHTM1SQSW3129	BLKCON156VHTM1SQSW31217	

CLCC Library – Surface Mount and Thru-hole Mount

CNR – Corner Indexed, SMS – Surface Mount socket, TMS – Thru-hole mount socket, Number – Width dimension.

CLCC28	CLCC44TMS925	CLCC68SMS1250
CLCC28CNR	CLCC52	CLCC68TMS1225
CLCC28SMS725	CLCC52CNR	CLCC84
CLCC28TMS725	CLCC52SMS1050	CLCC84CNR
CLCC44	CLCC52TMS1025	CLCC84SMS1450
CLCC44CNR	CLCC68	CLCC84TMS1425
CLCC44SMS925	CLCC68CNR	

TM_CAP_P Library – Polarized Capacitors, Thru-hole Mount

CPAX – Axial P, N pinout, CPAX1 – Axial 1,2 pinout, …x… - Pad to Pad x width, Number - Hole Size,

Positive Pin P.

CPAX575X150031	CPAX875X325034	CPAX1000X400037	CPAX1325X400034
CPAX600X200034	CPAX875X325037	CPAX1025X225037	CPAX1325X675037
CPAX625X100031	CPAX875X350034	CPAX1025X300037	CPAX1325X675050
CPAX650X200031	CPAX875X350037	CPAX1100X375034	CPAX1325X700037
CPAX650X200034	CPAX900X175031	CPAX1100X675050	CPAX1350X375037
CPAX650X200037	CPAX950X325034	CPAX1125X300037	CPAX1350X400037
CPAX675X200037	CPAX950X400034	CPAX1125X350037	CPAX1375X200034
CPAX675X225034	CPAX950X400037	CPAX1200X325034	CPAX1400X675037
CPAX675X225037	CPAX950X4501034	CPAX1200X325037	CPAX1400X700037
CPAX725X150034	CPAX950X4501037	CPAX1200X350034	CPAX1450X675037
CPAX750X150031	CPAX950X675050	CPAX1200X350037	CPAX1450X700037
CPAX750X150034	CPAX975X300037	CPAX1200X400034	CPAX1500X500037
CPAX775X200031	CPAX1000X225034	CPAX1200X400037	CPAX1500X650037
CPAX775X200034	CPAX1000X300031	CPAX1225X325037	CPAX1500X675037

© 2017 Parallel Systems Limited

CPAX775X200037	CPAX1000X300034	CPAX1250X375037	CPAX1500X700037
CPAX500X250034	CPAX1000X300037	CPAX1250X425037	CPAX1525X675050
CPAX500X675050	CPAX1000X325034	CPAX1250X500034	CPAX1600X300034
CPAX850X325034	CPAX1000X325037	CPAX1250X500037	CPAX1625X400034
CPAX850X325037	CPAX1000X350034	CPAX1275X425034	CPAX1650X300034
CPAX850X350034	CPAX1000X350037	CPAX1275X425037	CPAX1650X400037
CPAX850X350037	CPAX1000X375034	CPAX1300X225031	CPAX1700X325034
CPAX875X300034	CPAX1000X375037	CPAX1300X375037	CPAX1775X675050
CPAX875X300037	CPAX1000X400034	CPAX1300X400037	

Positive Pin 1

CPAX1575X150031	CPAX1875X325034	CPAX11000X400037	CPAX11325X400034
CPAX1600X200034	CPAX1875X325037	CPAX11025X225037	CPAX11325X675037
CPAX1625X100031	CPAX1875X350034	CPAX11025X300037	CPAX11325X675050
CPAX1650X200031	CPAX1875X350037	CPAX11100X375034	CPAX11325X700037
CPAX1650X200034	CPAX1900X175031	CPAX11100X675050	CPAX11350X375037
CPAX1650X200037	CPAX1950X325034	CPAX11125X300037	CPAX11350X400037
CPAX1675X200037	CPAX1950X400034	CPAX11125X350037	CPAX11375X200034
CPAX1675X225034	CPAX1950X400037	CPAX11200X325034	CPAX11400X675037
CPAX1675X225037	CPAX1950X450034	CPAX11200X325037	CPAX11400X700037
CPAX1725X150034	CPAX1950X450037	CPAX11200X350034	CPAX11450X675037
CPAX1750X150031	CPAX1950X675050	CPAX11200X350037	CPAX11450X700037
CPAX1750X150034	CPAX1975X300037	CPAX11200X400034	CPAX11500X500037
CPAX1775X200031	CPAX11000X225034	CPAX11200X400037	CPAX11500X650037
CPAX1775X200034	CPAX11000X300031	CPAX11225X325037	CPAX11500X675037
CPAX1775X200037	CPAX11000X300034	CPAX11250X375037	CPAX11500X700037
CPAX1800X250034	CPAX11000X300037	CPAX11250X425037	CPAX11525X675050
CPAX1800X675050	CPAX11000X325034	CPAX11250X500034	CPAX11600X300034
CPAX1550X325034	CPAX11000X325037	CPAX11250X500037	CPAX11625X400034
CPAX1850X325037	CPAX11000X350034	CPAX11275X425034	CPAX11650X300034
CPAX1850X350034	CPAX11000X350037	CPAX11275X425037	CPAX11650X400037
CPAX1850X350037	CPAX11000X375034	CPAX11300X225031	CPAX11700X325034
CPAX1875X300034	CPAX11000X375037	CPAX11300X375037	CPAX11775X675050
CPAX1875X300037	CPAX11000X400034	CPAX11300X400037	

Cylindrical Polarized Caps Library

CPCYL – Cylindrical P, N pinout, CPCYL1 - Cylindrical 1, 2 pinout, D – Diameter, LS – Lead Spacing, Number - Hole Size

Positive Pin P

CPCYLD150LS100031	CPCYLD250LS150031	CPCYLD325LS125034	CPCYLD600LS150034
CPCYLD150LS125031	CPCYLD275LS100031	CPCYLD325LS175034	CPCYLD600LS175034
CPCYLD175LS100031	CPCYLD275LS100034	CPCYLD350LS175034	CPCYLD650LS300040
CPCYLD175LS125031	CPCYLD275LS100037	CPCYLD350LS200031	CPCYLD650LS325040

© 2017 Parallel Systems Limited

CPCYLD200LS100031	CPCYLD275LS125034	CPCYLD350LS200034	CPCYLD700LS300040
CPCYLD200LS125031	CPCYLD275LS125037	CPCYLD400LS200034	CPCYLD700LS325040
CPCYLD200LS150031	CPCYLD300LS100031	CPCYLD400LS225034	CPCYLD725LS300040
CPCYLD225LS100031	CPCYLD300LS100034	CPCYLD500LS200034	CPCYLD725LS325040
CPCYLD225LS125031	CPCYLD300LS125034	CPCYLD500LS200037	
CPCYLD250LS100031	CPCYLD300LS200031	CPCYLD500LS200040	
CPCYLD250LS125031	CPCYLD300LS200034	CPCYLD500LS225034	

Positive Pin 1

CPCYL1D150LS100031	CPCYL1D250LS150031	CPCYL1D325LS125034	CPCYL1D600LS150034
CPCYL1D150LS125031	CPCYL1D275LS100031	CPCYL1D325LS175034	CPCYL1D600LS175034
CPCYL1D175LS100031	CPCYL1D275LS100034	CPCYL1D350LS175034	CPCYL1D650LS300040
CPCYL1D175LS125031	CPCYL1D275LS100037	CPCYL1D350LS200031	CPCYL1D650LS325040
CPCYL1D200LS100031	CPCYL1D275LS125034	CPCYL1D350LS200034	CPCYL1D700LS300040
CPCYL1D200LS125031	CPCYL1D275LS125037	CPCYL1D400LS200034	CPCYL1D700LS325040
CPCYL1D200LS150031	CPCYL1D300LS100031	CPCYL1D400LS225034	CPCYL1D725LS300040
CPCYL1D225LS100031	CPCYL1D300LS100034	CPCYL1D500LS200034	CPCYL1D725LS325040
CPCYL1D225LS125031	CPCYL1D300LS125034	CPCYL1D500LS200037	
CPCYL1D250LS100031	CPCYL1D300LS200031	CPCYL1D500LS200040	
CPCYL1D250LS125031	CPCYL1D300LS200034	CPCYL1D500LS225034	

TM_CYLND – Non-Polarized Cylindricals, Thru-hole Mount

CYL – Cylindrical, D – Diameter, LS – Lead Spacing, Number – Hole Size.

CYLD225LS100031	CYLD275LS125037	CYLD350LS175034	CYLD600LS150034
CYLD225LS125031	CYLD300LS100031	CYLD350LS200031	CYLD600LS175034
CYLD250LS100031	CYLD300LS100034	CYLD350LS200034	CYLD650LS300040
CYLD250LS125031	CYLD300LS125034	CYLD400LS200034	CYLD650LS325040
CYLD250LS150031	CYLD300LS200031	CYLD400LS225034	CYLD700LS300040
CYLD275LS100031	CYLD300LS200034	CYLD500LS200034	CYLD700LS325040
CYLD275LS100034	CYLD325LS125034	CYLD500LS200037	CYLD725LS300040
CYLD275LS100037	CYLD325LS150034	CYLD500LS200040	CYLD725LS325040
CYLD275LS125034	CYLD325LS175034	CYLD500LS225034	

TM_Diode Library – Axial-Lead Diodes, Thru-hole Mount

DAX – Cathode pin C, DAX1 – Cathode pin 1, DAX2 – Cathode pin 2, DO – DO Style, 1N – 1N Style, ..xx.. 0 Pad dist x width, Number – Hole Size.

Cathode pin C.

DAX300X050028	DAX550X160031	DAX1N49334937	DAXDO204AJ
DAX350X080031	DAX575X125046	DAX1N5221B5281B	DAXDO204AK
DAX350X200031	DAX650X080050	DAX1N5333B5388B	DAXDO204AL
DAX375X070034	DAX700X150042	DAX1N54005408	DAXDO204AM

© 2017 Parallel Systems Limited

DAX400X080028	DAX750X150042	DAX1N5441B5456B	DAXDO204AN
DAX425X100040	DAX775X375062	DAX1N581758l9	DAXDO204AP
DAX425Xl25040	DAX800XI10067	DAX1N58205821	DAXDO204AR
DAX425X150040	DAX800X225062	DAX1N58235825	DAXDO206AA
DAX450X090031	DAX800X375062	DAX1N5913B5965B	DAXDO206AB
DAX450X100034	DAX825X225062	DAX1N5985B6025B	DAXDO26
DAX450X125042	DAX825X375062	DAX1N746A759B	DAXDO29
DAX450X150040	DAX850X225062	DAX1N957B992B	DAXDO34
DAX475X125042	DAX850X260050	DAXDO204AA	DAXDO35
DAX500X110046	DAX900X270050	DAXDO204AB	DAXDO41
DAX500X125042	DAX950Xl50062	DAXDO204AC	DAXDO7
DAX550X110034	DAX1N40014007	DAXDO204AD	DAXSOD57
DAX550X120046	DAX1N4370A4372A	DAXDO204AE	DAXSOD64
DAX550X125034	DAX1N46784717	DAXDO204AF	
DAX550X140046	DAX1N47194725	DAXDO204AG	
DAX550X150046	DAX1N4728A4764A	DAXDO204AH	

Cathode pin C

DAX1300X050028	DAX1550X160031	DAX11N49334937	DAX1DO204AJ
DAX1350X080031	DAX1575X125046	DAX11N5221B5281B	DAX1DO204AK
DAX1350X200031	DAX1650X080050	DAX11N5333B5388B	DAX1DO204AL
DAX1375X070034	DAX1700X150042	DAX11N54005408	DAX1DO204AM
DAX1400X080028	DAX1750X150042	DAX11N5441B5456B	DAX1DO204AN
DAX1425X100040	DAX1775X375062	DAX11N581758l9	DAX1DO204AP
DAX1425Xl25040	DAX1800XI10067	DAX11N58205821	DAX1DO204AR
DAX1425X150040	DAX1800X225062	DAX11N58235825	DAX1DO206AA
DAX1450X090031	DAX1800X375062	DAX11N5913B5965B	DAX1DO206AB
DAX1450X100034	DAX1825X225062	DAX11N5985B6025B	DAX1DO26
DAX1450X125042	DAX1825X375062	DAX11N746A759B	DAX1DO29
DAX1450X150040	DAX1850X225062	DAX11N957B992B	DAX1DO34
DAX1475X125042	DAX1850X260050	DAX1DO204AA	DAX1DO35
DAX1500X110046	DAX1900X270050	DAX1DO204AB	DAX1DO41
DAX1500X125042	DAX1950Xl50062	DAX1DO204AC	DAX1DO7
DAX1550X110034	DAX11N40014007	DAX1DO204AD	DAX1SOD57
DAX1550X120046	DAX11N4370A4372A	DAX1DO204AE	DAX1SOD64
DAX1550X125034	DAX11N46784717	DAX1DO204AF	
DAX1550X140046	DAX11N47194725	DAX1DO204AG	
DAX1550X150046	DAX11N4728A4764A	DAX1DO204AH	

Cathode pin 2

DAX2300X050028	DAX2550X160031	DAX21N49334937	DAX2DO204AJ
DAX2350X080031	DAX2575X125046	DAX21N5221B5281B	DAX2DO204AK
DAX2350X200031	DAX2650X080050	DAX21N5333B5388B	DAX2DO204AL
DAX2375X070034	DAX2700X150042	DAX21N54005408	DAX2DO204AM
DAX2400X080028	DAX2750X150042	DAX21N5441B5456B	DAX2DO204AN

© 2017 Parallel Systems Limited

DAX2425X100040	DAX2775X375062	DAX21N581758l9	DAX2DO204AP
DAX2425Xl25040	DAX2800XI10067	DAX21N58205821	DAX2DO204AR
DAX2425X150040	DAX2800X225062	DAX21N58235825	DAX2DO206AA
DAX2450X090031	DAX2800X375062	DAX21N5913B5965B	DAX2DO206AB
DAX2450X100034	DAX2825X225062	DAX21N5985B6025B	DAX2DO26
DAX2450X125042	DAX2825X375062	DAX21N746A759B	DAX2DO29
DAX2450X150040	DAX2850X225062	DAX21N957B992B	DAX2DO34
DAX2475X125042	DAX2850X260050	DAX2DO204AA	DAX2DO35
DAX2500X110046	DAX2900X270050	DAX2DO204AB	DAX2DO41
DAX2500X125042	DAX2950Xl50062	DAX2DO204AC	DAX2DO7
DAX2550X110034	DAX21N40014007	DAX2DO204AD	DAX2SOD57
DAX2550X120046	DAX21N4370A4372A	DAX2DO204AE	DAX2SOD64
DAX2550X125034	DAX21N46784717	DAX2DO204AF	
DAX2550X140046	DAX21N47194725	DAX2DO204AG	
DAX2550X150046	DAX21N4728A4764A	DAX2DO204AH	

Dcon050 T Library – 0.050 D Connectors, Thru-hole Mount

RS – Rt Angle sockets, VS – Vertical sockets, _ALT – Alternate pinout, TM – Thru hole mount, Number Pins

Rt Angle Sockets and Rt Angle Sockets _ALT

DCON050RSTM100	DCON050RSTM40	DCON050RSALTTM100	DCON050RSALTTM40
DCON050RSTMl20	DCON050RSTM50	DCON050RSALTTM120	DCON050RSALTTM50
DCON050RSTM20	DCON050RSTM60	DCON050RSALTTM20	DCON050RSALTTM60
DCON050RSTM26	DCON050RSTM68	DCON050RSALTTM26	DCON050RSALTTM68
DCON050RSTM28	DCON050RSTM80	DCON050RSALTTM28	DCON050RSALTTM80

Vertical Sockets and Vertical Sockets _ALT

DCON050VSTM100	DCON050VSTM40	DCON050VSA1TTM100	DCON050VSA1TTM40
DCON050VSTM120	DCON050VSTM50	DCON050VSA1TTM120	DCON050VSA1TTM50
DCON050VSTM20	DCON050VSTM60	DCON050VSA1TTM20	DCON050VSA1TTM60
DCON050VSTM26	DCON050VSTM68	DCON050VSA1TTM26	DCON050VSA1TTM68
DCON050VSTM28	DCON050VSTM80	DCON050VSA1TTM28	DCON050VSA1TTM80

Dcon .085 Library – 0.085 D Connectors, Thru-hole Mount

RP – Rt Angle plug, RS – Rt Angle socket, VP – Vertical plug, VS – Vertical socket, TM – Thru hole mount, Number Pins

Vertical Plug .151 Rows

DCON085X151VPTM14	DCON085X151VPTM24	DCON085X151VPTM36	DCON085X151VPTM50

© 2017 Parallel Systems Limited

Vertical Socket .151 Rows

DCON085X151VSTM14 DCON085X151VSTM24 DCON085X151VSTM36 DCON085X151VSTM50

Rt Angle Plug .169 Rows

DCON085X169RPTM14 DCON085X169RPTM24 DCON085X169RPTM36 DCON085X169RPTM50

Rt Angle Socket .169 Rows

DCON085X169RSTM14 DCON085X169RSTM24 DCON085X169RSTM36 DCON085X169RSTM50

Vertical Plug .169 Rows

DCON085X169VPTM14 DCON085X169VPTM24 DCON085X169VPTM36 DCON085X169VPTM50

Vertical Socket .169 Rows

DCON085X169VSTM14 DCON085X169VSTM24 DCON085X169VSTM36 DCON085X169VSTM50

Dimm 0.050 F Library – 0.050 Dimm Edge Connectors

8 byte Form

DIMM050_FINGERS8 _BYTE

Standard Form

DIMM050FINGERS128 DIMM050FINGERS144 DIMM050FINGERS160 DIMM050FINGERS200
DIMM050FINGERS136

Dimm 0.050 T Library – 0.050 Dimm Sockets, Thru-hole Mount

_8B – 8 Byte style, VS – Vertical sockets, VS2 – Dual Vertical sockets, TM – Thru hole mount, Number pins.

Vertical Sockets

DIMM050VSTM104 DIMM050VSTM136 DIMM050VSTM160
DIMM050VSTM128 DIMM050VSTM144 DIMM050VSTM200

Dual Vertical Sockets

DIMM050VS2TM128X2 DIMM050VS2TM144X2 DIMM050VS2TM160X2 DIMM050VS2TM200X2
DIMM050VS2TM136X2

© 2017 Parallel Systems Limited

8B Vertical Socket

DIMM0508BVSTM168

DIN Library

41612 Connectors

DIN32ABR	DIN64ABR	DIN64ACR	DIN96ABCR
DIN32ABV	DIN64ABV	DIN64ACV	DIN96ABCV

Circular Miniatures – Surface mount and thru-hole mount

DINCMINSM3	DINCMINSM5	DINCMINSM7
DINCMINSM4	DINCMINSM6	DINCMINSM8
DINCMINTM3	DINCMINTM5	DINCMINTM7
DINCMINTM4	DINCMINTM6	DINCMINTM8

Circular Standard, Thru-hole mount

DINCSTDTM4	DINCSTDTM6	DINCSTDTM7	DINCSTDTM8
DINCSTDTM5			

DIP 0.100 Library – 0.100 Pitch DIPs, Thru-hole mount

Number pins, W – Row width, L – Length

DIP10014W300L700	DIP10020W400L1025	DIP10028W300L1400	DIP10036W600L1825
DIP10014W300L725	DIP10020W400L1050	DIP10028W300L1425	DIP10036W600L1850
DIP10014W300L750	DIP10022W300L1075	DIP10028W300L1450	DIP10036W900L1800
DIP10014W300L775	DIP10022W300L1100	DIP10028W300L1475	DIP10040W600L2025
DIP10014W300L800	DIP10022W300L1125	DIP10028W300L1500	DIP10040W600L2050
DIP10014W300L825	DIP10022W300L1150	DIP10028W400L1425	DIP10040W600L2075
DIP10014W300L850	DIP10022W300L1200	DIP10028W400L1450	DIP10040W600L2100
DIP10016W300L775	DIP10022W400L1125	DIP10028W600L1400	DIP10048W600L2425
DIP10016W300L800	DIP10022W400L1150	DIP10028W600L1425	DIP10048W600L2450
DIP10016W300L825	DIP10024W300L1175	DIP10028W600L1450	DIP10048W600L2475
DIP10016W300L850	DIP10024W300L1200	DIP10028W600L1475	DIP10048W600L2500
DIP10016W300L900	DIP10024W300L1225	DIP10028W600L1500	DIP1006W300L375
DIP10016W300L950	DIP10024W300L1250	DIP10028W600L1525	DIP10064W900L3225
DIP10018W300L900	DIP10024W300L1275	DIP10028W600L1550	DIP10064W900L3250
DIP10018W300L925	DIP10024W300L1300	DIP10028W600L1575	DIP1008W300L400
DIP10018W300L950	DIP10024W400L1225	DIP10028W600L1600	DIP1008W300L425
DIP10020W300L975	DIP10024W400L1250	DIP10032W300L1600	DIP1008W300L450
DIP10020W300L1000	DIP10024W600L1200	DIP10032W300L1625	DIP1008W300L475
DIP10020W300L1025	DIP10024W600L1225	DIP10032W600L1600	DIP1008W300L500

© 2017 Parallel Systems Limited

DIP10020W300L1050
DIP10020W300L1075
DIP10020W300L1100
DIP10020W400L1000
DIP10024W600L1250
DIP10024W600L1275
DIP10024W600L1300
DIP10028W300L1375
DIP10032W600L1625
DIP10032W600L1650
DIP10032W600L1675
DIP10032W600L1700
DIP1008W300L525
DIP1008W300L550

DIP 0.100 B Library – 0.100 Pitch DIPs, Buttmount

Number pins, W – Row width, L – Length

DIP100B14W300L800
DIP100B14W300L850
DIP100B16W300L850
DIP100B16W300L900
DIP100B16W300L950
DIP100B18W300L950
DIP100B20W300L1050
DIP100B22W400L1150
DIP100B24W300L1300
DIP100B24W400L1250
DIP100B24W600L1300
DIP100B28W300L1450
DIP100B8W300L450

TM_Disc Library – Offset-Leaded Discs, thru-hole mount

..xx.. – Length x width, LS – Lead spacing, Number – Hole size

DISC200X100LS200X125034
DISC200X150LS200X175034
DISC200X175LS250X200034
DISC200X200LS250X225034
DISC275X175LS200X050034
DISC275X175LS200X075034
DISC275X175LS200X200034
DISC275X200LS200X075034
DISC275X200LS200X100034
DISC275X200LS200X200034
DISC300X150LS200X175034
DISC300X150LS250X175034
DISC300X175LS250X200034
DISC325X250LS250X275042
DISC325X250LS375X275042
DISC350X175LS200X050034
DISC350X175LS200X075034
DISC350X175LS200X100034
DISC350X200LS200X100034
DISC350X225LS200X125034
DISC400X150LS200X175031
DISC400X175LS250X200034
DISC400X200LS250X225034
DISC450X175LS300X075037
DISC450X200LS300X075037
DISC450X200LS300X100037
DISC450X225LS300X100037
DISC450X225LS300X125037
DISC450X250LS250X275042
DISC450X250LS300X125037
DISC450X250LS300X150037
DISC450X250LS375X275042
DISC475X175LS375X200034
DISC500X200LSJ00X075037
DISC500X225LS300X100037
DISC500X250LS300X125037
DISC500X275LS300X150037
DISC550X250LS250X275042
DISC550X250LS375X275042
DISC600X175LS375X200034
DISC625X175LS300X075037
DISC625X200LS300X100037
DISC625X225LS300X100037
DISC625X250LS300X125037
DISC625X275LS300X150037
DISC675X250LS250X275042
DISC675X250LS375X275042
DISC700X175LS375X200034
DISC750X250LS250X275042
DISC750X250LS375X275042
DISC800X250LS250X275042
DISC800X250LS275X275042
DISC825X175LS375X200034
DISC850X175LS375X200034
DISC850X200LS400X075040
DISC850X200LS400X100040
DISC850X225LS400X100040
DISC850X250LS400X125040
DISC850X275LS400X150040
DISC850X350LS400X225040
DISC850X400LS400X275040
DISC900X250LS250X275042
DISC1000X250LS250X275042
DISC1000X250LS375X275042

Dsub Library – D sub-miniatures, thru-hole mount

RP – Rt Angle plug, RS - Rt Angle socket, VP – Vertical plug, VS – Vertical socket, 318 - Edge to first pin row, 584 – Edge to first pin row, TM – Thru-hole mount, Number pins.

© 2017 Parallel Systems Limited

Rt Angle Plugs

DSUBRP318TM15	DSUBRP318TM37	DSUBRP584TM15	DSUBRP584TM37
DSUBRP318TM25	DSUBRP318TM9	DSUBRP584TM25	DSUBRP584TM9

Rt Angle Sockets

DSUBRS318TM15	DSUBRS318TM37	DSUBRS584TM15	DSUBRS584TM37
DSUBRS318TM25	DSUBRS318TM9	DSUBRS584TM25	DSUBRS584TM9

Vertical Plugs

DSUBVP3TM15	DSUBVP3TM37	DSUBVP3TM50	DSUBVP3TM9
DSUBVP3TM25			

Vertical Sockets

DSUBVS3TM15	DSUBVS3TM37	DSUBVS3TM50	DSUBVS3TM9
DSUBVS3TM25			

Dsub T_HD Library - High Density D-subs, Thru-Hole Mount

RP - Rt Angle plug, RS - Rt Angle socket, VP - Vertical plug, VS - Vertical socket, TM - thru-ho1e Mount, Number Pins

Rt Angle Plugs

DSUBHDRPTM15	DSUBHDRPTM44	DSUBHDRPTM62	DSUBHDRPTM78
DSUBHDRPTM26			

Rt Angle Sockets

DSUBHDRSTM15	DSUBHDRSTM44	DSUBHDRSTM62	DSUBHDRSTM78
DSUBHDRPSTM26			

Vertical Plugs

DSUBHDVPTM15	DSUBHDVPTM44	DSUBHDVPTM62	DSUBHDVPTM78
DSUBHDVPTM26			

Vertical Sockets

DSUBHDVSTM15	DSUBHDVSTM44	DSUBHDVSTM62	DSUBHDVSTM78
DSUBHDVSTM26			

© 2017 Parallel Systems Limited

Edge 0.100 T Library – 0.100 Edge Connector Sockets Thru-Hole Mount

VS – Vertical sockets, TM – Thru-hole mount, 2 – 2 in line row, AN – Alpha numeric pinout, OE – Odd-even pinout, SQ – Sequential pinout, W - .400 width, Number pins.

Alpha numeric pinout

ECON100VSTM2ANW400100	ECON100VSTM2ANW40026	ECON100VSTM2ANW40062
ECON100VSTM2ANW400104	ECON100VSTM2ANW40036	ECON100VSTM2ANW40070
ECON100VSTM2ANW400120	ECON100VSTM2ANW40050	ECON100VSTM2ANW40080
ECON100VSTM2ANW40024	ECON100VSTM2ANW40060	

Odd-even pinout

ECON100VSTM2OEW400100	ECON100VSTM2OEW40026	ECON100VSTM2OEW40062
ECON100VSTM2OEW400104	ECON100VSTM2OEW40036	ECON100VSTM2OEW40070
ECON100VSTM2OEW400120	ECON100VSTM2OEW40050	ECON100VSTM2OEW40080
ECON100VSTM2OEW40024	ECON100VSTM2OEW40060	

Sequential pinout

ECON100VSTM2SQW400100	ECON100VSTM2SQW40026	ECON100VSTM2SQW40062
ECON100VSTM2SQW400104	ECON100VSTM2SQW40036	ECON100VSTM2SQW40070
ECON100VSTM2SQW400120	ECON100VSTM2SQW40050	ECON100VSTM2SQW40080
ECON100VSTM2SQW40024	ECON100VSTM2SQW40060	

Fbus Library – Future Bus 2mm Connectors, Thru-hole mount

RS – Rt Angle socket, VP – Vertical Plug, Number Pins

Rt Angle Sockets

FBUSRS120	FBUSRS192	FBUSRS240	FBUSRS72
FBUSRS144	FBUSRS216	FBUSRS264	FBUSRS96
FBUSRS168	FBUSRS24	FBUSRS48	

Vertical Plugs

FBUSVP120	FBUSVP192	FBUSVP240	FBUSVP72
FBUSVP144	FBUSVP216	FBUSVP264	FBUSVP96
FBUSVP168	FBUSVP24	FBUSVP48	

ISA Library

Fingers

ISAFINGERS

© 2017 Parallel Systems Limited

Socket

ISASOCKET

Lcon 0.100 T Library – 0.100 Latching Connectors, Thru-hole mount

RH – Rt Angle header, VH – Vertical header, TM – Thru-hole mount, 2 – 2 in line row, OE – Odd even pinout, S – 0.025 sq post, W 0.400 width, Number pins.

Right Angle

LATCON100RHTM2OEW110010	LATCON100RHTM2OEW110024	LATCON100RHTM2OEW110040
LATCON100RHTM2OEW110014	LATCON100RHTM2OEW110026	LATCON100RHTM2OEW110050
LATCON100RHTM2OEW110016	LATCON100RHTM2OEW110030	LATCON100RHTM2OEW110060
LATCON100RHTM2OEW110020	LATCON100RHTM2OEW110034	LATCON100RHTM2OEW110064

Right Angle 0.025 sq Post

LATCON100RHTM2OESW110010	LATCON100RHTM2OESW110024	LATCON100RHTM2OESW110040
LATCON100RHTM2OESW110014	LATCON100RHTM2OESW110026	LATCON100RHTM2OESW110050
LATCON100RHTM2OESW110016	LATCON100RHTM2OESW110030	LATCON100RHTM2OESW110060
LATCON100RHTM2OESW110020	LATCON100RHTM2OESW110034	LATCON100RHTM2OESW110064

Vertical

LATCON100VHTM2OEW110010	LATCON100VHTM2OEW110024	LATCON100VHTM2OEW110040
LATCON100VHTM2OEW110014	LATCON100VHTM2OEW110026	LATCON100VHTM2OEW110050
LATCON100VHTM2OEW110016	LATCON100VHTM2OEW110030	LATCON100VHTM2OEW110060
LATCON100VHTM2OEW110020	LATCON100VHTM2OEW110034	LATCON100VHTM2OEW110064

Vertical 0.025 sq Post

LATCON100VHTM2OESW110010	LATCON100VHTM2OESW110024	LATCON100VHTM2OESW110040
LATCON100VHTM2OESW110014	LATCON100VHTM2OESW110026	LATCON100VHTM2OESW110050
LATCON100VHTM2OESW110016	LATCON100VHTM2OESW110030	LATCON100VHTM2OESW110060
LATCON100VHTM2OESW110020	LATCON100VHTM2OESW110034	LATCON100VHTM2OESW110064

PC/104 Library

Headers

PC104J1P1HEADER PC104J2P2HEADER

PCI Library

Fingers

PCI32BIT5VFINGERS

© 2017 Parallel Systems Limited

Sockets

PCI32BIT5VFINGERS

Pcon 0.100 T Library – 0.100 Polarized Connectors, Thru-hole mount

RH – Rt Angle header, VH – Vertical header, TM – Thru-hole mount, 1 – 1 in line row, SQ – Sequential pinout, S – 0.025 sq post, W width, Number pins.

Rt Angle Headers 0.440 Wide

POLCON100RHTM1SQSW44010	POLCON100RHTM1SQSW44021	POLCON100RHTM1SQSW44032
POLCON100RHTM1SQSW44011	POLCON100RHTM1SQSW44022	POLCON100RHTM1SQSW44033
POLCON100RHTM1SQSW44012	POLCON100RHTM1SQSW44023	POLCON100RHTM1SQSW44034
POLCON100RHTM1SQSW44013	POLCON100RHTM1SQSW44024	POLCON100RHTM1SQSW44035
POLCON100RHTM1SQSW44014	POLCON100RHTM1SQSW44025	POLCON100RHTM1SQSW44036
POLCON100RHTM1SQSW44015	POLCON100RHTM1SQSW44026	POLCON100RHTM1SQSW4404
POLCON100RHTM1SQSW44016	POLCON100RHTM1SQSW44027	POLCON100RHTM1SQSW4405
POLCON100RHTM1SQSW44017	POLCON100RHTM1SQSW44028	POLCON100RHTM1SQSW4406
POLCON100RHTM1SQSW44018	POLCON100RHTM1SQSW44029	POLCON100RHTM1SQSW4407
POLCON100RHTM1SQSW44019	POLCON100RHTM1SQSW4403	POLCON100RHTM1SQSW4408
POLCON100RHTM1SQSW4402	POLCON100RHTM1SQSW44030	POLCON100RHTM1SQSW4409
POLCON100RHTM1SQSW44020	POLCON100RHTM1SQSW44031	

Vertical Headers 0.300 Wide

POLCON100VHTM1SQSW30010	POLCON100VHTM1SQSW30021	POLCON100VHTM1SQSW30032
POLCON100VHTM1SQSW30011	POLCON100VHTM1SQSW30022	POLCON100VHTM1SQSW30033
POLCON100VHTM1SQSW30012	POLCON100VHTM1SQSW30023	POLCON100VHTM1SQSW30034
POLCON100VHTM1SQSW30013	POLCON100VHTM1SQSW30024	POLCON100VHTM1SQSW30035
POLCON100VHTM1SQSW30014	POLCON100VHTM1SQSW30025	POLCON100VHTM1SQSW30036
POLCON100VHTM1SQSW30015	POLCON100VHTM1SQSW30026	POLCON100VHTM1SQSW3004
POLCON100VHTM1SQSW30016	POLCON100VHTM1SQSW30027	POLCON100VHTM1SQSW3005
POLCON100VHTM1SQSW30017	POLCON100NVTM1SQSW30028	POLCON100VHTM1SQSW3006
POLCON100VHTM1SQSW30018	POLCON100VHTM1SQSW30029	POLCON100VHTM1SQSW3007
POLCON100VHTM1SQSW30019	POLCON100VHTM1SQSW3003	POLCON100VHTM1SQSW3008
POLCON100VHTM1SQSW3002	POLCON100VHTM1SQSW30030	POLCON100VHTM1SQSW3009
POLCON100VHTM1SQSW30020	POLCON100VHTM1SQSW30031	

Pcon 0.156 T Library – 0.156 Polarized Connectors, Thru-hole mount

RH – Rt Angle header, VH – Vertical header, TM – Thru-hole mount, 1 – 1 in line row, SQ – Sequential pinout, S – 0.045 sq post, W width, Number pins.

Rt Angle Headers 0.800 Wide

POLCON156RHTM1SQSW80010	POLCON156RHTM1SQSW80021	POLCON156RHTM1SQSW80032
POLCON156RHTM1SQSW80011	POLCON156RHTM1SQSW80022	POLCON156RHTM1SQSW80033

© 2017 Parallel Systems Limited

POLCON156RHTM1SQSW80012
POLCON156RHTM1SQSW80013
POLCON156RHTM1SQSW80014
POLCON156RHTM1SQSW80015
POLCON156RHTM1SQSW80016
POLCON156RHTM1SQSW80017
POLCON156RHTM1SQSW80018
POLCON156RHTM1SQSW80019
POLCON156RHTM1SQSW8002
POLCON156RHTM1SQSW80020
POLCON156RHTM1SQSW80023
POLCON156RHTM1SQSW80024
POLCON156RHTM1SQSW80025
POLCON156RHTM1SQSW80026
POLCON156RHTM1SQSW80027
POLCON156NVTM1SQSW80028
POLCON156RHTM1SQSW80029
POLCON156RHTM1SQSW8003
POLCON156RHTM1SQSW80030
POLCON156RHTM1SQSW80031
POLCON156RHTM1SQSW80034
POLCON156RHTM1SQSW80035
POLCON156RHTM1SQSW80036
POLCON156RHTM1SQSW8004
POLCON156RHTM1SQSW8005
POLCON156RHTM1SQSW8006
POLCON156RHTM1SQSW8007
POLCON156RHTM1SQSW8008
POLCON156RHTM1SQSW8009

Vertical Headers 0.425 Wide

POLCON156VHTM1SQSW42510
POLCON156VHTM1SQSW42511
POLCON156VHTM1SQSW42512
POLCON156VHTM1SQSW42513
POLCON156VHTM1SQSW42514
POLCON156VHTM1SQSW42515
POLCON156VHTM1SQSW42516
POLCON156VHTM1SQSW42517
POLCON156VHTM1SQSW42518
POLCON156VHTM1SQSW42519
POLCON156VHTM1SQSW4252
POLCON156VHTM1SQSW42520
POLCON156VHTM1SQSW42521
POLCON156VHTM1SQSW42522
POLCON156VHTM1SQSW42523
POLCON156VHTM1SQSW42524
POLCON156VHTM1SQSW42525
POLCON156VHTM1SQSW42526
POLCON156VHTM1SQSW42527
POLCON156NVTM1SQSW42528
POLCON156VHTM1SQSW42529
POLCON156VHTM1SQSW4253
POLCON156VHTM1SQSW42530
POLCON156VHTM1SQSW42531
POLCON156VHTM1SQSW42532
POLCON156VHTM1SQSW42533
POLCON156VHTM1SQSW42534
POLCON156VHTM1SQSW42535
POLCON156VHTM1SQSW42536
POLCON156VHTM1SQSW4254
POLCON156VHTM1SQSW4255
POLCON156VHTM1SQSW4256
POLCON156VHTM1SQSW4257
POLCON156VHTM1SQSW4258
POLCON156VHTM1SQSW4259

PGA Library – Pin Grid Arrays, Thru hole mount

Array Grid_Pitch, Pins, D – Hole Size, W – Width

PGA10050100D034W1100
PGA1005064D034W1100
PGA1005068D034W1100
PGA1005084D034W1100
PGA11050108D034W1200
PGA11050112D034W1200
PGA11050116D034W1200
PGA11050121D034W1200
PGA1105068D034W1200
PGA1105069D034W1200
PGA1105070D034W1200
PGA1105072A0034W1200
PGA1105072BD034W1200
PGA1105073D034W1200
PGA1105076D034W1200
PGA1105084AD034W1200
PGA1105084BD034W1200
PGA13050128AD034W1400
PGA13050128BD034W1400
PGA13050132D034W1400
PGA13050133AD034W1400
PGA13050133BD034W1400
PGA13050144D034W1400
PGA13050169D034W1400
PGA1305084D034W1400
PGA1305085D034W1400
PGA1305088AD034W1400
PGA1305088BD034W1400
PGA1305089D034W1400
PGA14050101D034W1500
PGA14050132D034W1500
PGA14050133D034W1500
PGA14050160D034W1400
PGA14050179D034W1500
PGA1S050225D034W1600
PGA16050155D034W1700
PGA16050156D034W1700
PGA16050160D034W1700
PGA16050172D034W1700
PGA16050256D034W1700
PGA17050168D034W1800
PGA17050169D034W1800
PGA17050188D034W1800
PGA17050208D034W1800
PGA17050209D034W1800
PGA17050225D034W1800
PGA17050240D034W1800
PGA17050289D034W1800
PGA18050179AD034W1900
PGA18050179BD034W1900
PGA18050191D034W1900

© 2017 Parallel Systems Limited

PGA1105085D034W1200
PGA1105088D034W1200
PGA1105096D034W1200
PGA12050108D034W1300
PGA12050109D034W1300
PGA12050144D034W1300
PGA1205044D034W1300
PGA1205084D034W1300
PGA1205089D034W1300
PGA13050100D034W1400
PGA13050101D034W1400
PGA13050114D034W1400
PGA13050120AD034W1400
PGA13050120BD034W1400
PGA13050121D034W1400
PGA13050124A1D034W1400
PGA13050124BD034W1400
PGA14050180D034W1500
PGA14050184D034W1500
PGA14050196D034W1500
PGA1405095D034W1500
PGA15050100D034W1600
PGA15050104D034W1600
PGA15050144D034W1600
PGA15050145D034W1600
PGA15050149AD034W1600
PGA150501149BD034W1600
PGA150501156D034W1600
PGA150501176D034W1600
PGA150501179D034W1600
PGA15050180D034W1600
PGA150501181D034W1600
PGA15050212D034W1600
PGA15050223D034W1600
PGA!8050324D034W1900
PGA19050240D034W2000
PGA19050280D034W2000
PGA19050361D034W2000
PGA20050400D034W2100
PGA21050273D034W2200
PGA21050441D034W2200
PGA35050325D028W1900
PGA805044D034W900
PGA805064D034W900
PGA905052D034W1000
PGA905056D034W1000
PGA905072D034W1000
PGA905076D034W1000
PGA905081D034W1000

PLCC Library – Surface and Thru hole mount

Number Pins, SMS – Surface mount socket, TMS – Thru-hole mount socket, Number Width dimension

PLCC100
PLCC100SMS1600
PLCC100SMS1625
PLCC100SMS1650
PLCCJ00TMS1625
PLCC100TMS1650
PLCC100TMS1675
PLCC124
PLCC18244X384
PLCC18244X444
PLCC20
PLCC20SMS575
PLCC20SMS600
PLCC20TMS625
PLCC20TMS650
PLCC20TMS675
PLCC22244X444
PLCC28
PLCC28310X510
PLCC28SMS675
PLCC28SMS700
PLCC28TMS725
PLCC28TMS750
PLCC28TMS775
PLCC32
PLCC32SMS650X750
PLCC32SMS675X775
PLCC32SMS700X800
PLCC32TMS700X800
PLCC32TMS725X825
PLCC32TMS750X850
PLCC44
PLCC44SMS875
PLCC44SMS900
PLCC44SMS925
PLCC44TMS925
PLCC44TMS950
PLCC44TMS975
PLCC52
PLCC52SMS1000
PLCC52SMS1025
PLCC52SMS1050
PLCC52TMS1025
PLCC52TMS1050
PLCC52TMS1075
PLCC68
PLCC68SMS1200
PLCC68SMS1225
PLCC68SMS1250
PLCC68TMS1225
PLCC68TMS1250
PLCC68TMS1275
PLCC84
PLCC84SMS1400
PLCC84SMS1425
PLCC84SMS1450
PLCC84TMS1425
PLCC84TMS1450
PLCC84TMS1475

Quad Library – Surface and Thru-hole Mount

Quad.. Pitch, Number pins, WG – Opposing gull ends width, CTX – Centre indexed, SMS – Surface mount socket, TMS – Thru-hole mount socket,

0.025” pitch.

QUAD025100WG885
QUAD025100WG885CTX
QUAD025132WG1085TMS3CTX
QUAD025132WG1085TMS4CTX
QUAD0251196WG1485CTX
QUAD02568WG685

© 2017 Parallel Systems Limited

QUAD025132WG1085
QUAD025132WG1085CTX
QUAD025132WG1085TMS1
QUAD025132WG1085TMS2
QUAD025164WG1285
QUAD025164WG1285CTX
QUAD025196WG1480TMS1
QUAD025196WGI485
QUAD02568WG685CTX
QUAD02584WG785
QUAD02584WG785CTX

0.050" pitch

QUAD050100WG1485
QUAD050100WG1485CTX
QUAD05036WG685
QUAD05036WG685CTX
QUAD05044WG785
QUAD05044WG785CTX
QUAD05052WG885
QUAD05052WG885CTX
QUAD05068WG1085
QUAD05068WG1085CTX
QUAD05084WG1285
QUAD05084WG1285CTX

0.40mm pitch

QUAD40M100WG1400
QUAD40M100WG1460
QUAD40M120WG1600
QUAD40M120WG1660
QUAD40M176WG2200
QUAD40M176WG2260
QUAD40M216WG2600
QUAD40M216WG2660
QUAD40M256WG3000
QUAD40M256WG3060
QUAD40M296WG3460
QUAD40M336WG3860
QUAD40M376WG4260
QUAD40M40WG700
QUAD40M64WG900
QUAD40M80WG1200
QUAD40M80WG1260

0.50mm pitch

QUAD50M100WG1600
QUAD50M100WG1610
QUAD50M100WG1660
QUAD50M128WG1600X2200
QUAD50M128WG2260
QUAD50M144WG2200
QUAD50M144WG2260
QUAD50M176WG2600
QUAD50M176WG2660
QUAD50M208WG3000
QUAD50M208WG3060
QUAD50M208WG3070
QUAD50M208WG3070SMS1
QUAD50M216WG3010
QUAD50M240WG3460
QUAD50M272WG3860
QUAD50M304WG4260
QUAD50M304WG4280
QUAD50M304WG4280SMS1
QUAD50M32WG700
QUAD50M48WG900
QUAD50M64WG1200
QUAD50M64WG1260
QUAD50M80WG1400
QUAD50M80WG1460

0.65mm pitch

QUAD65M100WG1600X2200
QUAD65M100WG1745X2345
QUAD65M100WG1815X2415
QUAD65M112WG2200
QUAD65M112WG2345
QUAD65M136WG2745
QUAD65M144WG3145
QUAD65M144WG3145TMS1
QUAD65M144WG3215
QUAD65M160WG3000
QUAD65M160WG3145
QUAD65M160WG3145SMS1
QUAD65M160WG3145TMS1
QUAD65M160WG3215
QUAD65M184WG3545
QUAD65M184WG3615
QUAD65M232WG4345
QUAD65M232WG4415
QUAD65M40WG900
QUAD6SMS2WG1200
QUAD6SMS2WG1345
QUAD6SMS2WG1415
QUAD65M64WG1400
QUAD65M80WG1600
QUAD65M80WG1745
QUAD65M80WG1745SMS1
QUAD65M80WG1815
QUAD65M88WG1945

© 2017 Parallel Systems Limited

0.80mm pitch

QUAD80M120WG3145	QUAD80M44WG1200	QUAD80M64WG1745
QUAD80M120WG3215	QUAD80M44WG1345	QUAD80M64WG1815
QUAD80M128WG3145	QUAD80M44WG1415	QUAD80M80WG1745X2345
QUAD80M128WG3215	QUAD80M52WG1400	QUAD80M80WG1815X2415
QUAD80M32WG900	QUAD80M64WG1600	

1.00mm pitch

QUAD10M36WG1200	QUAD10M52WG1745	QUAD10M64WG1815X2415
QUAD10M44WG1400	QUAD10M52WG1815	
QUAD10M52WG1600	QUAD10M64WG1745X2345	

QUAD_B Library – Bumpered Quads, Surface and Thru-hole mount

QuadB.. Pitch, Number pins, WG – Opposing gull ends width, CTX – Centre indexed, SMS – Surface mount socket, TMS – Thru-hole mount socket

0.025" pitch

QUADB025100WG880	QUADB025132WG1090	QUADB02544WG535
QUADB025100WG880CTX	QUADB025132WG1090CTX	QUADB02544WG535CTX
QUADB025100WG880TMS1CTX	QUADB025148WG1185	QUADB02552WG580
QUADB025100WG880TMS2CTX	QUADB025148WG1185CTX	QUADB025152WG580CTX
QUADB025100WG880TMS3	QUADB0251164WG1280	QUADB02552WG585
QUADB025100WG880TMS4	QUADB0251164WG1280CTX	QUADB02552WG585CTX
QUADB025100WG885	QUADB0251164WG1280TMS1	QUADB02568WG680
QUADB025100WG885CTX	QUADB025164WG1280TMS2CTX	QUADB02568WG680CTX
QUADB025100WG890	QUADB0251164WG1285	QUADB02568WG685
QUADB025100WG890CTX	QUADB025164WG1285CTX	QUADB02568WG685CTX
QUADB025132WG1080	QUADB0251164WG1290	QUADB02584WG780
QUADB025132WG1080CTX	QUADB0251164WG1290CTX	QUADB025184WG780CTX
QUADB025132WG1080TMS1CTX	QUADB025196WG1480	QUADB02584WG780TMS1
QUADB025132WG1080TMS2CTX	QUADB0251196WG1480CTX	QUADB025184WG785
QUADB025132WG1080TMS3	QUADB025196WG1480SMS1CTX	QUADB025184WG785CTX
QUADB025132WG1080TMS4	QUADB025196WG1480SMS2	QUADB025184WG790
QUADB025132WG1085	QUADB0251244WG1780	QUADB025184WG790CTX
QUADB025132WG1085CTX	QUADB025244WG1780CTX	

TM_RAD Library – Non-Polarized Radial Lead, Thru-hole mount.

…x… Pad to pad x width, LS – Lead spacing, Number hole size.

RAD100X050LS100031	RAD400X150LS300034	RAD450X200LS300034	RAD575X300LS400034
RAD100X100LS100031	RAD400X175LS300031	RAD450X225LS300031	RAD675X175LS600034
RAD150X100LS100031	RAD400X175LS300034	RAD450X225LS300034	RAD675X200LS600034

© 2017 Parallel Systems Limited

RAD200X100LS100031	RAD400X200LS300031	RAD450X250LS300031	RAD675X225LS600034
RAD200X125LS100031	RAD400X200LS300034	RAD450X250LS300034	RAD675X250LS600034
RAD250X125LS200031	RAD400X225LS300031	RAD450X275LS300031	RAD675X275LS500034
RAD250X125LS200034	RAD400X225LS300034	RAD450X275LS300034	RAD675X275LS600040
RAD300X100LS200031	RAD400X250LS300031	RAD450X300LS300031	RAD675X300LS500034
RAD300X125LS200031	RAD400X250LS300034	RAD450X300LS300034	RAD675X300LS600040
RAD300X150LS200031	RAD400X275LS300031	RAD450X325LS300031	RAD675X325LS600040
RAD300X175LS200031	RAD400X275LS300034	RAD450X325LS300034	RAD675X350LS500034
RAD300X200LS200031	RAD400X300LS300031	RAD475X175LS400034	RAD675X350LS600040
RAD300X225LS200031	RAD400X300LSJ00034	RAD475X200LS300034	RAD700X200LS600040
RAD300X250LS200031	RAD400X325LS300031	RAD475X200LS400034	RAD725X225LS600040
RAD300X275LS200031	RAD400X325LS300034	RAD475X225LS300034	RAD725X250LS600040
RAD300X300LS200031	RAD425X175LS300031	RAD475X225LS400034	RAD725X275LS600040
RAD300X325LS200031	RAD425X200LS300034	RAD475X250LS300034	RAD725X300LS600040
RAD325X175LS200031	RAD425X225LS300034	RAD475X250LS400034	RAD725X325LS600040
RAD325X200LS200031	RAD425X250LS300034	RAD475X275LS400034	RAD725X350LS600040
RAD350X175LS200031	RAD450X150LS300031	RAD525X175LS400040	RAD800X325LS600034
RAD350X200LS200031	RAD450X150LS300034	RAD525X200LS400040	RAD800X350LS600034
RAD400X150LS200031	RAD450X175LS300031	RAD575X225LS400034	RAD800X375LS600034
RAD400X150LS200034	RAD450X175LS300034	RAD575X250LS400034	RADCK0S
RAD400X150LS300031	RAD450X200LS300031	RAD575X275LS400034	RADCK06

Relay Library – Surface and Thru-hole mount

RELAY1	RELAY21	RELAY33	RELAY45
RELAY10	RELAY22	RELAY34	RELAY46
RELAY 11	RELAY23	RELAY35	RELAY47
RELAY12	RELAY24	RELAY36	RELAY48
RELAY13	RELAY25	RELAY37	RELAY49
RELAY14	RELAY26	RELAY38	RELAY5
RELAY 1S	RELAY27	RELAY39	RELAY6
RELAY16	RELAY28	RELAY4	RELAY7
RELAY17	RELAY29	RELAY40	RELAY8
RELAY18	RELAY3	RELAY41	RELAY9
RELAY19	RELAY30	RELAY42	
RELAY2	RELAY31	RELAY43	
RELAY20	RELAY32	RELAY44	

RF Library – RF Connectors

RF.. Style, Number Rt angle distance

RFBNCR1350	RFSMAV	RFSSMBR325	RFTNCV
RFSMAR425	RFSMBR475	RFSSMBV	
RFSMAR725	RFSMBV	RFTNCR1350	

© 2017 Parallel Systems Limited

Sbus Library – D Connectors, Vertical Plug and Socket

SBUSVPTM96 SBUSVSTM96

Simm 0.050 F Library – 0.050 Simm Edge Fingers

LP – Left polarized, RP – Right polarized, Number Pins

SIMM050FINGERSLP100	SIMM050FINGERSLP72	SIMM050FINGERSRP64
SIMM050FINGERSLP38	SIMM050FINGERSLP80	SIMM050FINGERSRP68
SIMM050FINGERSLP40	SIMM050FINGERSRP100	SIMM050FINGERSRP72
SIMM050FINGERSLP64	SIMM050FINGERSRP38	SIMM050FINGERSRP80
SIMM050FINGERSLP68	SIMM050FINGERSRP40	

Simm 0.050 T Library – 0.050 Simm Sockets, Thru-hole mount

LPS – Low profile socket, RS – Rt angle socket, VS – Vertical socket, VS2 – Dual vertical sockets, _LP – Left polarized, _RP – Right polarized, TM – Thru-hole mount, Number pins.

Low Profile _Left Polarized

SIMM050LPSLPTM40	SIMM050LPSLPTM60	SIMM050LPSLPTM68	SIMM050LPSLPTM80
SIMM050LPSLPTM56	SIMM050LPSLPTM64	SIMM050LPSLPTM72	

Low Profile Dual _Left Polarized

SIMM050LPS2LPTM40X2	SIMM050LPS2LPTM64X2	SIMM050LPS2LPTM80X2
SIMM050LPS2LPTM56X2	SIMM050LPS2LPTM68X2	
SIMM050LPS2LPTM60X2	SIMM050LPS2LPTM72X2	

Rt Angle _Left Polarized

SIMM050RSLPTM40	SIMM050RSLPTM68	SIMM050RSLPTM80
SIMM050RSLPTM64	SIMM050RSLPTM72	SIMM050RSLPTM84

Rt Angle _Right Polarized

SIMM050RSRPTM64 SIMM050RSRPTM72 SIMM050RSRPTM80 SIMM050RSRPTM68

Vertical _Left Polarized

SIMM050VSLPTM100	SIMM0S0VSLPTM40	SIMM050VSLPTM68	SIMM050VSLPTM80
SIMM050VSLPTM38	SIMM0S0VSLPTM64	SIMM050VSLPTM72	

© 2017 Parallel Systems Limited

Vertical _Right Polarized

SIMM050VSRPTM100 SIMM0S0VSRPTM40 SIMM050VSRPTM68 SIMM050VSRPTM80
SIMM050VSRPTM38 SIMM0S0VSRPTM64 SIMM050VSRPTM72

Vertical Dual _Left Polarized

SIMM050VS2LPTM100X2 SIMM050VS2LPTM64X2 SIMM050VS2LPTM80X2
SIMM050VS2LPTM38X2 SIMM050VS2LPTM68X2
SIMM050VS2LPTM40X2 SIMM050VS2LPTM72X2

Vertical Dual _Right Polarized

SIMM050VS2RPTM100X2 SIMM050VS2RPTM64X2 SIMM050VS2RPTM80X2
SIMM050VS2RPTM38X2 SIMM050VS2RPTM68X2
SIMM050VS2RPTM40X2 SIMM050VS2RPTM72X2

Simm 0.100 F Library – 0.100 Simm Edge Fingers

LP – Left polarized, RP – Right polarized, Number Pins

Left Polarized

SIMM100FINGERSLP22 SIMM100FINGERSLP30 SIMM100FINGERSLP35 SIMM100FINGERSLP42

Right Polarized

SIMM100FINGERSRP22 SIMM100FINGERSRP35 SIMM100FINGERSRP42
SIMM100FINGERSRP30 SIMM100FINGERSRP40 SIMM100FINGERSRP45

Simm 0.100 T Library – 0.100 Simm Sockets, Thru-hole mount

LPS – Low profile socket, LPS2 – Dual low profile sockets, RS – Rt angle socket, VS – Vertical socket, VS2 – Dual vertical sockets, TM – Thru-hole mount, Number pins.

Low Profile Sockets

SIMM100LPSTM30 SIMM100LPSTM40 SIMM100LPSTM42 SIMM100LPSTM45
SIMM100LPSTM35

Dual Low Profile Sockets

SIMM100LPS2TM30X2 SIMM100LPS2TM40X2 SIMM100LPS2TM45X2
SIMM100LPS2TM35X2 SIMM100LPS2TM42X2

© 2017 Parallel Systems Limited

Rt Angle Socket

SIMM100RSTM30

Vertical Socket

SIMM100VSTM30	SIMM100VSTM40	SIMM100VSTM42	SIMM100VSTM45
SIMM100VSTM35			

Dual Vertical Sockets

SIMM100VS2TMW30030X2	SIMM100VS2TMW40035X2	SIMM100VS2TMW40042X2
SIMM100VS2TMW40030X2	SIMM100VS2TMW40040X2	SIMM100VS2TMW40045X2

SIP Library – Surface and Thru-hole mount

SM – Surface mount, TM – Thru-hole mount, _DIL – Dual in line, L – Length

SIPSML4758	SIPSMDILL52518	SIPTML4004	SIPTML9009
SIPSML5259	SIPSMDILL57520	SIPTML5005	SIPTML100010
SIPSML57510	SIPSMDILL67524	SIPTML6006	SIPTML110011
SIPSML67512	SIPTML2002	SIPTML7007	SIPTML120012
SIPSMDILL47516	SIPTML3003	SIPTML8008	

SM Library – Discrete Components, Surface Mount

C – Chip Capacitor, CT – Tantalum Capacitor, D – Diode, L – Inductor, R – Resistor, Styles – DO, SC, SOT, SOD

SMDPAK	SMSMB

Chip Capacitors

SMC0402	SMC0603	SMC1206	SMC1812
SMC0504	SMC0805	SMC1210	SMC1825

Tantalum Capacitors

SMCT3216	SMCT3528	SMCT6032	SMCT7343
SMCT321612	SMCT352812	SMCT603212	SMCT734312

Diodes

C,A – default pinout, _12 – Cathode pin 1, _21 – Cathode pin 2.

SMD0805	SMD230912	SMDSOD8721	SMD0214AA
SMD080512	SMD230921	SMD0213AA	SMD0214AA12

© 2017 Parallel Systems Limited

SMD080521	SMDMLL34	SMD0213AA12	SMD0214AA21
SMD1206	SMDMLL3412	SMD0213AA21	SMD0214AB
SMD120612	SMDMLL3421	SMD0213AB	SMD0214AB12
SMD120621	SMDMLL41	SMD0213AB12	SMD0214AB21
SMD1406	SMDMLL4112	SMD0213AB21	SMD0214AC
SMD140612	SMDMLL4121	SMD0213AC	SMDO214AC12
SMD140621	SMDSOD87	SMD0213AC12	SMDO214AC21
SMD2309	SMDSOD8712	SMD0213AC21	

Inductors

SML0805	SML1210	SML1806	SML2220
SML1110	SML1212	SML1812	SML3312
SML1206	SML1614	SML2015	

Resistors

SMR0402	SMR0805	SMR1210	SMR2220
SMR0603	SMR1206	SMR2010	SMR2512

Transistors and FET's

SMSC59123	SMSOT143BCEC	SMSOT23123	SMSOT23ECB
SMSC59BEC	SMSOT143CBEE	SMSOT23231	SMSOT23GDS
SMSC59EBC	SMSOT143CEBE	SMSOT23312	SMSOT23GSD
SMSC59ECB	SMSOT2231234	SMSOT23BCE	SMSOT23SDG
SMSC70123	SMSOT223ACNC	SMSOT23BEC	SMSOT23SGD
SMSC70BEC	SMSOT223BCEC	SMSOT23CBE	SMSOT89123
SMSC70EBC	SMSOT223DGSG	SMSOT23DGS	SMSOT89IX3
SMSC70ECB	SMSOT223GDSD	SMSOT23DSG	SMSOT89EBC
SMSOT1431234	SMSOT223SDGD	SMSOT23EBC	SMSOT89SDG

SOG Library – SM SO Gull Wing Families

SOG… Pitch, Number pins, WG – Opposing gull ends width, L – Length

0.025" pitch

SOG02528WG420L375	SOG02548WG420L625	SOG02556WG420L700
SOG02528WG420L400	SOG02548WG420L650	SOG02556WG420L725
SOG02548WG420L600		

0.050" pitch

SOG05010WG275L350	SOG05016WG420L425	SOG05028WG420L725	SOG05038WG480L925
SOG05012WG275L350	SOG05018WG350L550	SOG05028WG4801700	SOG05040WG650L1100

© 2017 Parallel Systems Limited

SOG05014WG244L325
SOG05014WG244L350
SOG05014WG244L375
SOG05014WG275L450
SOG05014WG420L350
SOG05014WG420L375
SOG05016WG244L375
SOG05016WG244L400
SOG05016WG244L425
SOG05016WG350L450
SOG05016WG420L400
SOG05020WG350L550
SOG05020WG420L500
SOG05020WG420L525
SOG05020WG420L550
SOG05022WG425L650
SOG05024WG420L600
SOG05024WG420L625
SOG05024WG425L650
SOG05024WG480L600
SOG05024WG480L625
SOG05028WG420L700
SOG05028WG480L725
SOG05028WG500L750
SOG05030WG500L850
SOG05032WG420L800
SOG05032WG420L825
SOG05032WG420L850
SOG05032WG480L825
SOG05032WG480L850
SOG05032WG575L850
SOG05036WG575L950
SOG05038WG480L900
SOG05042WG650L1100
SOG05044WG642L1150
SOG0506WG275L250
SOG0508WG244L175
SOG0508WG244L200
SOG0508WG244L225
SOG0508WG275L250
SOG0508WG420L200
SOG0508WG420L225

0.30mm pitch

SOG30M36WG2020L620
SOG30M52WG2020L820
SOG30M64WG2020L1020
SOG30M76WG2020L1220

0.40mm pitch

SOG40M24WG1620L640
SOG40M28WG1820L620
SOG40M40WG1820L820
SOG40M48WG1820L1020
SOG40M60WG1820L1220

0.50mm pitch

SOG050M32WG1620L820
SOG050M32WG2020L825
SOG050M40WG1620L1020
SOG050M40WG2020L1060
SOG050M48WG1620L1220
SOG050M48WG840L1270
SOG050M48WG840L1333
SOG050M56WG2020L1460
SOG050M56WG840L1397
SOG050M56WG8401460

0.65m pitch

SOG65M14WG820L635
SOG65M114WG820L698
SOG65M16WG1420L620
SOG65M16WG820L635
SOG65M16WG820L699
SOG65M20WG820L698
SOG65M20WG820L762
SOG65M24WG1420L780
SOG65M24WG820L825
SOG65M24WG820L890
SOG65M28WG1420L980
SOG65M28WG820L1016
SOG65M28WG820L1080
SOG65M30WG820L1016
SOG65M30WG820L1080
SOG65M36WG1420L1180
SOG65M38WG820L1270
SOG65M38WG820L1333
SOG65M8WG820L317
SOG65M8WG820L380

0.8mm pitch

SOG80M64WG1450L2643

© 2017 Parallel Systems Limited

SOJ Library – SM SO J Lead Family, Devices and Sockets

SOJ… - Pitch, Number pins, WB – Body width, L – Length, SS – Surface mount socket

0.050" pitch

SOJ05014WB300L350	SOJ05018WB300L450	SOJ05024WB300L600	SOJ05028WB300L750
SOJ05014WB300L375	SOJ05018WB300L500	SOJ05024WB300L625	SOJ05028WB350L700
SOJ05014WB300L400	SOJ05018WB350L450	SOJ05024WB300L650	SOJ05028WB350L750
SOJ05014WB350L350	SOJ05018WB350L500	SOJ05024WB350L600	SOJ05028WB400L700
SOJ05014WB350L375	SOJ05018WB400L450	SOJ05024WB350L625	SOJ05028WB400L750
SOJ05014WB350L400	SOJ05018WB400L500	SOJ05024WB350L650	SOJ05028WB450L700
SOJ05014WB400L350	SOJ05018WB450L450	SOJ05024WB400L600	SOJ05028WB450L750
SOJ05014WB400L375	SOJ05018WB450L500	SOJ05024WB400L625	SOJ05032SS
SOJ05014WB400L400	SOJ05020WB300L450	SOJ05024WB400L650	SOJ05032WB300L800
SOJ05014WB450L350	SOJ05020WB300L550	SOJ05024WB450L600	SOJ05032WB300L850
SOJ05014WB450L375	SOJ05020WB350L500	SOJ05024WB450L625	SOJ05032WB400L800
SOJ05014WB450L400	SOJ05020WB350L550	SOJ05024WB450L650	SOJ05032WB400L850
SOJ05016WB300L400	SOJ05020WB400L500	SOJ05025WB300L700	SOJ05034WB400L850
SOJ05016WB300L425	SOJ05020WB400L550	SOJ050266WB300L650	SOJ05034WB400L900
SOJ05016WB300L450	SOJ05020WB450L500	SOJ050266WB300L700	SOJ05036WB400L900
SOJ05016WB350L400	SOJ05020WB450L550	SOJ05026WB300L650	SOJ05036WB400L950
SOJ05016WB350L425	SOJ05022WB300L550	SOJ05026WB350L650	SOJ05040SS
SOJ05016WB350L450	SOJ05022WB300L600	SOJ05026WB350L700	SOJ05040WB400L1000
SOJ05016WB400L400	SOJ05022WB350L550	SOJ05026WB400L650	SOJ05040WB400L1050
SOJ05016WB400L425	SOJ05022WB350L600	SOJ05026WB400L700	SOJ05042WB400L1050
SOJ05016WB400L450	SOJ05022WB400L550	SOJ05026WB450L650	SOJ05042WB400L1100
SOJ05016WB450L400	SOJ05022WB400L600	SOJ05026WB450L700	SOJ05044WB400L1100
SOJ05016WB450L425	SOJ05022WB450L550	SOJ05028SS	SOJ05044WB400L1150
SOJ05016WB450L450	SOJ05022WB450L600	SOJ05028WB300L700	

TELE Library – Telecom Connectors

SM – Surface mount, TM – Thru-hole mount, ….Face – Face to snaps distance, …x… - Pinout form, _ALT – Alternate pinout form.

Surface Mount – 0.310" Face to Snaps

TELESM310FACE6X2	TELESM310FACE6X4	TELESM310FACE6X6	TELESM310FACE8X6ALT
TELESM310FACE6X2ALT	TELESM310FACE6X4ALT	TELESM310FACE8X6	TELESM310FACE8X8

Surface Mount – 0.420" Face to Snaps

TELESM420FACE6X2	TELESM420FACE6X4	TELESM420FACE6X6	TELESM420FACE8X6ALT
TELESM420FACE6X2ALT	TELESM420FACE6X4ALT	TELESM420FACE8X6	TELESM420FACE8X8

© 2017 Parallel Systems Limited

Thru-hole Mount – 0.310" Face to Snaps

TELETM310FACE6X2	TELETM310FACE6X4	TELETM310FACE6X6	TELETM310FACE8X6ALT
TELETM310FACE6X2ALT	TELETM310FACE6X4ALT	TELETM310FACE8X6	TELETM310FACE8X8

Thru-hole Mount – 0.420" Face to Snaps

TELETM420FACE6X2	TELETM420FACE6X4	TELETM420FACE6X6	TELETM420FACE8X6ALT
TELETM420FACE6X2ALT	TELETM420FACE6X4ALT	TELETM420FACE8X6	TELETM420FACE8X8

TO Library

TO100	TO206AC	TO225AA	TO257AA	TO74R125
TO101	TO206AD	TO225AB	TO257AB	TO75
TO101R125	TO206AE	TO226AA	TO258AA	TO76
TO12	TO206AF	TO226AB	TO260AA	TO77
TO123	TO213AA	TO226ABR050	TO261AASOT223	TO78
TO124	TO213AB	TO226AC	TO262AA	TO79
TO126	TO213AC	TO226AE	TO263AA	TO80
TO17R050	TO218AA	TO236AASOT23	TO263AB	TO92
TO18	TO218AB	TO236ABSOT23	TO264AA	TO92100
TO202AA	TO218AC	TO237AA	TO265AA	TO92100DGS
TO202AB	TO218AD	TO243AASOT89	TO3	TO92100EBC
TO202AC	TO220AA	TO243ABSOT892	TO38	TO92100GDS
TO205AA	TO220AARF1	TO247AA	TO33	TO92100GSD
TO205AB	TO210AARF2	TO247AB	TO37	TO92100SDG
TO205AC	TO220AARF3	TO247AC	TO39	TO922
TO205AD	TO220AB	TO247AD	TO42	TO92R050
TO205AE	TO220ABVF1	TO252AADPAK	TO46	TO92R100
TO205AF	TO220ABVF2	TO252ABDPAK	TO5	TO96
TO205AG	TO220AC	TO253AASOT143	TO52	TO97
TO206AA	TO221AA	TO254AA	TO66	TO99
TO206AB	TO221AB	TO256AA	TO73R125	

Vres Library – Variable Resistors

VRES1	VRES18	VRES26	VRES34	VRES42	VRES50	VRES59
VRES10	VRES19	VRES27	VRES35	VRES43	VRES51	VRES6
VRES11	VRES2	VRES28	VRES36	VRES44	VRES52	VRES60
VRES12	VRES20	VRES29	VRES37	VRES45	VRES53	VRES61
VRES13	VRES21	VRES3	VRES38	VRES46	VRES54	VRES62
VRES14	VRES22	VRES30	VRES39	VRES47	VRES55	VRES63
VRES15	VRES23	VRES31	VRES4	VRES48	VRES56	VRES7
VRES16	VRES24	VRES32	VRES40	VRES49	VRES57	VRES8
VRES17	VRES25	VRES33	VRES41	VRES5	VRES58	VRES9

© 2017 Parallel Systems Limited

Wcon 0.100 T Library – 0.100 Walled/Shrouded Connectors, Thru-hole mount

RH – Rt Angle headers, VH – Vertical headers, TM – Thru-hole mount, 2 – 2 in line row, OE – Odd even pinout, S – 0.025 sq posts, W – Width

Rt Angle Headers

WALCON100RHTM2OEW55010	WALCON100RHTM2OEW55024	WALCON100RHTM2OEW55050
WALCON100RHTM2OEW55012	WALCON100RHTM2OEW55026	WALCON100RHTM2OEW55060
WALCON100RHTM2OEW55014	WALCON100RHTM2OEW55030	WALCON100RHTM2OEW55064
WALCON100RHTM2OEW55016	WALCON100RHTM2OEW55034	
WALCON100RHTM2OEW55020	WALCON100RHTM2OEW55040	

Rt Angle Headers 0.025” sq posts

WALCON100RHTM2OESW55010	WALCON100RHTM2OESW55024	WALCON100RHTM2OESW55050
WALCON100RHTM2OESW55012	WALCON100RHTM2OESW55026	WALCON100RHTM2OESW55060
WALCON100RHTM2OESW55014	WALCON100RHTM2OESW55030	WALCON100RHTM2OESW55064
WALCON100RHTM2OESW55016	WALCON100RHTM2OESW55034	
WALCON100RHTM2OESW55020	WALCON100RHTM2OESW55040	

Vertical Headers

WALCON100VHTM2OEW32510	WALCON100VHTM2OEW32524	WALCON100VHTM2OEW32540
WALCON100VHTM2OEW32514	WALCON100VHTM2OEW32526	WALCON100VHTM2OEW32550
WALCON100VHTM2OEW32516	WALCON100VHTM2OEW32530	WALCON100VHTM2OEW32560
WALCON100VHTM2OEW32520	WALCON100VHTM2OEW32534	WALCON100VHTM2OEW32564

Vertical Headers 0.025” sq posts

WALCON100VHTM2OESW32510	WALCON100VHTM2OESW32524	WALCON100VHTM2OESW32540
WALCON100VHTM2OESW32514	WALCON100VHTM2OESW32526	WALCON100VHTM2OESW32550
WALCON100VHTM2OESW32516	WALCON100VHTM2OESW32530	WALCON100VHTM2OESW32560
WALCON100VHTM2OESW32520	WALCON100VHTM2OESW32534	WALCON100VHTM2OESW32564

XT Library

Fingers

XTFINGERS

Sockets

XTSOCKET

© 2017 Parallel Systems Limited

ZIGZAG Library

Single in line Zigzag Pinout

ZIGZAG100L85016
ZIGZAG100L105020
ZIGZAG100L125024
ZIGZAG100L145028
ZIGZAG100L205040

The following are trademarks or registered trademarks of Cadence Design Systems, Inc. 555 River Oaks Parkway, San Jose, CA 95134
Allegro®, Cadence®, Cadence logo™, Concept®, NC-Verilog®, OrCAD®, PSpice®, SPECCTRA®, Verilog®
Other Trademarks
All other trademarks are the exclusive property of their prospective owners.
NOTICE OF DISCLAIMER: Parallel Systems is providing this design, code, or information "as is." By providing the design, code, or information as one possible implementation of this feature, application, or standard, Parallel Systems makes no representation that this implementation is free from any claims of infringement. You are responsible for obtaining any rights you may require for your implementation. Parallel Systems expressly disclaims any warranty whatsoever with respect to the adequacy of the implementation, including but not limited to any warranties or representations that this implementation is free from claims of infringement and any implied warranties of merchantability or fitness for a particular purpose.

0603RF_WV_12D




Attributes:

Size	6.360 x 4.620 MM (visible)
	4.320 x 2.280 MM (PlaceBound)
Height	1.27 MM
PitchX	1.520 MM
PitchY	NA
ConnPinCnt	2
ConnPads	40X30
MechPinCnt	0
MechPads	NA

Scale 5:1

0805RF_WV_12D




Attributes:

Size	6.360 x 5.120 MM (visible)
	5.080 x 3.560 MM (PlaceBound)
Height	1.27 MM
PitchX	2.280 MM
PitchY	NA
ConnPinCnt	2
ConnPads	60X50
MechPinCnt	0
MechPads	NA

Scale 5:1

1206RF_WV_12D




Attributes:

Size	6.850 x 5.250 MM (visible)
	6.360 x 2.800 MM (PlaceBound)
Height	1.27 MM
PitchX	3.300 MM
PitchY	NA
ConnPinCnt	2
ConnPads	60X60
MechPinCnt	0
MechPads	NA

Scale 5:1

1210RF_WV_12D




Attributes:

Size	6.720 x 6.140 MM (visible)
	6.100 x 4.320 MM (PlaceBound)
Height	1.27 MM
PitchX	3.300 MM
PitchY	NA
ConnPinCnt	2
ConnPads	60X100
MechPinCnt	0
MechPads	NA

Scale 5:1

AC200100




Attributes:

Size	12.820 x 5.590 MM (visible)
	7.430 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	T3_1
MechPinCnt	0
MechPads	NA

Scale 5:1

AT_35UX



Attributes:

Size	15.330 x 15.350 MM (visible)
	16.510 x 16.520 MM (PlaceBound)
Height	1.7 MM
PitchX	NA
PitchY	9.000 MM
ConnPinCnt	4
ConnPads	SMD250REC46
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 1

AX1000X225034



Attributes:

Size	27.180 x 8.710 MM (visible)
	27.560 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1000X300031



Attributes:

Size	27.100 x 10.610 MM (visible)
	27.480 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1000X300034



Attributes:

Size	27.180 x 10.610 MM (visible)
	27.560 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1000X300037



Attributes:

Size	27.180 x 10.610 MM (visible)
	27.560 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1000X325034



Attributes:

Size	27.180 x 11.250 MM (visible)
	27.560 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1000X325037



Attributes:

Size	27.180 x 11.250 MM (visible)
	27.560 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 2

CB Distribution

AX1000X350034



Attributes:

Size	27.180 x 11.880 MM (visible)
	27.560 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1000X350037



Attributes:

Size	27.180 x 11.880 MM (visible)
	27.560 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1000X375034



Attributes:

Size	27.180 x 12.510 MM (visible)
	27.560 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1000X375037



Attributes:

Size	27.180 x 12.510 MM (visible)
	27.560 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1000X400034



Attributes:

Size	27.180 x 13.150 MM (visible)
	27.560 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1000X400037



Attributes:

Size	27.180 x 13.150 MM (visible)
	27.560 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

AX1025X225037



Attributes:

Size	27.810 x 8.710 MM (visible)
	28.190 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	26.030 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1025X300037



Attributes:

Size	27.810 x 10.610 MM (visible)
	28.190 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	26.030 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1100X375034




Attributes:

Size	29.720 x 12.510 MM (visible)
	30.100 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	27.940 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1100X675050



Attributes:

Size	30.120 x 20.130 MM (visible)
	30.500 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	27.940 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1125X300037



Attributes:

Size	30.360 x 10.610 MM (visible)
	30.730 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	28.580 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1125X350037



Attributes:

Size	30.360 x 11.880 MM (visible)
	30.730 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	28.580 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

AX1200X325034



Attributes:

Size	32.260 x 11.250 MM (visible)
	32.640 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1200X325037



Attributes:

Size	32.260 x 11.250 MM (visible)
	32.640 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1200X325050



Attributes:

Size	32.660 x 11.250 MM (visible)
	33.040 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1200X350034



Attributes:

Size	32.260 x 11.880 MM (visible)
	32.640 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1200X350037



Attributes:

Size	32.260 x 11.880 MM (visible)
	32.640 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1200X350050



Attributes:

Size	32.660 x 11.880 MM (visible)
	33.040 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

AX1200X400034



Attributes:

Size	32.260 x 13.150 MM (visible)
	32.640 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1200X400037



Attributes:

Size	32.260 x 13.150 MM (visible)
	32.640 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1200X400050



Attributes:

Size	32.660 x 13.150 MM (visible)
	33.040 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1225X325037



Attributes:

Size	32.890 x 11.250 MM (visible)
	33.270 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	31.110 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1250X375037



Attributes:

Size	33.530 x 12.510 MM (visible)
	33.910 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1250X375046



Attributes:

Size	33.830 x 12.510 MM (visible)
	34.210 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD9
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 6

AX1250X425037



Attributes:

Size	33.530 x 13.790 MM (visible)
	33.910 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1250X500034



Attributes:

Size	33.530 x 15.690 MM (visible)
	33.910 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1250X500037



Attributes:

Size	33.530 x 15.690 MM (visible)
	33.910 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1250X500040



Attributes:

Size	33.680 x 15.690 MM (visible)
	34.070 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1275X425034



Attributes:

Size	34.160 x 13.790 MM (visible)
	34.540 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	32.380 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1275X425037



Attributes:


Size	34.160 x 13.790 MM (visible)
	34.540 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	32.380 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

AX1300X225031




Attributes:

Size	34.720 x 8.710 MM (visible)
	35.100 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	33.020 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1300X375037




Attributes:

Size	34.800 x 12.510 MM (visible)
	35.180 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	33.020 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1300X375046



Attributes:

Size	35.100 x 12.510 MM (visible)
	35.480 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	33.020 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD9
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1300X400037



Attributes:

Size	34.800 x 13.150 MM (visible)
	35.180 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	33.020 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1325X400034



Attributes:

Size	35.440 x 13.150 MM (visible)
	35.810 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1325X675037



Attributes:

Size	35.440 x 20.130 MM (visible)
	35.810 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

AX1325X675046



Attributes:

Size	35.740 x 20.130 MM (visible)
	36.120 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD9
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1325X675050



Attributes:

Size	35.840 x 20.130 MM (visible)
	36.220 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1325X700037



Attributes:

Size	35.440 x 20.770 MM (visible)
	35.810 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1325X700046




Attributes:

Size	35.740 x 20.770 MM (visible)
	36.120 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD9
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1350X375037




Attributes:

Size	36.070 x 12.510 MM (visible)
	36.450 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	34.290 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX1350X375046




Attributes:

Size	36.370 x 12.510 MM (visible)
	36.750 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	34.290 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD9
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

AX1350X400037



Scale 2:1

Attributes:

Size	36.070 x 13.150 MM (visible)
	36.450 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	34.290 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX1375X200034



Scale 2:1

Attributes:

Size	36.700 x 8.070 MM (visible)
	37.080 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	34.920 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX1400X675037



Scale 2:1

Attributes:

Size	37.340 x 20.130 MM (visible)
	37.720 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	35.560 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX1400X675046



Scale 2:1

Attributes:

Size	37.640 x 20.130 MM (visible)
	38.020 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	35.560 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD9
MechPinCnt	0
MechPads	NA

AX1400X700037



Scale 2:1

Attributes:

Size	37.340 x 20.770 MM (visible)
	37.720 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	35.560 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX1400X700046




Scale 2:1

Attributes:

Size	37.640 x 20.770 MM (visible)
	38.020 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	35.560 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD9
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

AX1425X675050



Scale 2:1

Attributes:

Size	40.920 x 20.130 MM (visible)
	41.300 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	38.740 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

AX1450X675037



Scale 2:1

Attributes:

Size	38.610 x 20.130 MM (visible)
	38.990 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	36.830 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX1450X675046



Scale 2:1

Attributes:

Size	38.910 x 20.130 MM (visible)
	39.290 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	36.830 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD9
MechPinCnt	0
MechPads	NA

AX1450X700037



Scale 2:1

Attributes:

Size	38.610 x 20.770 MM (visible)
	38.990 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	36.830 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX1450X700046




Scale 2:1

Attributes:

Size	38.910 x 20.770 MM (visible)
	39.290 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	36.830 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD9
MechPinCnt	0
MechPads	NA

AX1500X500037



Scale 2:1

Attributes:


Size	39.880 x 15.690 MM (visible)
	40.260 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 11

CB Distribution

AX1500X500040




Scale 2:1

Attributes:

Size	40.030 x 15.690 MM (visible)
	40.420 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

AX1500X650037




Scale 2:1

Attributes:

Size	39.880 x 19.510 MM (visible)
	40.260 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX1500X650040




Scale 2:1

Attributes:

Size	40.030 x 19.510 MM (visible)
	40.420 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

AX1500X675037




Scale 2:1

Attributes:

Size	39.880 x 20.130 MM (visible)
	40.260 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX1500X675046



Scale 2:1

Attributes:

Size	40.180 x 20.130 MM (visible)
	40.560 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD9
MechPinCnt	0
MechPads	NA

AX1500X700037



Scale 2:1

Attributes:

Size	39.880 x 20.770 MM (visible)
	40.260 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 12

CB Distribution

AX1500X700046




Scale 2:1

Attributes:

Size	40.180 x 20.770 MM (visible)
	40.560 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD9
MechPinCnt	0
MechPads	NA

AX1600X300034




Scale 2:1

Attributes:

Size	42.420 x 10.610 MM (visible)
	42.800 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	40.640 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX1625X400034




Scale 2:1

Attributes:

Size	42.420 x 13.150 MM (visible)
	42.800 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	40.640 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX1650X300034




Scale 2:1

Attributes:

Size	43.690 x 10.610 MM (visible)
	44.070 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	41.910 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX1650X400037




Scale 2:1

Attributes:

Size	43.690 x 13.150 MM (visible)
	44.070 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	41.910 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX1700X325034



Scale 2:1

Attributes:


Size	44.960 x 11.250 MM (visible)
	45.340 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	43.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 13

CB Distribution

AX1775X675050




Scale 2:1

Attributes:

Size	47.260 x 20.130 MM (visible)
	47.650 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	45.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

AX300X100028




Scale 5:1

Attributes:

Size	12.820 x 5.530 MM (visible)
	9.520 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD2
MechPinCnt	0
MechPads	NA

AX300X100031




Scale 5:1

Attributes:

Size	12.820 x 5.530 MM (visible)
	9.700 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

AX325X100031




Scale 5:1

Attributes:

Size	12.820 x 5.530 MM (visible)
	10.340 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	8.260 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

AX350X100031




Scale 5:1

Attributes:

Size	12.820 x 5.530 MM (visible)
	10.970 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

AX350X100034



Scale 5:1


Attributes:

Size	12.820 x 5.530 MM (visible)
	11.050 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

AX375X100031




Attributes:

Size	12.820 x 5.530 MM (visible)
	11.610 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	9.520 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

AX375X100034




Attributes:

Size	12.820 x 5.530 MM (visible)
	11.680 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	9.520 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX400X100031




Attributes:

Size	12.820 x 5.530 MM (visible)
	12.240 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

AX400X100034




Attributes:

Size	12.820 x 5.530 MM (visible)
	12.320 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX400X125031




Attributes:

Size	12.820 x 6.170 MM (visible)
	12.240 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

AX400X125034



Attributes:

Size	12.820 x 6.170 MM (visible)
	12.320 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

AX425X100031




Attributes:

Size	12.820 x 5.530 MM (visible)
	12.880 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

AX425X100034




Attributes:

Size	12.820 x 5.530 MM (visible)
	12.950 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX425X150040




Attributes:

Size	12.820 x 6.800 MM (visible)
	12.920 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

AX450X100031



Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

AX450X100034



Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX450X125034



Attributes:


Size	13.210 x 6.170 MM (visible)
	13.590 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

AX450X150034



Attributes:

Size	13.210 x 6.800 MM (visible)
	13.590 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX475X100031



Attributes:

Size	13.760 x 5.530 MM (visible)
	14.150 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	12.060 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

AX475X100034



Attributes:

Size	13.840 x 5.530 MM (visible)
	14.220 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	12.060 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX475X125031



Attributes:

Size	13.760 x 6.170 MM (visible)
	14.150 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	12.060 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

AX475X125034



Attributes:

Size	13.840 x 6.170 MM (visible)
	14.220 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	12.060 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX500X100031



Attributes:

Size	14.400 x 5.530 MM (visible)
	14.780 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 17

CB Distribution

AX500X100034



Attributes:

Size	14.480 x 5.530 MM (visible)
	14.860 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX500X125034



Attributes:

Size	14.480 x 6.170 MM (visible)
	14.860 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX500X150034



Attributes:

Size	14.480 x 6.800 MM (visible)
	14.860 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX500X150037




Attributes:

Size	14.480 x 6.800 MM (visible)
	14.860 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX500X175034




Attributes:

Size	14.480 x 7.430 MM (visible)
	14.860 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX500X175037



Attributes:


Size	14.480 x 7.430 MM (visible)
	14.860 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

AX500X200034




Attributes:

Size	14.480 x 8.070 MM (visible)
	14.860 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX500X200037




Attributes:

Size	14.480 x 8.070 MM (visible)
	14.860 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX500X200040



Attributes:

Size	14.630 x 8.070 MM (visible)
	15.020 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 5:1

AX525X100031



Attributes:

Size	15.040 x 5.530 MM (visible)
	15.420 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	13.340 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

AX525X125034



Attributes:

Size	15.120 x 6.170 MM (visible)
	15.490 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.340 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX550X100031



Attributes:

Size	15.670 x 5.530 MM (visible)
	16.050 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

AX550X125034



Scale 5:1

Attributes:

Size	15.750 x 6.170 MM (visible)
	16.130 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX550X150034



Scale 5:1

Attributes:

Size	15.750 x 6.800 MM (visible)
	16.130 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX550X150037



Scale 5:1

Attributes:

Size	15.750 x 6.800 MM (visible)
	16.130 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX550X175034



Scale 5:1

Attributes:

Size	15.750 x 7.430 MM (visible)
	16.130 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX550X200031



Scale 5:1

Attributes:

Size	15.670 x 8.070 MM (visible)
	16.050 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

AX575X150031



Scale 5:1

Attributes:

Size	16.300 x 6.800 MM (visible)
	16.690 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

AX575X150034



Attributes:

Size	16.380 x 6.800 MM (visible)
	16.760 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX575X150037



Attributes:

Size	16.380 x 6.800 MM (visible)
	16.760 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX575X175034



Attributes:

Size	16.380 x 7.430 MM (visible)
	16.760 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX600X100034



Attributes:

Size	17.020 x 5.530 MM (visible)
	17.400 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX600X175037



Attributes:

Size	16.380 x 7.430 MM (visible)
	16.760 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX600X200034



Attributes:

Size	17.020 x 8.070 MM (visible)
	17.400 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

AX600X200037



Scale 5:1

Attributes:

Size	17.020 x 8.070 MM (visible)
	17.400 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX625X100031



Scale 5:1

Attributes:

Size	17.580 x 5.530 MM (visible)
	17.960 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	15.880 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

AX625X100034



Scale 5:1

Attributes:

Size	17.660 x 5.530 MM (visible)
	18.030 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	15.880 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX650X150037



Scale 5:1

Attributes:

Size	18.290 x 6.800 MM (visible)
	18.670 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX650X150040



Scale 5:1

Attributes:

Size	18.440 x 6.800 MM (visible)
	18.830 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

AX650X175040



Scale 5:1

Attributes:

Size	18.440 x 7.430 MM (visible)
	18.830 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 22

CB Distribution

AX650X175042



Attributes:

Size	18.490 x 7.430 MM (visible)
	18.870 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 5:1

AX650X200031



Attributes:

Size	18.210 x 8.070 MM (visible)
	18.590 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

AX650X200034



Attributes:

Size	18.290 x 8.070 MM (visible)
	18.670 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX650X200037



Attributes:

Size	18.290 x 8.070 MM (visible)
	18.670 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX650X200040



Attributes:

Size	18.440 x 8.070 MM (visible)
	18.830 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 5:1

AX650X200058



Attributes:

Size	18.890 x 8.070 MM (visible)
	19.270 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD7
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

AX650X225037



Attributes:

Size	18.290 x 8.710 MM (visible)
	18.670 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX650X250031



Attributes:

Size	18.210 x 9.350 MM (visible)
	18.590 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

AX675X175040



Attributes:

Size	19.070 x 7.430 MM (visible)
	19.460 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 5:1

AX675X200037



Attributes:

Size	18.920 x 8.070 MM (visible)
	19.300 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AX675X200040



Attributes:

Size	19.070 x 8.070 MM (visible)
	19.460 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 5:1

AX675X225034



Attributes:

Size	18.920 x 8.710 MM (visible)
	19.300 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 24

AX675X225037



Scale 5:1

Attributes:

Size	18.920 x 8.710 MM (visible)
	19.300 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX725X150034



Scale 2:1

Attributes:

Size	20.200 x 6.800 MM (visible)
	20.570 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	18.420 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX750X150031



Scale 5:1

Attributes:

Size	19.480 x 6.800 MM (visible)
	19.860 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

AX750X150034



Scale 2:1

Attributes:

Size	20.830 x 6.800 MM (visible)
	21.210 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AX775X200031



Scale 2:1

Attributes:

Size	21.380 x 8.070 MM (visible)
	21.770 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

AX775X200034



Scale 2:1

Attributes:

Size	21.460 x 8.070 MM (visible)
	21.840 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 25

AX775X200037



Attributes:

Size	21.460 x 8.070 MM (visible)
	21.840 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX775X200042



Attributes:

Size	21.660 x 8.070 MM (visible)
	22.050 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 2:1

AX800X200034



Attributes:

Size	22.100 x 8.070 MM (visible)
	22.480 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX800X200037



Attributes:

Size	22.100 x 8.070 MM (visible)
	22.480 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX800X200042



Attributes:

Size	22.300 x 8.070 MM (visible)
	22.680 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 2:1

AX800X250031



Attributes:

Size	22.020 x 9.350 MM (visible)
	22.400 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 26

CB Distribution

AX800X250034



Attributes:

Size	22.100 x 9.350 MM (visible)
	22.480 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX800X325031



Attributes:

Size	22.020 x 11.250 MM (visible)
	22.400 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 2:1

AX825X200034



Attributes:

Size	22.740 x 8.070 MM (visible)
	23.110 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX825X200037



Attributes:

Size	22.740 x 8.070 MM (visible)
	23.110 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX825X200042



Attributes:

Size	22.940 x 8.070 MM (visible)
	23.320 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 2:1

AX850X325034



Attributes:

Size	23.370 x 11.250 MM (visible)
	23.750 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 27

AX850X325037



Attributes:

Size	23.370 x 11.250 MM (visible) 23.750 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX850X350034



Attributes:

Size	23.370 x 11.880 MM (visible) 23.750 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX850X350037



Attributes:

Size	23.370 x 11.880 MM (visible) 23.750 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX875X300034



Attributes:

Size	24.000 x 10.610 MM (visible) 24.380 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX875X300037



Attributes:

Size	24.000 x 10.610 MM (visible) 24.380 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX875X325034



Attributes:

Size	24.000 x 11.250 MM (visible) 24.380 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 28

AX875X325037



Attributes:

Size	24.000 x 11.250 MM (visible) 24.380 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX875X350034



Attributes:

Size	24.000 x 11.880 MM (visible) 24.380 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX875X350037



Attributes:

Size	24.000 x 11.880 MM (visible) 24.380 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX900X175031



Attributes:

Size	24.560 x 7.430 MM (visible) 24.940 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	22.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 2:1

AX900X225034



Attributes:

Size	24.960 x 8.710 MM (visible) 25.340 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	23.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX900X225037



Attributes:

Size	24.960 x 8.710 MM (visible) 25.340 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	23.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 29

AX900X225040



Attributes:

Size	25.110 x 8.710 MM (visible)
	25.490 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	23.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

AX925X225034



Attributes:

Size	25.280 x 8.710 MM (visible)
	25.650 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	23.500 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX925X225037



Attributes:

Size	25.280 x 8.710 MM (visible)
	25.650 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	23.500 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX925X225040



Attributes:

Size	25.430 x 8.710 MM (visible)
	25.810 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	23.500 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

AX950X325031



Attributes:

Size	25.830 x 11.250 MM (visible)
	26.210 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 2:1

AX950X325034



Attributes:

Size	25.910 x 11.250 MM (visible)
	26.290 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 30

AX950X400034



Attributes:

Size	25.910 x 13.150 MM (visible)
	26.290 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX950X400037



Attributes:

Size	25.910 x 13.150 MM (visible)
	26.290 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX950X450034



Attributes:

Size	25.910 x 14.430 MM (visible)
	26.290 x 11.640 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX950X450037




Attributes:

Size	25.910 x 14.430 MM (visible)
	26.290 x 11.640 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX950X675050



Attributes:

Size	26.310 x 20.130 MM (visible)
	26.690 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

AX975X275034



Attributes:

Size	26.540 x 9.970 MM (visible)
	26.920 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	24.760 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 31

AX975X275037



Attributes:

Size	26.540 x 9.970 MM (visible)
	26.920 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	24.760 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AX975X275042



Attributes:

Size	26.740 x 9.970 MM (visible)
	27.130 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	24.760 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 2:1

AX975X300037



Attributes:

Size	26.540 x 10.610 MM (visible)
	26.920 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	24.760 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AXHELP






Attributes:

Size	59.220 x 33.160 MM (visible)
	100.530 x 70.050 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 1:1

AXRC05




Attributes:

Size	12.820 x 4.890 MM (visible)
	9.520 x 2.100 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRC07



Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 32

AXRC20



Attributes:

Size	19.760 x 6.800 MM (visible)
	20.140 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRC32



Attributes:

Size	26.310 x 9.350 MM (visible)
	26.690 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

AXRC42




Attributes:

Size	30.120 x 11.250 MM (visible)
	30.500 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	27.940 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

AXRCR05




Attributes:

Size	12.820 x 4.890 MM (visible)
	8.890 x 2.100 MM (PlaceBound)
Height	0.03 MM
PitchX	6.980 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRCR07



Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRCR20



Attributes:

Size	19.120 x 6.800 MM (visible)
	19.510 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 33

AXRCR32



Attributes:

Size	25.680 x 9.350 MM (visible)
	26.060 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	23.500 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

AXRCR42




Attributes:

Size	29.480 x 11.250 MM (visible)
	29.870 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	27.300 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

AXRLR05




Attributes:

Size	12.820 x 4.890 MM (visible)
	9.520 x 2.100 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRLR05C



Attributes:

Size	12.820 x 4.890 MM (visible)
	9.520 x 2.100 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRLR07



Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRLR07C



Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 34

AXRLR20



Scale 5:1

Attributes:

Size	19.070 x 7.430 MM (visible)
	19.460 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

AXRLR20C



Scale 5:1

Attributes:

Size	19.070 x 7.430 MM (visible)
	19.460 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD5
MechPinCnt	0
MechPads	NA

AXRLR32C



Scale 2:1

Attributes:

Size	25.040 x 8.070 MM (visible)
	25.420 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	22.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

AXRLV30




Scale 2:1

Attributes:

Size	22.940 x 8.710 MM (visible)
	23.320 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

AXRLV31




Scale 2:1

Attributes:

Size	33.930 x 11.880 MM (visible)
	34.310 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

AXRN50



Scale 5:1


Attributes:

Size	12.820 x 4.890 MM (visible)
	9.520 x 2.100 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 35

AXRN50C




Attributes:

Size	12.820 x 4.890 MM (visible)
	9.520 x 2.100 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRN50E



Attributes:

Size	12.820 x 4.890 MM (visible)
	9.520 x 2.100 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRN55



Attributes:

Size	13.840 x 5.530 MM (visible)
	14.220 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	12.060 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRN55C



Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRN55D



Attributes:

Size	13.840 x 5.530 MM (visible)
	14.220 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	12.060 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRN55E



Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 36

AXRN60



Attributes:

Size	15.120 x 6.170 MM (visible)
	15.490 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.340 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRN60C



Attributes:

Size	16.380 x 7.430 MM (visible)
	16.760 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRN60D



Attributes:

Size	17.660 x 7.430 MM (visible)
	18.030 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	15.880 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRN60E



Attributes:

Size	16.380 x 7.430 MM (visible)
	16.760 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRN65



Attributes:

Size	22.740 x 9.970 MM (visible)
	23.110 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AXRN65C



Attributes:

Size	21.460 x 8.070 MM (visible)
	21.840 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 37

CB Distribution

AXRN65E




Attributes:

Size	21.460 x 8.070 MM (visible)
	21.840 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AXRNC50




Attributes:

Size	12.820 x 4.890 MM (visible)
	8.890 x 2.100 MM (PlaceBound)
Height	0.03 MM
PitchX	6.980 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRNC50H




Attributes:

Size	12.820 x 4.890 MM (visible)
	8.890 x 2.100 MM (PlaceBound)
Height	0.03 MM
PitchX	6.980 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRNC50J



Attributes:

Size	12.820 x 4.890 MM (visible)
	8.890 x 2.100 MM (PlaceBound)
Height	0.03 MM
PitchX	6.980 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRNC55



Attributes:

Size	12.820 x 5.530 MM (visible)
	12.950 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRNC55H



Attributes:

Size	12.820 x 5.530 MM (visible)
	12.950 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

AXRNC55J



Attributes:

Size	12.820 x 5.530 MM (visible)
	12.950 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRNC60



Attributes:

Size	17.020 x 7.430 MM (visible)
	17.400 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRNC60H



Attributes:

Size	16.380 x 6.800 MM (visible)
	16.760 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRNC60J



Attributes:

Size	16.380 x 6.800 MM (visible)
	16.760 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRNC65



Attributes:

Size	21.460 x 8.070 MM (visible)
	21.840 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

AXRNC65H



Attributes:

Size	21.460 x 8.070 MM (visible)
	21.840 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

AXRNC65J



Scale 2:1

Attributes:

Size	21.460 x 8.070 MM (visible)
	21.840 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AXRNN55



Scale 5:1

Attributes:

Size	15.750 x 6.800 MM (visible)
	16.130 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AXRNN57



Scale 5:1

Attributes:

Size	16.940 x 7.430 MM (visible)
	17.320 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

AXRNN60



Scale 2:1

Attributes:

Size	20.200 x 7.430 MM (visible)
	20.570 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	18.420 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AXRNN65



Scale 2:1

Attributes:

Size	26.540 x 9.350 MM (visible)
	26.920 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	24.760 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AXRNN70



Scale 2:1

Attributes:

Size	32.460 x 11.250 MM (visible)
	32.840 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 40

AXRNR55



Scale 5:1

Attributes:

Size	15.750 x 6.800 MM (visible)
	16.130 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AXRNR57



Scale 5:1

Attributes:

Size	16.940 x 7.430 MM (visible)
	17.320 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

AXRNR60



Scale 2:1

Attributes:

Size	20.200 x 7.430 MM (visible)
	20.570 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	18.420 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AXRNR65



Scale 2:1

Attributes:

Size	26.540 x 9.350 MM (visible)
	26.920 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	24.760 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD1
MechPinCnt	0
MechPads	NA

AXRNR70




Scale 2:1

Attributes:

Size	32.460 x 11.250 MM (visible)
	32.840 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

AXRW67



Scale 2:1


Attributes:

Size	33.930 x 11.880 MM (visible)
	34.310 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 41

CB Distribution

AXRW67V



Attributes:

Size	33.930 x 11.880 MM (visible)
	34.310 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

AXRW68



Attributes:

Size	56.790 x 13.150 MM (visible)
	57.170 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	54.610 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 1:1

AXRW68V



Attributes:

Size	56.790 x 13.150 MM (visible)
	57.170 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	54.610 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 1:1

AXRW69



Attributes:

Size	22.940 x 9.350 MM (visible)
	23.320 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 2:1

AXRW69V



Attributes:

Size	22.940 x 9.350 MM (visible)
	23.320 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 2:1

AXRW70



Attributes:

Size	16.300 x 6.170 MM (visible)
	16.690 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 42

AXRW70UF



Scale 5:1

Attributes:

Size	16.300 x 6.170 MM (visible)
	16.690 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

AXRW74




Scale 2:1

Attributes:

Size	33.930 x 11.880 MM (visible)
	34.310 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

AXRW74UF



Scale 2:1

Attributes:

Size	33.930 x 11.880 MM (visible)
	34.310 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

AXRW78



Scale 1:1

Attributes:

Size	56.790 x 13.150 MM (visible)
	57.170 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	54.610 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

AXRW78UF



Scale 1:1

Attributes:

Size	56.790 x 13.150 MM (visible)
	57.170 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	54.610 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD8
MechPinCnt	0
MechPads	NA

AXRW79



Scale 2:1

Attributes:

Size	23.570 x 8.710 MM (visible)
	23.950 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size

CB Distribution

Cage Code

AXRW79UF



Attributes:

Size	23.570 x 8.710 MM (visible)
	23.950 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 2:1

AXRW80




Attributes:

Size	16.300 x 6.170 MM (visible)
	16.690 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

AXRW81




Attributes:

Size	12.820 x 5.530 MM (visible)
	12.240 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_AXIAL_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

BGA10M100100B60W1100




Attributes:

Size	12.820 x 14.550 MM (visible)
	11.760 x 11.760 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	100
ConnPads	BGA_LLB_PAD3_1
	BGA_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 5:1

BGA10M10036B60W1100




Attributes:

Size	12.820 x 14.550 MM (visible)
	11.760 x 11.760 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	36
ConnPads	BGA_LLB_PAD3_1
	BGA_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 5:1

BGA10M10064B60W1100



Attributes:

Size	12.820 x 14.550 MM (visible)
	11.760 x 11.760 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	64
ConnPads	BGA_LLB_PAD3_1
	BGA_LLB_PAD4_1
MechPinCnt	0
MechPads	NA


Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 44

CB Distribution

BGA10M127100B76W1300




Attributes:

Size	13.790 x 16.580 MM (visible)
	13.790 x 13.790 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	100
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

BGA10M12736B76W1300




Attributes:

Size	13.790 x 16.580 MM (visible)
	13.790 x 13.790 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	36
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

BGA10M12764B76W1300




Attributes:

Size	13.790 x 16.580 MM (visible)
	13.790 x 13.790 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	64
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

BGA11M127121B76W1500




Attributes:

Size	15.820 x 18.610 MM (visible)
	15.820 x 15.820 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	121
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

BGA11M12740B76W1500




Attributes:

Size	15.820 x 18.610 MM (visible)
	15.820 x 15.820 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	40
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

BGA11M12772B76W1500



Attributes:


Size	15.820 x 18.610 MM (visible)
	15.820 x 15.820 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	72
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 45

BGA11M12796B76W1500




Attributes:

Size	15.820 x 18.610 MM (visible)
	15.820 x 15.820 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	96
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

BGA13M150169B76W2300




Attributes:

Size	23.700 x 26.490 MM (visible)
	23.700 x 23.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.500 MM
PitchY	1.500 MM
ConnPinCnt	169
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

BGA14M127132B76W1900




Attributes:

Size	19.890 x 22.680 MM (visible)
	19.890 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	132
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

BGA14M127196B76W1900




Attributes:

Size	19.890 x 22.680 MM (visible)
	19.890 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	196
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

BGA14M12752B76W1900




Attributes:

Size	19.890 x 22.680 MM (visible)
	19.890 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	52
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

BGA14M12796B76W1900



Attributes:


Size	19.890 x 22.680 MM (visible)
	19.890 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	96
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

BGA15M150225B76W2700




Scale 2:1

Attributes:

Size 27.760 x 30.550 MM (visible)
27.760 x 27.760 MM (PlaceBound)
Height 0.03 MM
PitchX 1.500 MM
PitchY 1.500 MM
ConnPinCnt 225
ConnPads BGA_LLB_PAD1_1
BGA_LLB_PAD2_1
MechPinCnt 0
MechPads NA

BGA17M127120B76W2300




Scale 2:1

Attributes:

Size 23.700 x 26.490 MM (visible)
23.700 x 23.700 MM (PlaceBound)
Height 0.03 MM
PitchX 1.270 MM
PitchY 1.270 MM
ConnPinCnt 120
ConnPads BGA_LLB_PAD1_1
BGA_LLB_PAD2_1
MechPinCnt 0
MechPads NA

BGA17M127168B76W2300




Scale 2:1

Attributes:

Size 23.700 x 26.490 MM (visible)
23.700 x 23.700 MM (PlaceBound)
Height 0.03 MM
PitchX 1.270 MM
PitchY 1.270 MM
ConnPinCnt 168
ConnPads BGA_LLB_PAD1_1
BGA_LLB_PAD2_1
MechPinCnt 0
MechPads NA

BGA17M127208B76W2300




Scale 2:1

Attributes:

Size 23.700 x 26.490 MM (visible)
23.700 x 23.700 MM (PlaceBound)
Height 0.03 MM
PitchX 1.270 MM
PitchY 1.270 MM
ConnPinCnt 208
ConnPads BGA_LLB_PAD1_1
BGA_LLB_PAD2_1
MechPinCnt 0
MechPads NA

BGA17M127289B76W2300




Scale 2:1

Attributes:

Size 23.700 x 26.490 MM (visible)
23.700 x 23.700 MM (PlaceBound)
Height 0.03 MM
PitchX 1.270 MM
PitchY 1.270 MM
ConnPinCnt 289
ConnPads BGA_LLB_PAD1_1
BGA_LLB_PAD2_1
MechPinCnt 0
MechPads NA

BGA17M12764B76W2300



Scale 2:1


Attributes:

Size 23.700 x 26.490 MM (visible)
23.700 x 23.700 MM (PlaceBound)
Height 0.03 MM
PitchX 1.270 MM
PitchY 1.270 MM
ConnPinCnt 64
ConnPads BGA_LLB_PAD1_1
BGA_LLB_PAD2_1
MechPinCnt 0
MechPads NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 47

CB Distribution

BGA19M127136B76W2500




Scale 2:1

Attributes:

Size	25.980 x 28.770 MM (visible)
	25.980 x 25.980 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	136
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA19M127192B76W2500




Scale 2:1

Attributes:

Size	25.980 x 28.830 MM (visible)
	25.980 x 26.040 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	192
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA19M127240B76W2500




Scale 2:1

Attributes:

Size	25.980 x 28.770 MM (visible)
	25.980 x 25.980 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	240
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA19M127361B76W2500




Scale 2:1

Attributes:

Size	25.980 x 28.770 MM (visible)
	25.980 x 25.980 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	361
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA20M127144B76W2700




Scale 2:1

Attributes:

Size	27.760 x 30.550 MM (visible)
	27.760 x 27.760 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	144
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA20M127204B76W2700



Scale 2:1


Attributes:

Size	27.760 x 30.550 MM (visible)
	27.760 x 27.760 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	204
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BGA20M127256B76W2700




Scale 2:1

Attributes:

Size	27.760 x 30.550 MM (visible)
	27.760 x 27.760 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	256
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA20M127272B76W2700




Scale 2:1

Attributes:

Size	27.760 x 30.550 MM (visible)
	27.760 x 27.760 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	272
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA20M127400B76W2700




Scale 2:1

Attributes:

Size	27.760 x 30.550 MM (visible)
	27.760 x 27.760 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	400
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA23M127168B76W3100




Scale 2:1

Attributes:

Size	31.820 x 34.610 MM (visible)
	31.830 x 31.830 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	168
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA23M127240B76W3100




Scale 2:1

Attributes:

Size	31.820 x 34.610 MM (visible)
	31.830 x 31.830 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	240
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA23M127304B76W3100



Scale 2:1


Attributes:

Size	31.820 x 34.610 MM (visible)
	31.830 x 31.830 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	304
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BGA23M127360B76W3100



Scale 2:1

Attributes:

Size	31.820 x 34.610 MM (visible)
	31.830 x 31.830 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	360
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA23M127529B76W3100




Scale 2:1

Attributes:

Size	31.820 x 34.610 MM (visible)
	31.830 x 31.830 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	529
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA25M127313B76W3500




Scale 1:1

Attributes:

Size	35.890 x 38.680 MM (visible)
	35.890 x 35.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	313
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA25M127625B76W3500




Scale 1:1

Attributes:

Size	35.890 x 38.680 MM (visible)
	35.890 x 35.890 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	625
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA26M127192B76W3500




Scale 1:1

Attributes:

Size	35.890 x 38.680 MM (visible)
	35.890 x 35.890 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	192
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA26M127276B76W3500




Scale 1:1

Attributes:

Size	35.890 x 38.680 MM (visible)
	35.890 x 35.890 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	276
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

BGA26M127338B76W3500




Scale 1:1

Attributes:

Size	35.890 x 38.680 MM (visible)
	35.890 x 35.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	338
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA26M127352B76W3500




Scale 1:1

Attributes:

Size	35.890 x 38.680 MM (visible)
	35.890 x 35.890 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	352
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA26M127416B76W3500




Scale 1:1

Attributes:

Size	35.890 x 38.680 MM (visible)
	35.890 x 35.890 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	416
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA26M127420B76W3500



Scale 1:1

Attributes:

Size	35.890 x 38.680 MM (visible)
	35.890 x 35.890 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	420
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA26M127676B76W3300




Scale 2:1

Attributes:

Size	34.110 x 36.900 MM (visible)
	34.110 x 34.110 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	676
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA26M127676B76W3400



Scale 1:1

Attributes:

Size	34.870 x 37.660 MM (visible)
	34.870 x 34.870 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	676
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

BGA26M127676B76W3500




Scale 1:1

Attributes:

Size	35.890 x 38.680 MM (visible)
	35.890 x 35.890 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	676
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA29M127312B76W3750




Scale 1:1

Attributes:

Size	38.300 x 41.090 MM (visible)
	38.300 x 38.300 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	312
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA29M127400B76W3750




Scale 1:1

Attributes:

Size	38.300 x 41.090 MM (visible)
	38.300 x 38.300 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	400
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA29M127479B76W4000




Scale 1:1

Attributes:

Size	40.840 x 43.630 MM (visible)
	40.840 x 40.840 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	479
ConnPads	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA29M127480B76W3700




Scale 1:1

Attributes:

Size	38.300 x 41.090 MM (visible)
	38.300 x 38.300 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	480
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA29M127503B76W4000



Scale 1:1

Attributes:

Size	40.840 x 43.630 MM (visible)
	40.840 x 40.840 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	503
ConnPads	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

BGA29M127841B76W4000




Scale 1:1

Attributes:

Size 38.300 x 41.090 MM (visible)
38.300 x 38.300 MM (PlaceBound)
Height 0.03 MM
PitchX 1.270 MM
PitchY 1.270 MM
ConnPinCnt 841
ConnPads BGA_LLB_PAD1_1
BGA_LLB_PAD2_1
MechPinCnt 0
MechPads NA

BGA31M127336B76W4000




Scale 1:1

Attributes:

Size 40.840 x 43.630 MM (visible)
40.840 x 40.840 MM (PlaceBound)
Height 0.03 MM
PitchX 1.270 MM
PitchY 1.270 MM
ConnPinCnt 336
ConnPads BGA_LLB_PAD1_1
BGA_LLB_PAD2_1
MechPinCnt 0
MechPads NA

BGA31M127428B76W4000




Scale 1:1

Attributes:

Size 40.840 x 43.630 MM (visible)
40.840 x 40.840 MM (PlaceBound)
Height 0.03 MM
PitchX 1.270 MM
PitchY 1.270 MM
ConnPinCnt 428
ConnPads BGA_LLB_PAD2_1
MechPinCnt 0
MechPads NA

BGA31M127432B76W4000




Scale 1:1

Attributes:

Size 40.840 x 43.630 MM (visible)
40.840 x 40.840 MM (PlaceBound)
Height 0.03 MM
PitchX 1.270 MM
PitchY 1.270 MM
ConnPinCnt 432
ConnPads BGA_LLB_PAD1_1
BGA_LLB_PAD2_1
MechPinCnt 0
MechPads NA

BGA31M127520B76W4000




Scale 1:1

Attributes:

Size 40.840 x 43.630 MM (visible)
40.840 x 40.840 MM (PlaceBound)
Height 0.03 MM
PitchX 1.270 MM
PitchY 1.270 MM
ConnPinCnt 520
ConnPads BGA_LLB_PAD1_1
BGA_LLB_PAD2_1
MechPinCnt 0
MechPads NA

BGA31M127961B76W4000




Scale 1:1

Attributes:

Size 40.840 x 43.630 MM (visible)
40.840 x 40.840 MM (PlaceBound)
Height 0.03 MM
PitchX 1.270 MM
PitchY 1.270 MM
ConnPinCnt 961
ConnPads BGA_LLB_PAD1_1
BGA_LLB_PAD2_1
MechPinCnt 0
MechPads NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

BGA33M1271089B76W4250




Scale 1:1

Attributes:

Size	43.380 x 46.170 MM (visible)
	43.380 x 43.380 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	1089
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA33M127360B76W4250




Scale 1:1

Attributes:

Size	43.380 x 46.170 MM (visible)
	43.380 x 43.380 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	360
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA33M127464B76W4250




Scale 1:1

Attributes:

Size	43.380 x 46.170 MM (visible)
	43.380 x 43.380 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	464
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA33M127560B76W4250




Scale 1:1

Attributes:

Size	43.380 x 46.170 MM (visible)
	43.380 x 43.380 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	560
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA35M1271225B76W4500




Scale 1:1

Attributes:

Size	45.800 x 48.580 MM (visible)
	45.800 x 45.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	1225
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA35M127384B76W4500



Scale 1:1


Attributes:

Size	45.800 x 48.580 MM (visible)
	45.800 x 45.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	384
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BGA35M127496B76W4500




Scale 1:1

Attributes:

Size	45.800 x 48.580 MM (visible)
	45.800 x 45.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	496
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA35M127596B76W4500




Scale 1:1

Attributes:

Size	45.800 x 48.580 MM (visible)
	45.800 x 45.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	596
ConnPads	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA35M127600B76W4500




Scale 1:1

Attributes:

Size	45.800 x 48.580 MM (visible)
	45.800 x 45.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	600
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA37M1271369B76W4750




Scale 1:1

Attributes:

Size	48.340 x 51.120 MM (visible)
	48.340 x 48.340 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	1369
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA37M127408B76W4750




Scale 1:1

Attributes:

Size	48.340 x 51.120 MM (visible)
	48.340 x 48.340 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	408
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA37M127528B76W4750



Scale 1:1


Attributes:

Size	48.340 x 51.120 MM (visible)
	48.340 x 48.340 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	528
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 55

CB Distribution

BGA37M127640B76W4750




Scale 1:1

Attributes:

Size	48.340 x 51.120 MM (visible)
	48.340 x 48.340 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	640
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA39M1271521B76W5000




Scale 1:1

Attributes:

Size	50.880 x 53.660 MM (visible)
	50.880 x 50.880 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	1521
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA39M127432B76W5000




Scale 1:1

Attributes:

Size	50.880 x 53.660 MM (visible)
	50.880 x 50.880 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	432
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA39M127560B76W5000




Scale 1:1

Attributes:

Size	50.880 x 53.660 MM (visible)
	50.880 x 50.880 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	560
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA39M127680B76W5000




Scale 1:1

Attributes:

Size	50.880 x 53.660 MM (visible)
	50.880 x 50.880 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	680
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

BGA39M127761B76W5000



Scale 1:1


Attributes:

Size	50.880 x 53.660 MM (visible)
	50.880 x 50.880 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	761
ConnPads	BGA_LLB_PAD1_1
	BGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BGA6M10020B60W700




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	20
ConnPads	BGA_LLB_PAD3_1
	BGA_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

BGA6M10032B60W700




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	32
ConnPads	BGA_LLB_PAD3_1
	BGA_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

BGA6M10036B60W700




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.760 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	36
ConnPads	BGA_LLB_PAD3_1
	BGA_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQSW35010




Scale 2:1

Attributes:

Size	27.040 x 13.150 MM (visible)
	25.860 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	10
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQSW35011




Scale 2:1

Attributes:

Size	29.580 x 13.150 MM (visible)
	28.400 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	11
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQSW35012



Scale 2:1


Attributes:

Size	32.120 x 13.150 MM (visible)
	30.940 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	12
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100RHTM1SQSW35013




Attributes:

Size	34.660 x 13.150 MM (visible)
	33.480 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	13
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100RHTM1SQSW35014




Attributes:

Size	37.200 x 13.150 MM (visible)
	36.020 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	14
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100RHTM1SQSW35015




Attributes:

Size	39.740 x 13.150 MM (visible)
	38.560 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	15
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100RHTM1SQSW35016




Attributes:

Size	42.280 x 13.150 MM (visible)
	41.100 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	16
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100RHTM1SQSW35017




Attributes:

Size	44.820 x 13.150 MM (visible)
	43.640 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	17
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100RHTM1SQSW35018




Attributes:

Size	47.360 x 13.150 MM (visible)
	46.180 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	18
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

BLKCON100RHTM1SQSW35019




Attributes:

Size	49.900 x 13.150 MM (visible)
	48.720 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	19
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100RHTM1SQSW3502




Attributes:

Size	12.820 x 13.150 MM (visible)
	5.540 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

BLKCON100RHTM1SQSW35020




Attributes:

Size	52.440 x 13.150 MM (visible)
	51.260 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	20
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100RHTM1SQSW35021




Attributes:

Size	54.980 x 13.150 MM (visible)
	53.800 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	21
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100RHTM1SQSW35022




Attributes:

Size	57.520 x 13.150 MM (visible)
	56.340 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	22
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100RHTM1SQSW35023



Attributes:


Size	60.060 x 13.150 MM (visible)
	58.880 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	23
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100RHTM1SQSW35024




Scale 1:1

Attributes:

Size	62.600 x 13.150 MM (visible)
	61.420 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	24
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQSW3503




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	8.080 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQSW3504




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	10.620 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	4
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQSW3505




Scale 5:1

Attributes:

Size	14.340 x 13.150 MM (visible)
	13.160 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	5
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQSW3506




Scale 5:1

Attributes:

Size	16.880 x 13.150 MM (visible)
	15.700 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	6
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQSW3507



Scale 5:1


Attributes:

Size	19.420 x 13.150 MM (visible)
	18.240 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	7
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 60

CB Distribution

BLKCON100RHTM1SQSW3508




Scale 2:1

Attributes:

Size	21.960 x 13.150 MM (visible)
	20.780 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQSW3509




Scale 2:1

Attributes:

Size	24.500 x 13.150 MM (visible)
	23.320 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	9
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42510




Scale 2:1

Attributes:

Size	26.410 x 14.800 MM (visible)
	25.860 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	10
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42511




Scale 2:1

Attributes:

Size	28.950 x 14.800 MM (visible)
	28.400 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	11
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42512




Scale 2:1

Attributes:

Size	31.490 x 14.800 MM (visible)
	30.940 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	12
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42513




Scale 2:1

Attributes:

Size	34.280 x 14.800 MM (visible)
	33.730 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	13
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

BLKCON100RHTM1SQW42514




Scale 2:1

Attributes:

Size	36.570 x 14.800 MM (visible)
	36.020 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	14
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42515




Scale 2:1

Attributes:

Size	39.110 x 14.800 MM (visible)
	38.560 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	15
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42516




Scale 2:1

Attributes:

Size	41.650 x 14.800 MM (visible)
	41.100 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	16
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42517




Scale 2:1

Attributes:

Size	44.190 x 14.800 MM (visible)
	43.640 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	17
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42518




Scale 2:1

Attributes:

Size	46.730 x 14.800 MM (visible)
	46.180 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	18
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42519



Scale 2:1


Attributes:

Size	49.270 x 14.800 MM (visible)
	48.720 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	19
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 62

CB Distribution

BLKCON100RHTM1SQW4252



Scale 5:1

Attributes:

Size	12.820 x 14.800 MM (visible)
	5.540 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42520




Scale 1:1

Attributes:

Size	51.810 x 14.800 MM (visible)
	51.260 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	20
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42521




Scale 1:1

Attributes:

Size	54.350 x 14.800 MM (visible)
	53.800 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	21
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42522




Scale 1:1

Attributes:

Size	56.890 x 14.800 MM (visible)
	56.340 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	22
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42523



Scale 1:1

Attributes:

Size	59.430 x 14.800 MM (visible)
	58.880 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	23
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW42524



Scale 1:1


Attributes:

Size	61.970 x 14.800 MM (visible)
	61.420 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	24
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100RHTM1SQW4253




Scale 5:1

Attributes:

Size	12.820 x 14.800 MM (visible)
	8.080 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW4254




Scale 5:1

Attributes:

Size	12.820 x 14.800 MM (visible)
	10.620 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	4
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW4255




Scale 2:1

Attributes:

Size	13.710 x 15.440 MM (visible)
	13.160 x 12.650 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	5
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW4256




Scale 5:1

Attributes:

Size	16.250 x 14.800 MM (visible)
	15.700 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	6
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW4257




Scale 5:1

Attributes:

Size	18.790 x 14.800 MM (visible)
	18.240 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	7
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM1SQW4258




Scale 2:1

Attributes:

Size	21.330 x 14.800 MM (visible)
	20.780 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

BLKCON100RHTM1SQW4259




Scale 2:1

Attributes:

Size	23.870 x 14.800 MM (visible)
	23.320 x 12.020 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	9
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52510




Scale 2:1

Attributes:

Size	13.850 x 17.350 MM (visible)
	13.160 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	10
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52512




Scale 2:1

Attributes:

Size	16.390 x 17.350 MM (visible)
	15.700 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	12
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52514




Scale 2:1

Attributes:

Size	18.930 x 17.350 MM (visible)
	18.240 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	14
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52516




Scale 2:1

Attributes:

Size	21.470 x 17.350 MM (visible)
	20.780 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52518



Scale 2:1


Attributes:

Size	24.010 x 17.350 MM (visible)
	23.320 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	18
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 65

CB Distribution

BLKCON100RHTM2OEW5252




Scale 2:1

Attributes:

Size	12.820 x 17.350 MM (visible) 3.000 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	2
ConnPads	BCON100T_LLB_PAD1 BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52520




Scale 2:1

Attributes:

Size	26.550 x 17.350 MM (visible) 25.860 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	BCON100T_LLB_PAD1 BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52522




Scale 2:1

Attributes:

Size	29.090 x 17.350 MM (visible) 28.400 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	22
ConnPads	BCON100T_LLB_PAD1 BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52524




Scale 2:1

Attributes:

Size	31.630 x 17.350 MM (visible) 30.940 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	24
ConnPads	BCON100T_LLB_PAD1 BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52526




Scale 2:1

Attributes:

Size	34.170 x 17.350 MM (visible) 33.480 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	26
ConnPads	BCON100T_LLB_PAD1 BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52528



Scale 2:1


Attributes:

Size	36.710 x 17.350 MM (visible) 36.020 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	BCON100T_LLB_PAD1 BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 66

CB Distribution

BLKCON100RHTM2OEW52530




Scale 2:1

Attributes:

Size	39.250 x 17.350 MM (visible)
	38.560 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	30
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52532




Scale 2:1

Attributes:

Size	41.790 x 17.350 MM (visible)
	41.100 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	32
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52534




Scale 2:1

Attributes:

Size	44.330 x 17.350 MM (visible)
	43.640 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	34
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52536




Scale 2:1

Attributes:

Size	46.870 x 17.350 MM (visible)
	46.180 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	36
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52538




Scale 2:1

Attributes:

Size	49.410 x 17.350 MM (visible)
	48.720 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	38
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW5254



Scale 2:1


Attributes:

Size	12.820 x 17.350 MM (visible)
	5.540 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	4
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100RHTM2OEW52540




Scale 1:1

Attributes:

Size	51.950 x 17.350 MM (visible)
	51.260 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	40
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52542




Scale 1:1

Attributes:

Size	54.490 x 17.350 MM (visible)
	53.800 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	42
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52544




Scale 1:1

Attributes:

Size	57.030 x 17.350 MM (visible)
	56.340 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	44
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52546




Scale 1:1

Attributes:

Size	59.570 x 17.350 MM (visible)
	58.880 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	46
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52548




Scale 1:1

Attributes:

Size	62.110 x 17.350 MM (visible)
	61.420 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	48
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52550



Scale 1:1


Attributes:

Size	64.650 x 17.350 MM (visible)
	63.960 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	50
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 68

CB Distribution

BLKCON100RHTM2OEW52552




Scale 1:1

Attributes:

Size	67.190 x 17.350 MM (visible)
	66.500 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52554




Scale 1:1

Attributes:

Size	69.730 x 17.350 MM (visible)
	69.040 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	54
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52556




Scale 1:1

Attributes:

Size	72.270 x 17.350 MM (visible)
	71.580 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	56
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52558




Scale 1:1

Attributes:

Size	74.810 x 17.350 MM (visible)
	74.120 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	58
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW5256




Scale 2:1

Attributes:

Size	12.820 x 17.350 MM (visible)
	8.080 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	6
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52560



Scale 1:1


Attributes:

Size	77.350 x 17.350 MM (visible)
	76.660 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	60
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 69

BLKCON100RHTM2OEW52562




Scale 1:1

Attributes:

Size	79.890 x 17.350 MM (visible)
	79.200 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	62
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW52564




Scale 1:1

Attributes:

Size	82.430 x 17.350 MM (visible)
	81.740 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100RHTM2OEW5258



Scale 2:1

Attributes:

Size	12.820 x 17.350 MM (visible)
	10.620 x 14.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	8
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQSW10010




Scale 2:1

Attributes:

Size	27.040 x 5.530 MM (visible)
	25.860 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	10
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQSW10011



Scale 2:1

Attributes:

Size	29.580 x 5.530 MM (visible)
	28.400 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	11
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQSW10012



Scale 2:1

Attributes:

Size	32.120 x 5.530 MM (visible)
	30.940 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	12
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100VHTM1SQSW10013



Attributes:

Size	34.660 x 5.530 MM (visible)
	33.480 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	13
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM1SQSW10014



Attributes:

Size	37.200 x 5.530 MM (visible)
	36.020 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	14
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM1SQSW10015



Attributes:

Size	39.740 x 5.530 MM (visible)
	38.560 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	15
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM1SQSW10016



Attributes:

Size	42.280 x 5.530 MM (visible)
	41.100 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	16
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM1SQSW10017



Attributes:

Size	44.820 x 5.530 MM (visible)
	43.640 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	17
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM1SQSW10018



Attributes:

Size	47.360 x 5.530 MM (visible)
	46.180 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	18
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 71

BLKCON100VHTM1SQSW10019

Attributes:

Size	49.900 x 5.530 MM (visible)
	48.720 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	19
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA




Scale 1:1

BLKCON100VHTM1SQSW1002

Attributes:

Size	12.820 x 5.530 MM (visible)
	5.540 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA




Scale 5:1

BLKCON100VHTM1SQSW10020

Attributes:

Size	52.440 x 5.530 MM (visible)
	51.260 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	20
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA



Scale 1:1

BLKCON100VHTM1SQSW10021

Attributes:

Size	54.980 x 5.530 MM (visible)
	53.800 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	21
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA



Scale 1:1

BLKCON100VHTM1SQSW10022

Attributes:

Size	57.520 x 5.530 MM (visible)
	56.340 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	22
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA




Scale 1:1

BLKCON100VHTM1SQSW10023

Attributes:

Size	60.060 x 5.530 MM (visible)
	58.880 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	23
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA



Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100VHTM1SQSW10024




Scale 1:1

Attributes:

Size	62.600 x 5.530 MM (visible)
	61.420 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	24
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQSW1003




Scale 5:1

Attributes:

Size	12.820 x 5.530 MM (visible)
	8.080 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQSW1004




Scale 5:1

Attributes:

Size	12.820 x 5.530 MM (visible)
	10.620 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	4
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQSW1005




Scale 5:1

Attributes:

Size	14.340 x 5.530 MM (visible)
	13.160 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	5
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQSW1006




Scale 5:1

Attributes:

Size	16.880 x 5.530 MM (visible)
	15.700 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	6
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQSW1007



Scale 5:1


Attributes:

Size	19.420 x 5.530 MM (visible)
	18.240 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	7
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100VHTM1SQSW1008



Scale 2:1

Attributes:

Size	21.960 x 5.530 MM (visible)
	20.780 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQSW1009



Scale 2:1

Attributes:

Size	24.500 x 5.530 MM (visible)
	23.320 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	9
ConnPads	BCON100T_LLB_PAD3
	BCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW1001



Scale 5:1

Attributes:

Size	12.820 x 5.530 MM (visible)
	2.740 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10010



Scale 2:1

Attributes:

Size	26.910 x 5.530 MM (visible)
	25.600 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	10
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10011




Scale 2:1

Attributes:

Size	29.450 x 5.530 MM (visible)
	28.140 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	11
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10012



Scale 2:1

Attributes:

Size	31.990 x 5.530 MM (visible)
	30.680 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	12
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100VHTM1SQW10013



Scale 2:1

Attributes:

Size	34.530 x 5.530 MM (visible)
	33.220 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	13
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10014



Scale 2:1

Attributes:

Size	37.070 x 5.530 MM (visible)
	35.760 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	14
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10015



Scale 2:1

Attributes:

Size	39.610 x 5.530 MM (visible)
	38.300 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	15
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10016



Scale 2:1

Attributes:

Size	42.150 x 5.530 MM (visible)
	40.840 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	16
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10017



Scale 2:1

Attributes:

Size	44.690 x 5.530 MM (visible)
	43.380 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	17
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10018



Scale 2:1

Attributes:

Size	47.230 x 5.530 MM (visible)
	45.920 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	18
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100VHTM1SQW10019




Attributes:

Size	49.770 x 5.530 MM (visible)
	48.460 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	19
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM1SQW1002



Attributes:

Size	12.820 x 5.530 MM (visible)
	5.280 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

BLKCON100VHTM1SQW10020



Attributes:

Size	52.310 x 5.530 MM (visible)
	51.000 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	20
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM1SQW10021



Attributes:

Size	54.850 x 5.530 MM (visible)
	53.540 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	21
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM1SQW10022



Attributes:

Size	57.390 x 5.530 MM (visible)
	56.080 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	22
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM1SQW10023



Attributes:

Size	59.930 x 5.530 MM (visible)
	58.620 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	23
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100VHTM1SQW10024



Scale 1:1

Attributes:

Size	62.470 x 5.530 MM (visible)
	61.160 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	24
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10025



Scale 1:1

Attributes:

Size	65.010 x 5.530 MM (visible)
	63.700 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	25
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10026



Scale 1:1

Attributes:

Size	67.550 x 5.530 MM (visible)
	66.240 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	26
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10027



Scale 1:1

Attributes:

Size	70.090 x 5.530 MM (visible)
	68.780 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	27
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10028



Scale 1:1

Attributes:

Size	72.630 x 5.530 MM (visible)
	71.320 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	28
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10029




Scale 1:1

Attributes:

Size	75.170 x 5.530 MM (visible)
	73.860 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	29
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 77

BLKCON100VHTM1SQW1003



Attributes:

Size	12.820 x 5.530 MM (visible)
	7.820 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

BLKCON100VHTM1SQW10030



Attributes:

Size	77.710 x 5.530 MM (visible)
	76.400 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	30
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM1SQW10031




Attributes:

Size	80.250 x 5.530 MM (visible)
	78.940 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	31
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM1SQW10032



Attributes:

Size	82.790 x 5.530 MM (visible)
	81.480 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	32
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM1SQW10033



Attributes:

Size	85.330 x 5.530 MM (visible)
	84.020 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	33
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM1SQW10034



Attributes:

Size	87.870 x 5.530 MM (visible)
	86.560 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	34
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100VHTM1SQW10035



Scale 1:1

Attributes:

Size	90.410 x 5.530 MM (visible)
	89.100 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	35
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW10036




Scale 1:1

Attributes:

Size	92.950 x 5.530 MM (visible)
	91.640 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	36
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW1004




Scale 5:1

Attributes:

Size	12.820 x 5.530 MM (visible)
	10.360 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	4
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW1005




Scale 5:1

Attributes:

Size	14.210 x 5.530 MM (visible)
	12.900 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	5
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW1006




Scale 5:1

Attributes:

Size	16.750 x 5.530 MM (visible)
	15.440 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	6
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM1SQW1007



Scale 5:1


Attributes:

Size	19.290 x 5.530 MM (visible)
	17.980 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	7
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100VHTM1SQW1008




Attributes:

Size	21.830 x 5.530 MM (visible)
	20.520 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM1SQW1009




Attributes:

Size	24.370 x 5.530 MM (visible)
	23.060 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	9
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM2OEW20010




Attributes:

Size	14.350 x 8.070 MM (visible)
	12.900 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	10
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

BLKCON100VHTM2OEW200100




Attributes:

Size	128.650 x 8.070 MM (visible)
	127.200 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	100
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

BLKCON100VHTM2OEW20012




Attributes:

Size	16.890 x 8.070 MM (visible)
	15.440 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	12
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

BLKCON100VHTM2OEW20014




Attributes:

Size	19.430 x 8.070 MM (visible)
	17.980 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	14
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

BLKCON100VHTM2OEW20016




Attributes:

Size	21.970 x 8.070 MM (visible)
	20.520 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM2OEW20018




Attributes:

Size	24.510 x 8.070 MM (visible)
	23.060 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	18
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM2OEW2002




Attributes:

Size	12.820 x 8.070 MM (visible)
	2.740 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	2
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

BLKCON100VHTM2OEW20020




Attributes:

Size	27.050 x 8.070 MM (visible)
	25.600 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM2OEW20022




Attributes:

Size	29.590 x 8.070 MM (visible)
	28.140 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	22
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM2OEW20024




Attributes:

Size	32.130 x 8.070 MM (visible)
	30.680 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	24
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

BLKCON100VHTM2OEW20026




Attributes:

Size	34.670 x 8.070 MM (visible)
	33.220 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	26
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM2OEW20028




Attributes:

Size	37.210 x 8.070 MM (visible)
	35.760 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM2OEW20030




Attributes:

Size	39.750 x 8.070 MM (visible)
	38.300 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	30
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM2OEW20032




Attributes:

Size	42.290 x 8.070 MM (visible)
	40.840 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	32
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM2OEW20034




Attributes:

Size	44.830 x 8.070 MM (visible)
	43.380 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	34
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON100VHTM2OEW20036



Attributes:


Size	47.370 x 8.070 MM (visible)
	45.920 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	36
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 82

CB Distribution

BLKCON100VHTM2OEW20038




Attributes:

Size	49.910 x 8.070 MM (visible)
	48.460 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	38
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW2004




Attributes:

Size	12.820 x 8.070 MM (visible)
	5.280 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	4
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

BLKCON100VHTM2OEW20040




Attributes:

Size	52.450 x 8.070 MM (visible)
	51.000 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	40
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW20042




Attributes:

Size	54.990 x 8.070 MM (visible)
	53.540 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	42
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW20044




Attributes:

Size	57.530 x 8.070 MM (visible)
	56.080 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	44
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW20046



Attributes:


Size	60.070 x 8.070 MM (visible)
	58.620 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	46
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 83

CB Distribution

BLKCON100VHTM2OEW20048




Attributes:

Size	62.610 x 8.070 MM (visible)
	61.160 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	48
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW20050




Attributes:

Size	65.150 x 8.070 MM (visible)
	63.700 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	50
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW20052




Attributes:

Size	67.690 x 8.070 MM (visible)
	66.240 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW20054




Attributes:

Size	70.230 x 8.070 MM (visible)
	68.780 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	54
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW20056




Attributes:

Size	72.770 x 8.070 MM (visible)
	71.320 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	56
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW20058



Attributes:


Size	75.310 x 8.070 MM (visible)
	73.860 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	58
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100VHTM2OEW2006




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	7.820 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	6
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM2OEW20060




Scale 1:1

Attributes:

Size	77.850 x 8.070 MM (visible)
	76.400 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	60
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM2OEW20062




Scale 1:1

Attributes:

Size	80.390 x 8.070 MM (visible)
	78.940 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	62
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM2OEW20064




Scale 1:1

Attributes:

Size	82.930 x 8.070 MM (visible)
	81.480 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM2OEW20066




Scale 1:1

Attributes:

Size	85.470 x 8.070 MM (visible)
	84.020 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	66
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM2OEW20068



Scale 1:1


Attributes:

Size	88.010 x 8.070 MM (visible)
	86.560 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	68
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100VHTM2OEW20070




Attributes:

Size	90.550 x 8.070 MM (visible)
	89.100 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	70
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW20072




Attributes:

Size	93.090 x 8.070 MM (visible)
	91.640 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	72
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW20074




Attributes:

Size	95.630 x 8.070 MM (visible)
	94.180 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	74
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW20076



Attributes:

Size	98.170 x 8.070 MM (visible)
	96.720 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	76
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON100VHTM2OEW20078




Attributes:

Size	100.710 x 8.070 MM (visible)
	99.260 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	78
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

BLKCON100VHTM2OEW2008



Attributes:

Size	12.820 x 8.070 MM (visible)
	10.360 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	8
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON100VHTM2OEW20080

Attributes:

Size	103.250 x 8.070 MM (visible)
	101.800 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	80
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA



Scale 1:2

BLKCON100VHTM2OEW20082

Attributes:

Size	105.790 x 8.070 MM (visible)
	104.340 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	82
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA




Scale 1:2

BLKCON100VHTM2OEW20084

Attributes:

Size	108.330 x 8.070 MM (visible)
	106.880 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA




Scale 1:2

BLKCON100VHTM2OEW20086

Attributes:

Size	110.870 x 8.070 MM (visible)
	109.420 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	86
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA




Scale 1:2

BLKCON100VHTM2OEW20088

Attributes:

Size	113.410 x 8.070 MM (visible)
	111.960 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	88
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA




Scale 1:2

BLKCON100VHTM2OEW20090

Attributes:

Size	115.950 x 8.070 MM (visible)
	114.500 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	90
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA




Scale 1:2

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 87

BLKCON100VHTM2OEW20092




Scale 1:2

Attributes:

Size	118.490 x 8.070 MM (visible)
	117.040 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	92
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM2OEW20094




Scale 1:2

Attributes:

Size	121.030 x 8.070 MM (visible)
	119.580 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	94
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM2OEW20096




Scale 1:2

Attributes:

Size	123.570 x 8.070 MM (visible)
	122.120 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	96
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON100VHTM2OEW20098




Scale 1:2

Attributes:

Size	126.110 x 8.070 MM (visible)
	124.660 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	98
ConnPads	BCON100T_LLB_PAD1
	BCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW54510




Scale 2:1

Attributes:

Size	41.050 x 18.840 MM (visible)
	40.220 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	10
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW54511




Scale 2:1

Attributes:

Size	45.010 x 18.840 MM (visible)
	44.180 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	11
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

BLKCON156RHTM1SQSW54512




Scale 2:1

Attributes:

Size	48.980 x 18.840 MM (visible)
	48.150 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	12
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW54513




Scale 1:1

Attributes:

Size	52.940 x 18.840 MM (visible)
	52.110 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	13
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW54514




Scale 1:1

Attributes:

Size	56.900 x 18.840 MM (visible)
	56.070 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	14
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW54515




Scale 1:1

Attributes:

Size	60.860 x 18.840 MM (visible)
	60.030 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	15
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW54516




Scale 1:1

Attributes:

Size	64.830 x 18.840 MM (visible)
	64.000 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	16
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW54517



Scale 1:1


Attributes:

Size	68.790 x 18.840 MM (visible)
	67.960 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	17
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON156RHTM1SQSW54518




Scale 1:1

Attributes:

Size	72.750 x 18.840 MM (visible)
	71.920 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	18
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW54519




Scale 1:1

Attributes:

Size	76.710 x 18.840 MM (visible)
	75.880 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	19
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW5452




Scale 2:1

Attributes:

Size	12.820 x 18.840 MM (visible)
	8.520 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW54520




Scale 1:1

Attributes:

Size	80.670 x 18.840 MM (visible)
	79.850 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	20
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW54521




Scale 1:1

Attributes:

Size	84.640 x 18.840 MM (visible)
	83.810 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	21
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW54522



Scale 1:1


Attributes:

Size	88.600 x 18.840 MM (visible)
	87.770 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	22
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 90

CB Distribution

BLKCON156RHTM1SQSW54523




Attributes:

Size	92.560 x 18.840 MM (visible)
	91.730 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	23
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156RHTM1SQSW54524




Attributes:

Size	96.520 x 18.840 MM (visible)
	95.700 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	24
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156RHTM1SQSW5453




Attributes:

Size	13.310 x 18.840 MM (visible)
	12.490 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	3
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON156RHTM1SQSW5454




Attributes:

Size	17.280 x 18.840 MM (visible)
	16.450 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	4
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON156RHTM1SQSW5455




Attributes:

Size	21.240 x 18.840 MM (visible)
	20.410 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	5
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

BLKCON156RHTM1SQSW5456




Attributes:

Size	25.200 x 18.840 MM (visible)
	24.370 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	6
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 91

BLKCON156RHTM1SQSW5457




Scale 2:1

Attributes:

Size	29.160 x 18.840 MM (visible)
	28.340 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	7
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW5458




Scale 2:1

Attributes:

Size	33.130 x 18.840 MM (visible)
	32.300 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	8
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW5459




Scale 2:1

Attributes:

Size	37.090 x 18.840 MM (visible)
	36.260 x 16.050 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	9
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW58510




Scale 2:1

Attributes:

Size	40.850 x 21.810 MM (visible)
	39.820 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	10
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW58511




Scale 2:1

Attributes:

Size	44.820 x 21.810 MM (visible)
	43.790 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	11
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW58512




Scale 2:1

Attributes:

Size	48.780 x 21.810 MM (visible)
	47.750 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	12
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

BLKCON156RHTM1SQSW58513




Scale 1:1

Attributes:

Size	52.740 x 21.810 MM (visible)
	51.710 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	13
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW58514




Scale 1:1

Attributes:

Size	56.700 x 21.810 MM (visible)
	55.670 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	14
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW58515




Scale 1:1

Attributes:

Size	60.660 x 21.810 MM (visible)
	59.640 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	15
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW58516




Scale 1:1

Attributes:

Size	64.630 x 21.810 MM (visible)
	63.600 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	16
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW58517




Scale 1:1

Attributes:

Size	68.590 x 21.810 MM (visible)
	67.560 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	17
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW58518



Scale 1:1


Attributes:

Size	72.550 x 21.810 MM (visible)
	71.520 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	18
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 93

CB Distribution

BLKCON156RHTM1SQSW58519




Scale 1:1

Attributes:

Size	76.510 x 21.810 MM (visible)
	75.490 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	19
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW5852




Scale 2:1

Attributes:

Size	12.820 x 21.810 MM (visible)
	8.130 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW58520




Scale 1:1

Attributes:

Size	80.480 x 21.810 MM (visible)
	79.450 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	20
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW58521




Scale 1:1

Attributes:

Size	84.440 x 21.810 MM (visible)
	83.410 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	21
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW58522




Scale 1:1

Attributes:

Size	88.400 x 21.810 MM (visible)
	87.370 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	22
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW58523



Scale 1:1


Attributes:

Size	92.360 x 21.810 MM (visible)
	91.340 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	23
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 94

CB Distribution

BLKCON156RHTM1SQSW58524




Scale 1:1

Attributes:

Size	96.330 x 21.810 MM (visible)
	95.300 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	24
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW5853




Scale 2:1

Attributes:

Size	13.120 x 21.810 MM (visible)
	12.090 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	3
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW5854




Scale 2:1

Attributes:

Size	17.080 x 21.810 MM (visible)
	16.050 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	4
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW5855




Scale 2:1

Attributes:

Size	21.040 x 21.810 MM (visible)
	20.010 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	5
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW5856




Scale 2:1

Attributes:

Size	25.000 x 21.810 MM (visible)
	23.970 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	6
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW5857



Scale 2:1


Attributes:

Size	28.970 x 21.810 MM (visible)
	27.940 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	7
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 95

CB Distribution

BLKCON156RHTM1SQSW5858




Scale 2:1

Attributes:

Size	32.930 x 21.810 MM (visible)
	31.900 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	8
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW5859




Scale 2:1

Attributes:

Size	36.890 x 21.810 MM (visible)
	35.860 x 19.020 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	9
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156RHTM1SQSW585HELP




Scale 1:2

Attributes:

Size	124.940 x 44.620 MM (visible)
	158.950 x 114.500 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	24
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW15610




Scale 2:1

Attributes:

Size	41.050 x 6.950 MM (visible)
	40.220 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	10
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW15611




Scale 2:1

Attributes:

Size	45.010 x 6.950 MM (visible)
	44.180 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	11
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW15612



Scale 2:1

Attributes:

Size	48.980 x 6.950 MM (visible)
	48.150 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	12
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA


Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON156VHTM1SQSW15613

Attributes:

Size	52.940 x 6.950 MM (visible)
	52.110 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	13
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA



Scale 1:1

BLKCON156VHTM1SQSW15614

Attributes:

Size	56.900 x 6.950 MM (visible)
	56.070 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	14
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA



Scale 1:1

BLKCON156VHTM1SQSW15615

Attributes:

Size	60.860 x 6.950 MM (visible)
	60.030 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	15
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA



Scale 1:1

BLKCON156VHTM1SQSW15616

Attributes:

Size	64.830 x 6.950 MM (visible)
	64.000 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	16
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA



Scale 1:1

BLKCON156VHTM1SQSW15617

Attributes:

Size	68.790 x 6.950 MM (visible)
	67.960 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	17
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA



Scale 1:1

BLKCON156VHTM1SQSW15618

Attributes:

Size	72.750 x 6.950 MM (visible)
	71.920 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	18
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA



Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON156VHTM1SQSW15619




Attributes:

Size	76.710 x 6.950 MM (visible)
	75.880 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	19
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW1562




Attributes:

Size	12.820 x 6.950 MM (visible)
	8.520 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

BLKCON156VHTM1SQSW15620




Attributes:

Size	80.670 x 6.950 MM (visible)
	79.850 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	20
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW15621



Attributes:

Size	84.640 x 6.950 MM (visible)
	83.810 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	21
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW15622



Attributes:

Size	88.600 x 6.950 MM (visible)
	87.770 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	22
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW15623



Attributes:

Size	92.560 x 6.950 MM (visible)
	91.730 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	23
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 98

CB Distribution

BLKCON156VHTM1SQSW15624




Scale 1:1

Attributes:

Size	96.520 x 6.950 MM (visible)
	95.700 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	24
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW1563




Scale 5:1

Attributes:

Size	13.310 x 6.950 MM (visible)
	12.490 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	3
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW1564




Scale 5:1

Attributes:

Size	17.280 x 6.950 MM (visible)
	16.450 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	4
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW1565




Scale 2:1

Attributes:

Size	21.240 x 6.950 MM (visible)
	20.410 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	5
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW1566




Scale 2:1

Attributes:

Size	25.200 x 6.950 MM (visible)
	24.370 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	6
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW1567



Scale 2:1


Attributes:

Size	29.160 x 6.950 MM (visible)
	28.340 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	7
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 99

CB Distribution

BLKCON156VHTM1SQSW1568




Scale 2:1

Attributes:

Size	33.130 x 6.950 MM (visible)
	32.300 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	8
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW1569




Scale 2:1

Attributes:

Size	37.090 x 6.950 MM (visible)
	36.260 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	9
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW156HELP




Scale 1:2

Attributes:

Size	128.060 x 27.550 MM (visible)
	158.960 x 114.500 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	24
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW31210




Scale 2:1

Attributes:

Size	40.850 x 10.910 MM (visible)
	39.820 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	10
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW31211




Scale 2:1

Attributes:

Size	44.820 x 10.910 MM (visible)
	43.790 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	11
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW31212



Scale 2:1


Attributes:

Size	48.780 x 10.910 MM (visible)
	47.750 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	12
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 100

BLKCON156VHTM1SQSW31213




Attributes:

Size	52.740 x 10.910 MM (visible)
	51.710 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	13
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW31214




Attributes:

Size	56.700 x 10.910 MM (visible)
	55.670 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	14
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW31215




Attributes:

Size	60.660 x 10.910 MM (visible)
	59.640 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	15
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW31216



Attributes:

Size	64.630 x 10.910 MM (visible)
	63.600 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	16
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW31217




Attributes:

Size	68.590 x 10.910 MM (visible)
	67.560 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	17
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW31218



Attributes:

Size	72.550 x 10.910 MM (visible)
	71.520 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	18
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 101

CB Distribution

BLKCON156VHTM1SQSW31219




Attributes:

Size	76.510 x 10.910 MM (visible)
	75.490 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	19
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW3122




Attributes:

Size	12.820 x 10.910 MM (visible)
	8.130 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

BLKCON156VHTM1SQSW31220



Attributes:

Size	80.480 x 10.910 MM (visible)
	79.450 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	20
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW31221




Attributes:

Size	84.440 x 10.910 MM (visible)
	83.410 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	21
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW31222




Attributes:

Size	88.400 x 10.910 MM (visible)
	87.370 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	22
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

BLKCON156VHTM1SQSW31223



Attributes:


Size	92.360 x 10.910 MM (visible)
	91.340 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	23
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 102

CB Distribution

BLKCON156VHTM1SQSW31224




Scale 1:1

Attributes:

Size	96.330 x 10.910 MM (visible)
	95.300 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	24
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW3123




Scale 5:1

Attributes:

Size	13.120 x 10.910 MM (visible)
	12.090 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	3
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW3124




Scale 5:1

Attributes:

Size	17.080 x 10.910 MM (visible)
	16.050 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	4
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW3125




Scale 2:1

Attributes:

Size	21.040 x 10.910 MM (visible)
	20.010 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	5
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW3126




Scale 2:1

Attributes:

Size	25.000 x 10.910 MM (visible)
	23.970 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	6
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW3127



Scale 2:1


Attributes:

Size	28.970 x 10.910 MM (visible)
	27.940 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	7
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

BLKCON156VHTM1SQSW3128




Scale 2:1

Attributes:

Size	32.930 x 10.910 MM (visible)
	31.900 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	8
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW3129




Scale 2:1

Attributes:

Size	36.890 x 10.910 MM (visible)
	35.860 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	9
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BLKCON156VHTM1SQSW312HELP



Scale 1:2

Attributes:

Size	126.850 x 32.830 MM (visible)
	158.950 x 114.500 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	24
ConnPads	BCON156T_LLB_PAD1
	BCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

BREAKAWAY



Scale 5:1

Attributes:

Size	12.820 x 4.720 MM (visible)
	8.530 x 2.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.080 MM
PitchY	NA
ConnPinCnt	4
ConnPads	T1_1
MechPinCnt	0
MechPads	NA

CAP1000



Scale 2:1

Attributes:

Size	26.920 x 7.620 MM (visible)
	27.940 x 7.620 MM (PlaceBound)
Height	25.4 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

CAP1500



Scale 2:1


Attributes:

Size	39.620 x 7.620 MM (visible)
	40.640 x 7.620 MM (PlaceBound)
Height	25.4 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 104

CAP196




Scale 5:1

Attributes:

Size	5.330 x 5.080 MM (visible)
	5.580 x 5.080 MM (PlaceBound)
Height	12.7 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	2
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

CAP300




Scale 5:1

Attributes:

Size	9.140 x 2.540 MM (visible)
	8.890 x 2.540 MM (PlaceBound)
Height	10.16 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

CAP400



Scale 5:1

Attributes:

Size	2.540 x 11.680 MM (visible)
	2.540 x 14.220 MM (PlaceBound)
Height	3.81 MM
PitchX	NA
PitchY	10.160 MM
ConnPinCnt	2
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

CAP600




Scale 2:1

Attributes:

Size	4.580 x 16.760 MM (visible)
	4.830 x 17.320 MM (PlaceBound)
Height	6.35 MM
PitchX	NA
PitchY	15.240 MM
ConnPinCnt	2
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

CAPCK05




Scale 5:1

Attributes:

Size	5.970 x 5.610 MM (visible)
	2.540 x 5.080 MM (PlaceBound)
Height	3.18 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	2
ConnPads	PAD65CIR42D
MechPinCnt	0
MechPads	NA

CAPCK06



Scale 5:1


Attributes:

Size	2.540 x 7.620 MM (visible)
	2.540 x 7.620 MM (PlaceBound)
Height	8.89 MM
PitchX	NA
PitchY	5.080 MM
ConnPinCnt	2
ConnPads	PAD65CIR42D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 105

CAPCK60




Scale 5:1

Attributes:

Size	4.060 x 12.700 MM (visible)
	3.800 x 12.700 MM (PlaceBound)
Height	12.7 MM
PitchX	NA
PitchY	10.160 MM
ConnPinCnt	2
ConnPads	PAD65CIR42D
MechPinCnt	0
MechPads	NA

CAPCK62




Scale 5:1

Attributes:

Size	4.060 x 12.700 MM (visible)
	5.080 x 12.700 MM (PlaceBound)
Height	19.05 MM
PitchX	NA
PitchY	10.160 MM
ConnPinCnt	2
ConnPads	PAD65CIR42D
MechPinCnt	0
MechPads	NA

CAPP2_PAD1



Scale 5:1

Attributes:

Size	7.120 x 2.540 MM (visible)
	7.110 x 2.540 MM (PlaceBound)
Height	NA
PitchX	7.110 MM
PitchY	NA
ConnPinCnt	2
ConnPads	CAPP2_PAD1_PAD1
	CAPP2_PAD1_PAD2
MechPinCnt	0
MechPads	NA

CAPP2_SPACE



Scale 5:1

Attributes:

Size	0.970 x 0.850 MM (visible)
	25.400 x 25.400 MM (PlaceBound)
Height	NA
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	2
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

CASE17-02




Scale 2:1

Attributes:

Size	3.560 x 15.370 MM (visible)
	4.580 x 16.260 MM (PlaceBound)
Height	3.68 MM
PitchX	NA
PitchY	13.720 MM
ConnPinCnt	2
ConnPads	PAD65CIR43D
MechPinCnt	0
MechPads	NA

CB298



Scale 2:1

Attributes:

Size	27.150 x 27.300 MM (visible)
	28.700 x 28.440 MM (PlaceBound)
Height	7.24 MM
PitchX	NA
PitchY	NA
ConnPinCnt	5
ConnPads	HOLE210
	SMD335REC350
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 106

CB417




Attributes:

Size	5.560 x 15.870 MM (visible)
	3.810 x 16.300 MM (PlaceBound)
Height	3.68 MM
PitchX	NA
PitchY	13.970 MM
ConnPinCnt	2
ConnPads	PAD75CIR45D
MechPinCnt	0
MechPads	NA

Scale 2:1

CK12-10PF



Attributes:

Size	12.520 x 2.540 MM (visible)
	12.700 x 2.540 MM (PlaceBound)
Height	3.18 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD93CIR51D
MechPinCnt	0
MechPads	NA

Scale 5:1

CK13-10PF



Attributes:

Size	20.140 x 3.040 MM (visible)
	20.320 x 3.040 MM (PlaceBound)
Height	3.18 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD93CIR51D
MechPinCnt	0
MechPads	NA

Scale 2:1

CK14-10PF



Attributes:

Size	22.680 x 4.580 MM (visible)
	23.620 x 4.580 MM (PlaceBound)
Height	5.08 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD93CIR51D
MechPinCnt	0
MechPads	NA

Scale 2:1

CK15-10PF



Attributes:

Size	22.680 x 5.080 MM (visible)
	24.120 x 5.080 MM (PlaceBound)
Height	5.59 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD93CIR51D
MechPinCnt	0
MechPads	NA

Scale 2:1

CK16-10PF



Attributes:

Size	25.220 x 6.100 MM (visible)
	26.660 x 6.360 MM (PlaceBound)
Height	6.35 MM
PitchX	22.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD93CIR51D
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CK17-10PF




Scale 2:1

Attributes:

Size	27.760 x 7.870 MM (visible)
	27.940 x 7.620 MM (PlaceBound)
Height	8.38 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD93CIR51D
MechPinCnt	0
MechPads	NA

CLCC28




Scale 2:1

Attributes:

Size	13.590 x 16.370 MM (visible)
	13.970 x 13.960 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	28
ConnPads	CLCC_LLB_PAD1_1
	CLCC_LLB_PAD20
	CLCC_LLB_PAD2_1
	CLCC_LLB_PAD3_1
	CLCC_LLB_PAD5_1
	CLCC_LLB_PAD6_1
	CLCC_LLB_PAD7
MechPinCnt	0
MechPads	NA

CLCC28CNR




Scale 2:1

Attributes:

Size	13.590 x 16.380 MM (visible)
	13.970 x 13.970 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	28
ConnPads	CLCC_LLB_PAD1_1
	CLCC_LLB_PAD2_1
	CLCC_LLB_PAD3_1
	CLCC_LLB_PAD4_1
	CLCC_LLB_PAD5_1
	CLCC_LLB_PAD6_1
	CLCC_LLB_PAD7
MechPinCnt	0
MechPads	NA

CLCC28SMS725




Scale 2:1

Attributes:

Size	18.620 x 21.410 MM (visible)
	18.620 x 18.620 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	28
ConnPads	CLCC_LLB_PAD10_1
	CLCC_LLB_PAD11_1
	CLCC_LLB_PAD12
	CLCC_LLB_PAD13_1
	CLCC_LLB_PAD14_1
	CLCC_LLB_PAD8_1
	CLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

CLCC28TMS725




Scale 2:1

Attributes:

Size	18.620 x 21.410 MM (visible)
	18.620 x 18.620 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	CLCC_LLB_PAD15
	CLCC_LLB_PAD16_1
	CLCC_LLB_PAD17_1
	CLCC_LLB_PAD18_1
	CLCC_LLB_PAD19
MechPinCnt	0
MechPads	NA

CLCC344



Scale 1:1


Attributes:

Size	61.600 x 42.300 MM (visible)
	63.500 x 43.180 MM (PlaceBound)
Height	5.99 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	344
ConnPads	SMD85REC13
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 108

CLCC44




Scale 2:1

Attributes:

Size	18.670 x 21.450 MM (visible)
	19.050 x 19.040 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	44
ConnPads	CLCC_LLB_PAD1_1
	CLCC_LLB_PAD20
	CLCC_LLB_PAD2_1
	CLCC_LLB_PAD3_1
	CLCC_LLB_PAD4_1
	CLCC_LLB_PAD5_1
	CLCC_LLB_PAD6_1
	CLCC_LLB_PAD7
MechPinCnt	0
MechPads	NA

CLCC44CNR




Scale 2:1

Attributes:

Size	18.670 x 21.460 MM (visible)
	19.060 x 19.050 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	44
ConnPads	CLCC_LLB_PAD1_1
	CLCC_LLB_PAD20
	CLCC_LLB_PAD2_1
	CLCC_LLB_PAD3_1
	CLCC_LLB_PAD4_1
	CLCC_LLB_PAD5_1
	CLCC_LLB_PAD6_1
	CLCC_LLB_PAD7
MechPinCnt	0
MechPads	NA

CLCC44SMS925




Scale 2:1

Attributes:

Size	23.700 x 26.490 MM (visible)
	23.700 x 23.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	44
ConnPads	CLCC_LLB_PAD10_1
	CLCC_LLB_PAD11_1
	CLCC_LLB_PAD12
	CLCC_LLB_PAD13_1
	CLCC_LLB_PAD14_1
	CLCC_LLB_PAD21
	CLCC_LLB_PAD8_1
	CLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

CLCC44TMS925




Scale 2:1

Attributes:

Size	23.700 x 26.490 MM (visible)
	23.700 x 23.700 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	44
ConnPads	CLCC_LLB_PAD15
	CLCC_LLB_PAD16_1
	CLCC_LLB_PAD17_1
	CLCC_LLB_PAD18_1
	CLCC_LLB_PAD19
MechPinCnt	0
MechPads	NA

CLCC52




Scale 2:1

Attributes:

Size	21.210 x 23.990 MM (visible)
	21.590 x 21.580 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	52
ConnPads	CLCC_LLB_PAD1_1
	CLCC_LLB_PAD20
	CLCC_LLB_PAD2_1
	CLCC_LLB_PAD3_1
	CLCC_LLB_PAD4_1
	CLCC_LLB_PAD5_1
	CLCC_LLB_PAD6_1
	CLCC_LLB_PAD7
MechPinCnt	0
MechPads	NA

CLCC52CNR



Scale 2:1


Attributes:

Size	21.210 x 24.000 MM (visible)
	21.600 x 21.590 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	52
ConnPads	CLCC_LLB_PAD1_1
	CLCC_LLB_PAD20
	CLCC_LLB_PAD2_1
	CLCC_LLB_PAD3_1
	CLCC_LLB_PAD4_1
	CLCC_LLB_PAD5_1
	CLCC_LLB_PAD6_1
	CLCC_LLB_PAD7
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CLCC52SMS1050




Scale 2:1

Attributes:

Size	26.870 x 29.670 MM (visible)
	26.870 x 26.880 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	52
ConnPads	CLCC_LLB_PAD10_1
	CLCC_LLB_PAD11_1
	CLCC_LLB_PAD12
	CLCC_LLB_PAD13_1
	CLCC_LLB_PAD14_1
	CLCC_LLB_PAD21
	CLCC_LLB_PAD8_1
	CLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

CLCC52TMS1025




Scale 2:1

Attributes:

Size	26.240 x 29.030 MM (visible)
	26.240 x 26.240 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	CLCC_LLB_PAD15
	CLCC_LLB_PAD16_1
	CLCC_LLB_PAD17_1
	CLCC_LLB_PAD18_1
	CLCC_LLB_PAD19
MechPinCnt	0
MechPads	NA

CLCC68




Scale 2:1

Attributes:

Size	26.290 x 29.070 MM (visible)
	26.670 x 26.680 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	68
ConnPads	CLCC_LLB_PAD1_1
	CLCC_LLB_PAD20
	CLCC_LLB_PAD2_1
	CLCC_LLB_PAD3_1
	CLCC_LLB_PAD4_1
	CLCC_LLB_PAD5_1
	CLCC_LLB_PAD6_1
	CLCC_LLB_PAD7
MechPinCnt	0
MechPads	NA

CLCC68CNR




Scale 2:1

Attributes:

Size	26.290 x 29.080 MM (visible)
	26.680 x 26.670 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	68
ConnPads	CLCC_LLB_PAD1_1
	CLCC_LLB_PAD20
	CLCC_LLB_PAD2_1
	CLCC_LLB_PAD3_1
	CLCC_LLB_PAD4_1
	CLCC_LLB_PAD5_1
	CLCC_LLB_PAD6_1
	CLCC_LLB_PAD7
MechPinCnt	0
MechPads	NA

CLCC68SMS1250




Scale 2:1

Attributes:

Size	31.950 x 34.750 MM (visible)
	31.950 x 31.960 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	68
ConnPads	CLCC_LLB_PAD10_1
	CLCC_LLB_PAD11_1
	CLCC_LLB_PAD12
	CLCC_LLB_PAD13_1
	CLCC_LLB_PAD14_1
	CLCC_LLB_PAD21
	CLCC_LLB_PAD8_1
	CLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

CLCC68TMS1225



Scale 2:1

Attributes:


Size	31.320 x 34.110 MM (visible)
	31.320 x 31.320 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	68
ConnPads	CLCC_LLB_PAD15
	CLCC_LLB_PAD16_1
	CLCC_LLB_PAD17_1
	CLCC_LLB_PAD18_1
	CLCC_LLB_PAD19
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 110

CB Distribution

CLCC84




Scale 2:1

Attributes:

Size	29.970 x 29.970 MM (visible)
	30.280 x 30.280 MM (PlaceBound)
Height	4.83 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	84
ConnPads	SMD25_50
	SMD50_25
MechPinCnt	0
MechPads	NA

CLCC84CNR




Scale 2:1

Attributes:

Size	31.370 x 34.160 MM (visible)
	31.760 x 31.750 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	84
ConnPads	CLCC_LLB_PAD1_1
	CLCC_LLB_PAD20
	CLCC_LLB_PAD2_1
	CLCC_LLB_PAD3_1
	CLCC_LLB_PAD4_1
	CLCC_LLB_PAD5_1
	CLCC_LLB_PAD6_1
	CLCC_LLB_PAD7
MechPinCnt	0
MechPads	NA

CLCC84SMS1450




Scale 1:1

Attributes:

Size	37.030 x 39.830 MM (visible)
	37.030 x 37.040 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	84
ConnPads	CLCC_LLB_PAD10_1
	CLCC_LLB_PAD11_1
	CLCC_LLB_PAD12
	CLCC_LLB_PAD13_1
	CLCC_LLB_PAD14_1
	CLCC_LLB_PAD21
	CLCC_LLB_PAD8_1
	CLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

CLCC84TMS1425




Scale 1:1

Attributes:

Size	36.400 x 39.190 MM (visible)
	36.400 x 36.400 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	CLCC_LLB_PAD15
	CLCC_LLB_PAD16_1
	CLCC_LLB_PAD17_1
	CLCC_LLB_PAD18_1
	CLCC_LLB_PAD19
MechPinCnt	0
MechPads	NA

CONN10




Scale 2:1

Attributes:

Size	20.320 x 12.950 MM (visible)
	20.320 x 13.470 MM (PlaceBound)
Height	12.7 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	10
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

CONN26



Scale 2:1


Attributes:

Size	40.640 x 12.950 MM (visible)
	40.890 x 13.210 MM (PlaceBound)
Height	12.7 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	26
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 111

CB Distribution

CONN50



Scale 1:1

Attributes:

Size	66.040 x 7.620 MM (visible)
	66.040 x 7.620 MM (PlaceBound)
Height	12.7 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	50
ConnPads	PAD60CIR42D
MechPinCnt	0
MechPads	NA

CPAX1000X225034



Scale 2:1

Attributes:

Size	27.180 x 8.710 MM (visible)
	27.560 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX1000X300031



Scale 2:1

Attributes:

Size	27.100 x 10.610 MM (visible)
	27.480 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPAX1000X300034



Scale 2:1

Attributes:

Size	27.180 x 10.610 MM (visible)
	27.560 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX1000X300037



Scale 2:1

Attributes:

Size	27.220 x 10.610 MM (visible)
	27.600 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1000X325034



Scale 2:1

Attributes:

Size	27.180 x 11.250 MM (visible)
	27.560 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPAX1000X325037



Attributes:

Size	27.220 x 11.250 MM (visible) 27.600 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1 TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1000X350034



Attributes:

Size	27.180 x 11.880 MM (visible) 27.560 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1 TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1000X350037



Attributes:

Size	27.220 x 11.880 MM (visible) 27.600 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1 TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1000X375034



Attributes:

Size	27.180 x 12.510 MM (visible) 27.560 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1 TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1000X375037



Attributes:

Size	27.220 x 12.510 MM (visible) 27.600 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1 TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1000X400034



Attributes:

Size	27.180 x 13.150 MM (visible) 27.560 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1 TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 113

CB Distribution

CPAX1000X400037



Attributes:

Size	27.220 x 13.150 MM (visible) 27.600 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1 TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1025X225037



Attributes:

Size	27.850 x 8.710 MM (visible) 28.230 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	26.030 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1 TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1025X300037



Attributes:

Size	27.850 x 10.610 MM (visible) 28.230 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	26.030 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1 TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11000X225034



Attributes:

Size	27.180 x 8.710 MM (visible) 27.560 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1 TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11000X300031



Attributes:

Size	27.100 x 10.610 MM (visible) 27.480 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3 TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11000X300034



Attributes:

Size	27.180 x 10.610 MM (visible) 27.560 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1 TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

CPAX11000X300037



Attributes:

Size	27.220 x 10.610 MM (visible)
	27.600 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11000X325034



Attributes:

Size	27.180 x 11.250 MM (visible)
	27.560 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11000X325037



Attributes:

Size	27.220 x 11.250 MM (visible)
	27.600 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11000X350034



Attributes:

Size	27.180 x 11.880 MM (visible)
	27.560 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11000X350037



Attributes:

Size	27.220 x 11.880 MM (visible)
	27.600 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11000X375034



Attributes:

Size	27.180 x 12.510 MM (visible)
	27.560 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPAX11000X375037



Attributes:

Size	27.220 x 12.510 MM (visible)
	27.600 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11000X400034



Attributes:

Size	27.180 x 13.150 MM (visible)
	27.560 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11000X400037



Attributes:

Size	27.220 x 13.150 MM (visible)
	27.600 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1100X375034




Attributes:

Size	29.720 x 12.510 MM (visible)
	30.100 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	27.940 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1100X675050



Attributes:

Size	30.120 x 20.130 MM (visible)
	30.500 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	27.940 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD7
	TM_CAP_P_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11025X225037



Attributes:

Size	27.850 x 8.710 MM (visible)
	28.230 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	26.030 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPAX11025X300037



Attributes:

Size	27.850 x 10.610 MM (visible)
	28.230 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	26.030 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11100X375034




Attributes:

Size	29.720 x 12.510 MM (visible)
	30.100 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	27.940 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11100X675050



Attributes:

Size	30.120 x 20.130 MM (visible)
	30.500 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	27.940 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD7
	TM_CAP_P_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11125X300037



Attributes:

Size	30.400 x 10.610 MM (visible)
	30.770 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	28.580 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11125X350037




Attributes:

Size	30.400 x 11.880 MM (visible)
	30.770 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	28.580 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11200X325034



Attributes:

Size	32.260 x 11.250 MM (visible)
	32.640 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPAX11200X325037



Attributes:

Size	32.300 x 11.250 MM (visible)
	32.680 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11200X350034



Attributes:

Size	32.260 x 11.880 MM (visible)
	32.640 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11200X350037



Attributes:

Size	32.300 x 11.880 MM (visible)
	32.680 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11200X400034



Attributes:

Size	32.260 x 13.150 MM (visible)
	32.640 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11200X400037



Attributes:

Size	32.300 x 13.150 MM (visible)
	32.680 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11225X325037



Attributes:

Size	32.930 x 11.250 MM (visible)
	33.310 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	31.110 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 118

CB Distribution

CPAX11250X375037



Scale 2:1

Attributes:

Size	33.570 x 12.510 MM (visible)
	33.950 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX11250X425037



Scale 2:1

Attributes:

Size	33.570 x 13.790 MM (visible)
	33.950 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX11250X500034



Scale 2:1

Attributes:

Size	33.530 x 15.690 MM (visible)
	33.910 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX11250X500037



Scale 2:1

Attributes:

Size	33.570 x 15.690 MM (visible)
	33.950 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1125X300037



Scale 2:1

Attributes:

Size	30.400 x 10.610 MM (visible)
	30.770 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	28.580 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1125X350037



Scale 2:1

Attributes:

Size	30.400 x 11.880 MM (visible)
	30.770 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	28.580 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 119

CB Distribution

CPAX11275X425034



Attributes:

Size	34.160 x 13.790 MM (visible)
	34.540 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	32.380 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11275X425037




Attributes:

Size	34.200 x 13.790 MM (visible)
	34.580 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	32.380 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11300X225031



Attributes:

Size	34.720 x 8.710 MM (visible)
	35.100 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	33.020 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11300X375037



Attributes:

Size	34.840 x 12.510 MM (visible)
	35.220 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	33.020 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11300X400037



Attributes:

Size	34.840 x 13.150 MM (visible)
	35.220 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	33.020 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11325X400034



Attributes:

Size	35.440 x 13.150 MM (visible)
	35.810 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 120

CB Distribution

CPAX11325X675037



Attributes:

Size	35.480 x 20.130 MM (visible)
	35.850 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11325X675050



Attributes:

Size	35.840 x 20.130 MM (visible)
	36.220 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD7
	TM_CAP_P_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11325X700037



Attributes:

Size	35.480 x 20.770 MM (visible)
	35.850 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11350X375037




Attributes:

Size	36.110 x 12.510 MM (visible)
	36.490 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	34.290 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11350X400037




Attributes:

Size	36.110 x 13.150 MM (visible)
	36.490 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	34.290 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX11375X200034



Attributes:

Size	36.700 x 8.070 MM (visible)
	37.080 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	34.920 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 121

CB Distribution

CPAX11400X675037



Scale 2:1

Attributes:

Size	37.380 x 20.130 MM (visible)
	37.760 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	35.560 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX11400X700037



Scale 2:1

Attributes:

Size	37.380 x 20.770 MM (visible)
	37.760 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	35.560 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX11450X675037



Scale 2:1

Attributes:

Size	38.650 x 20.130 MM (visible)
	39.030 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	36.830 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX11450X700037




Scale 2:1

Attributes:

Size	38.650 x 20.770 MM (visible)
	39.030 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	36.830 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX11500X500037




Scale 2:1

Attributes:

Size	39.920 x 15.690 MM (visible)
	40.300 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX11500X650037



Scale 2:1


Attributes:

Size	39.920 x 19.510 MM (visible)
	40.300 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPAX11500X675037



Scale 2:1

Attributes:

Size	39.920 x 20.130 MM (visible)
	40.300 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX11500X700037




Scale 2:1

Attributes:

Size	39.920 x 20.770 MM (visible)
	40.300 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX11525X675050




Scale 2:1

Attributes:

Size	40.920 x 20.130 MM (visible)
	41.300 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	38.740 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD7
	TM_CAP_P_LLB_PAD8
MechPinCnt	0
MechPads	NA

CPAX11600X300034



Scale 2:1

Attributes:

Size	42.420 x 10.610 MM (visible)
	42.800 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	40.640 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX11625X400034



Scale 2:1

Attributes:

Size	42.420 x 13.150 MM (visible)
	42.800 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	40.640 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX11650X300034




Scale 2:1

Attributes:

Size	43.690 x 10.610 MM (visible)
	44.070 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	41.910 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPAX11650X400037



Scale 2:1

Attributes:

Size	43.730 x 13.150 MM (visible)
	44.110 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	41.910 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX11700X325034




Scale 2:1

Attributes:

Size	44.960 x 11.250 MM (visible)
	45.340 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	43.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX11775X675050



Scale 2:1

Attributes:

Size	47.260 x 20.130 MM (visible)
	47.650 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	45.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD7
	TM_CAP_P_LLB_PAD8
MechPinCnt	0
MechPads	NA

CPAX1200X325034




Scale 2:1

Attributes:

Size	32.260 x 11.250 MM (visible)
	32.640 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX1200X325037



Scale 2:1

Attributes:

Size	32.300 x 11.250 MM (visible)
	32.680 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1200X350034




Scale 2:1

Attributes:

Size	32.260 x 11.880 MM (visible)
	32.640 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPAX1200X350037



Attributes:

Size	32.300 x 11.880 MM (visible)
	32.680 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1200X400034



Attributes:

Size	32.260 x 13.150 MM (visible)
	32.640 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1200X400037




Attributes:

Size	32.300 x 13.150 MM (visible)
	32.680 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1225X325037



Attributes:

Size	32.930 x 11.250 MM (visible)
	33.310 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	31.110 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1250X375037



Attributes:

Size	33.570 x 12.510 MM (visible)
	33.950 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1250X425037



Attributes:

Size	33.570 x 13.790 MM (visible)
	33.950 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 125

CPAX1250X500034



Attributes:

Size	33.530 x 15.690 MM (visible)
	33.910 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1250X500037



Attributes:

Size	33.570 x 15.690 MM (visible)
	33.950 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	31.750 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1275X425034



Attributes:

Size	34.160 x 13.790 MM (visible)
	34.540 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	32.380 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1275X425037




Attributes:

Size	34.200 x 13.790 MM (visible)
	34.580 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	32.380 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1300X225031




Attributes:

Size	34.720 x 8.710 MM (visible)
	35.100 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	33.020 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1300X375037



Attributes:

Size	34.840 x 12.510 MM (visible)
	35.220 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	33.020 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPAX1300X400037



Scale 2:1

Attributes:

Size	34.840 x 13.150 MM (visible)
	35.220 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	33.020 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1325X400034



Scale 2:1

Attributes:

Size	35.440 x 13.150 MM (visible)
	35.810 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX1325X675037



Scale 2:1

Attributes:

Size	35.480 x 20.130 MM (visible)
	35.850 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1325X675050



Scale 2:1

Attributes:

Size	35.840 x 20.130 MM (visible)
	36.220 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD7
	TM_CAP_P_LLB_PAD8
MechPinCnt	0
MechPads	NA

CPAX1325X700037



Scale 2:1

Attributes:

Size	35.480 x 20.770 MM (visible)
	35.850 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	33.660 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1350X375037




Scale 2:1

Attributes:

Size	36.110 x 12.510 MM (visible)
	36.490 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	34.290 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPAX1350X400037



Attributes:

Size	36.110 x 13.150 MM (visible)
	36.490 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	34.290 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1375X200034



Attributes:

Size	36.700 x 8.070 MM (visible)
	37.080 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	34.920 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1400X675037



Attributes:

Size	37.380 x 20.130 MM (visible)
	37.760 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	35.560 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1400X700037



Attributes:

Size	37.380 x 20.770 MM (visible)
	37.760 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	35.560 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1450X675037



Attributes:

Size	38.650 x 20.130 MM (visible)
	39.030 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	36.830 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1450X700037



Attributes:


Size	38.650 x 20.770 MM (visible)
	39.030 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	36.830 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 128

CB Distribution

CPAX1500X500037




Scale 2:1

Attributes:

Size	39.920 x 15.690 MM (visible)
	40.300 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1500X650037



Scale 2:1

Attributes:

Size	39.920 x 19.510 MM (visible)
	40.300 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1500X675037



Scale 2:1

Attributes:

Size	39.920 x 20.130 MM (visible)
	40.300 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1500X700037



Scale 2:1

Attributes:

Size	39.920 x 20.770 MM (visible)
	40.300 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	38.100 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1525X675050



Scale 2:1

Attributes:

Size	40.920 x 20.130 MM (visible)
	41.300 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	38.740 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD7
	TM_CAP_P_LLB_PAD8
MechPinCnt	0
MechPads	NA

CPAX1575X150031



Scale 5:1

Attributes:

Size	16.300 x 6.800 MM (visible)
	16.690 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPAX1600X200034




Scale 5:1

Attributes:

Size	17.020 x 8.070 MM (visible)
	17.400 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX1600X300034



Scale 2:1

Attributes:

Size	42.420 x 10.610 MM (visible)
	42.800 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	40.640 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX1625X100031




Scale 5:1

Attributes:

Size	17.580 x 5.530 MM (visible)
	17.960 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	15.880 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPAX1625X400034



Scale 2:1

Attributes:

Size	42.420 x 13.150 MM (visible)
	42.800 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	40.640 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX1650X200031



Scale 5:1

Attributes:

Size	18.210 x 8.070 MM (visible)
	18.590 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPAX1650X200034



Scale 5:1

Attributes:

Size	18.290 x 8.070 MM (visible)
	18.670 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPAX1650X200037




Attributes:

Size	18.330 x 8.070 MM (visible)
	18.710 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 5:1

CPAX1650X300034




Attributes:

Size	43.690 x 10.610 MM (visible)
	44.070 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	41.910 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1650X400037



Attributes:

Size	43.730 x 13.150 MM (visible)
	44.110 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	41.910 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1675X200037



Attributes:

Size	18.960 x 8.070 MM (visible)
	19.340 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 5:1

CPAX1675X225034



Attributes:

Size	18.920 x 8.710 MM (visible)
	19.300 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

CPAX1675X225037



Attributes:

Size	18.960 x 8.710 MM (visible)
	19.340 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 131

CB Distribution

CPAX1700X325034



Attributes:

Size	44.960 x 11.250 MM (visible)
	45.340 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	43.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1725X150034



Attributes:

Size	20.200 x 6.800 MM (visible)
	20.570 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	18.420 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1750X150031



Attributes:

Size	19.480 x 6.800 MM (visible)
	19.860 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

CPAX1750X150034



Attributes:

Size	20.830 x 6.800 MM (visible)
	21.210 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1775X200031



Attributes:

Size	21.380 x 8.070 MM (visible)
	21.770 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1775X200034



Attributes:

Size	21.460 x 8.070 MM (visible)
	21.840 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPAX1775X200037




Attributes:

Size	21.500 x 8.070 MM (visible)
	21.880 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1775X675050



Attributes:

Size	47.260 x 20.130 MM (visible)
	47.650 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	45.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD7
	TM_CAP_P_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1800X250034




Attributes:

Size	22.100 x 9.350 MM (visible)
	22.480 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1800X675050



Attributes:

Size	23.140 x 20.130 MM (visible)
	23.520 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD7
	TM_CAP_P_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1850X325034



Attributes:

Size	23.370 x 11.250 MM (visible)
	23.750 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1850X325037



Attributes:

Size	23.410 x 11.250 MM (visible)
	23.790 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPAX1850X350034



Attributes:

Size	23.370 x 11.880 MM (visible)
	23.750 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1850X350037



Attributes:

Size	23.410 x 11.880 MM (visible)
	23.790 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1875X300034



Attributes:

Size	24.000 x 10.610 MM (visible)
	24.380 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1875X300037



Attributes:

Size	24.040 x 10.610 MM (visible)
	24.420 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1875X325034



Attributes:

Size	24.000 x 11.250 MM (visible)
	24.380 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1875X325037



Attributes:

Size	24.040 x 11.250 MM (visible)
	24.420 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 134

CB Distribution

CPAX1875X350034



Attributes:

Size	24.000 x 11.880 MM (visible)
	24.380 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1875X350037



Attributes:

Size	24.040 x 11.880 MM (visible)
	24.420 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1900X175031



Attributes:

Size	24.560 x 7.430 MM (visible)
	24.940 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	22.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1950X325034



Attributes:

Size	25.910 x 11.250 MM (visible)
	26.290 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1950X400034



Attributes:

Size	25.910 x 13.150 MM (visible)
	26.290 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX1950X400037



Attributes:

Size	25.950 x 13.150 MM (visible)
	26.330 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 135

CPAX1950X450034



Scale 2:1

Attributes:

Size	25.910 x 14.430 MM (visible)
	26.290 x 11.640 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX1950X450037




Scale 2:1

Attributes:

Size	25.950 x 14.430 MM (visible)
	26.330 x 11.640 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1950X675050



Scale 2:1

Attributes:

Size	26.310 x 20.130 MM (visible)
	26.690 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD7
	TM_CAP_P_LLB_PAD8
MechPinCnt	0
MechPads	NA

CPAX1975X300037



Scale 2:1

Attributes:

Size	26.580 x 10.610 MM (visible)
	26.960 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	24.760 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX1HELP



Scale 1:1

Attributes:

Size	56.680 x 39.510 MM (visible)
	100.530 x 70.050 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX575X150031



Scale 5:1

Attributes:

Size	16.300 x 6.800 MM (visible)
	16.690 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPAX600X200034



Scale 5:1

Attributes:

Size	17.020 x 8.070 MM (visible)
	17.400 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX625X100031



Scale 5:1

Attributes:

Size	17.580 x 5.530 MM (visible)
	17.960 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	15.880 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPAX650X200031



Scale 5:1

Attributes:

Size	18.210 x 8.070 MM (visible)
	18.590 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPAX650X200034



Scale 5:1

Attributes:

Size	18.290 x 8.070 MM (visible)
	18.670 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX650X200037



Scale 5:1

Attributes:

Size	18.330 x 8.070 MM (visible)
	18.710 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX675X200037



Scale 5:1

Attributes:

Size	18.960 x 8.070 MM (visible)
	19.340 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPAX675X225034



Scale 5:1

Attributes:

Size	18.920 x 8.710 MM (visible)
	19.300 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX675X225037



Scale 5:1

Attributes:

Size	18.960 x 8.710 MM (visible)
	19.340 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	17.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX725X150034



Scale 2:1

Attributes:

Size	20.200 x 6.800 MM (visible)
	20.570 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	18.420 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX750X150031



Scale 5:1

Attributes:

Size	19.480 x 6.800 MM (visible)
	19.860 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPAX750X150034



Scale 2:1

Attributes:

Size	20.830 x 6.800 MM (visible)
	21.210 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX775X200031



Scale 2:1

Attributes:

Size	21.380 x 8.070 MM (visible)
	21.770 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 138

CPAX775X200034



Attributes:

Size	21.460 x 8.070 MM (visible)
	21.840 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX775X200037



Attributes:

Size	21.500 x 8.070 MM (visible)
	21.880 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX800X250034




Attributes:

Size	22.100 x 9.350 MM (visible)
	22.480 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX800X675050



Attributes:

Size	23.140 x 20.130 MM (visible)
	23.520 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD7
	TM_CAP_P_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX850X325034



Attributes:

Size	23.370 x 11.250 MM (visible)
	23.750 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX850X325037



Attributes:

Size	23.410 x 11.250 MM (visible)
	23.790 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPAX850X350034



Scale 2:1

Attributes:

Size	23.370 x 11.880 MM (visible)
	23.750 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX850X350037



Scale 2:1

Attributes:

Size	23.410 x 11.880 MM (visible)
	23.790 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX875X300034



Scale 2:1

Attributes:

Size	24.000 x 10.610 MM (visible)
	24.380 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX875X300037



Scale 2:1

Attributes:

Size	24.040 x 10.610 MM (visible)
	24.420 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPAX875X325034



Scale 2:1

Attributes:

Size	24.000 x 11.250 MM (visible)
	24.380 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPAX875X325037



Scale 2:1

Attributes:

Size	24.040 x 11.250 MM (visible)
	24.420 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPAX875X350034



Attributes:

Size	24.000 x 11.880 MM (visible)
	24.380 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX875X350037



Attributes:

Size	24.040 x 11.880 MM (visible)
	24.420 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX900X175031



Attributes:

Size	24.560 x 7.430 MM (visible)
	24.940 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	22.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX950X325034



Attributes:

Size	25.910 x 11.250 MM (visible)
	26.290 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX950X400034



Attributes:

Size	25.910 x 13.150 MM (visible)
	26.290 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX950X400037



Attributes:

Size	25.950 x 13.150 MM (visible)
	26.330 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPAX950X450034



Attributes:

Size	25.910 x 14.430 MM (visible)
	26.290 x 11.640 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX950X450037




Attributes:

Size	25.950 x 14.430 MM (visible)
	26.330 x 11.640 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX950X675050



Attributes:

Size	26.310 x 20.130 MM (visible)
	26.690 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD7
	TM_CAP_P_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

CPAX975X300037




Attributes:

Size	26.580 x 10.610 MM (visible)
	26.960 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	24.760 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2_1
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

CPCYL1D150LS100031




Attributes:

Size	12.820 x 6.790 MM (visible)
	4.620 x 4.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

CPCYL1D150LS125031




Attributes:

Size	12.820 x 6.790 MM (visible)
	5.260 x 4.000 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPCYL1D175LS100031




Scale 5:1

Attributes:

Size	12.820 x 7.430 MM (visible)
	4.620 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYL1D175LS125031




Scale 5:1

Attributes:

Size	12.820 x 7.430 MM (visible)
	5.260 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYL1D200LS100031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	5.280 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYL1D200LS125031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	5.260 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYL1D200LS150031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	5.890 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYL1D225LS100031



Scale 5:1


Attributes:

Size	12.820 x 8.710 MM (visible)
	5.920 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPCYL1D225LS125031




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	5.920 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYL1D250LS100031




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	6.560 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYL1D250LS125031




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	6.550 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYL1D250LS150031




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	6.550 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYL1D275LS100031




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	7.180 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYL1D275LS100034



Scale 5:1


Attributes:

Size	12.820 x 9.970 MM (visible)
	7.180 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPCYL1D275LS100037




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	7.180 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPCYL1D275LS125034




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	7.190 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D275LS125037




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	7.190 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPCYL1D300LS100031




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYL1D300LS100034




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D300LS125034



Scale 5:1


Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPCYL1D300LS200031




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYL1D300LS200034




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D325LS125034




Scale 5:1

Attributes:

Size	12.820 x 11.250 MM (visible)
	8.460 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D325LS175034




Scale 5:1

Attributes:

Size	12.820 x 11.250 MM (visible)
	8.460 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	4.440 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D350LS175034




Scale 5:1

Attributes:

Size	12.820 x 11.880 MM (visible)
	9.090 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	4.440 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D350LS200031




Scale 5:1

Attributes:

Size	12.820 x 11.880 MM (visible)
	9.100 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 146

CPCYL1D350LS200034




Scale 5:1

Attributes:

Size	12.820 x 11.880 MM (visible)
	9.100 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D400LS200034




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D400LS225034




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	5.720 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D500LS200034




Scale 2:1

Attributes:

Size	12.900 x 15.690 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D500LS200037




Scale 2:1

Attributes:

Size	12.900 x 15.690 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPCYL1D500LS200040




Scale 2:1

Attributes:

Size	12.900 x 15.690 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPCYL1D500LS225034




Scale 2:1

Attributes:

Size	12.900 x 15.690 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	5.720 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D600LS150034




Scale 2:1

Attributes:

Size	15.440 x 18.230 MM (visible)
	15.450 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D600LS175034




Scale 2:1

Attributes:

Size	15.440 x 18.230 MM (visible)
	15.440 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	4.440 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYL1D650LS300040




Scale 2:1

Attributes:

Size	16.710 x 19.510 MM (visible)
	16.720 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

CPCYL1D650LS325040




Scale 2:1

Attributes:

Size	16.710 x 19.510 MM (visible)
	16.710 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	8.260 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

CPCYL1D700LS300040



Scale 2:1


Attributes:

Size	17.980 x 20.770 MM (visible)
	17.980 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPCYL1D700LS325040




Scale 2:1

Attributes:

Size	17.980 x 20.770 MM (visible)
	17.980 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	8.260 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

CPCYL1D725LS300040




Scale 2:1

Attributes:

Size	18.620 x 21.410 MM (visible)
	18.620 x 18.620 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

CPCYL1D725LS325040



Scale 2:1

Attributes:

Size	18.620 x 21.410 MM (visible)
	18.620 x 18.620 MM (PlaceBound)
Height	0.03 MM
PitchX	8.260 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

CPCYL1HELP






Scale 1:1

Attributes:

Size	54.810 x 36.320 MM (visible)
	100.540 x 70.050 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD150LS100031




Scale 5:1

Attributes:

Size	12.820 x 6.790 MM (visible)
	4.620 x 4.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD150LS125031



Scale 5:1


Attributes:

Size	12.820 x 6.790 MM (visible)
	5.260 x 4.000 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPCYLD175LS100031




Scale 5:1

Attributes:

Size	12.820 x 7.430 MM (visible)
	4.620 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD175LS125031




Scale 5:1

Attributes:

Size	12.820 x 7.430 MM (visible)
	5.260 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD200LS100031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	5.280 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD200LS125031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	5.260 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD200LS150031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	5.890 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD225LS100031



Scale 5:1


Attributes:

Size	12.820 x 8.710 MM (visible)
	5.920 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 150

CB Distribution

CPCYLD225LS125031




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	5.920 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD250LS100031




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	6.560 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD250LS125031




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	6.550 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD250LS150031




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	6.550 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD275LS100031




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	7.180 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD275LS100034



Scale 5:1


Attributes:

Size	12.820 x 9.970 MM (visible)
	7.180 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPCYLD275LS100037




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	7.180 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPCYLD275LS125034




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	7.190 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD275LS125037




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	7.190 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPCYLD300LS100031




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD300LS100034




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD300LS125034



Scale 5:1


Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPCYLD300LS200031




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

CPCYLD300LS200034




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD325LS125034




Scale 5:1

Attributes:

Size	12.820 x 11.250 MM (visible)
	8.460 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD325LS175034




Scale 5:1

Attributes:

Size	12.820 x 11.250 MM (visible)
	8.460 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	4.440 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD350LS175034




Scale 5:1

Attributes:

Size	12.820 x 11.880 MM (visible)
	9.090 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	4.440 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD350LS200031




Scale 5:1

Attributes:

Size	12.820 x 11.880 MM (visible)
	9.100 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD3
	TM_CAP_P_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 153

CPCYLD350LS200034




Scale 5:1

Attributes:

Size	12.820 x 11.880 MM (visible)
	9.100 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD400LS200034




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD400LS225034




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	5.720 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD500LS200034




Scale 2:1

Attributes:

Size	12.900 x 15.690 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD500LS200037




Scale 2:1

Attributes:

Size	12.900 x 15.690 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD2
	TM_CAP_P_LLB_PAD5
MechPinCnt	0
MechPads	NA

CPCYLD500LS200040




Scale 2:1

Attributes:

Size	12.900 x 15.690 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CPCYLD500LS225034




Scale 2:1

Attributes:

Size	12.900 x 15.690 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	5.720 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD600LS150034




Scale 2:1

Attributes:

Size	15.440 x 18.230 MM (visible)
	15.450 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD600LS175034




Scale 2:1

Attributes:

Size	15.440 x 18.230 MM (visible)
	15.440 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	4.440 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPCYLD650LS300040




Scale 2:1

Attributes:

Size	16.710 x 19.510 MM (visible)
	16.720 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

CPCYLD650LS325040




Scale 2:1

Attributes:

Size	16.710 x 19.510 MM (visible)
	16.710 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	8.260 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

CPCYLD700LS300040



Scale 2:1


Attributes:

Size	17.980 x 20.770 MM (visible)
	17.980 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPCYLD700LS325040




Scale 2:1

Attributes:

Size	17.980 x 20.770 MM (visible)
	17.980 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	8.260 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

CPCYLD725LS300040




Scale 2:1

Attributes:

Size	18.620 x 21.410 MM (visible)
	18.620 x 18.620 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

CPCYLD725LS325040



Scale 2:1

Attributes:

Size	18.620 x 21.410 MM (visible)
	18.620 x 18.620 MM (PlaceBound)
Height	0.03 MM
PitchX	8.260 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD10
	TM_CAP_P_LLB_PAD9
MechPinCnt	0
MechPads	NA

CPCYLHELP




#REFDES

Scale 1:1

Attributes:

Size	54.810 x 36.320 MM (visible)
	100.540 x 70.050 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CAP_P_LLB_PAD1
	TM_CAP_P_LLB_PAD2
MechPinCnt	0
MechPads	NA

CPGA100_X




Scale 2:1

Attributes:

Size	33.020 x 33.020 MM (visible)
	33.020 x 33.020 MM (PlaceBound)
Height	5.59 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	100
ConnPads	PGA
MechPinCnt	0
MechPads	NA

CPGA132



Scale 2:1


Attributes:

Size	37.080 x 37.080 MM (visible)
	37.080 x 37.080 MM (PlaceBound)
Height	5.21 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	132
ConnPads	PGA
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 156

CB Distribution

CPGA160_X




Scale 1:1

Attributes:

Size	39.620 x 39.620 MM (visible)
	39.620 x 39.620 MM (PlaceBound)
Height	5.59 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	160
ConnPads	PGA
MechPinCnt	0
MechPads	NA

CPGA175




Scale 1:1

Attributes:

Size	42.160 x 42.160 MM (visible)
	42.160 x 42.160 MM (PlaceBound)
Height	5.59 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	175
ConnPads	PGA
MechPinCnt	0
MechPads	NA

CPGA191_X




Scale 1:1

Attributes:

Size	47.240 x 47.240 MM (visible)
	47.240 x 47.240 MM (PlaceBound)
Height	5.59 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	191
ConnPads	PGA
MechPinCnt	0
MechPads	NA

CPGA192_X




Scale 1:1

Attributes:

Size	44.700 x 44.700 MM (visible)
	44.700 x 44.700 MM (PlaceBound)
Height	5.59 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	192
ConnPads	PGA
MechPinCnt	0
MechPads	NA

CPGA207




Scale 1:1

Attributes:

Size	44.700 x 44.700 MM (visible)
	44.700 x 44.700 MM (PlaceBound)
Height	5.59 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	207
ConnPads	PGA
MechPinCnt	0
MechPads	NA

CPGA208



Scale 1:1


Attributes:

Size	44.700 x 44.700 MM (visible)
	44.700 x 44.700 MM (PlaceBound)
Height	5.59 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	208
ConnPads	PGA
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CPGA262




Scale 1:1

Attributes:

Size	49.780 x 49.780 MM (visible)
	49.780 x 49.780 MM (PlaceBound)
Height	4.57 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	262
ConnPads	PGA
	PGA_SQ
MechPinCnt	0
MechPads	NA

CPGA68




Scale 2:1

Attributes:

Size	27.940 x 27.940 MM (visible)
	27.940 x 27.940 MM (PlaceBound)
Height	5.59 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	68
ConnPads	PGA
MechPinCnt	0
MechPads	NA

CPGA69




Scale 2:1

Attributes:

Size	27.940 x 27.940 MM (visible)
	27.940 x 27.940 MM (PlaceBound)
Height	5.59 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	69
ConnPads	PGA
MechPinCnt	0
MechPads	NA

CPGA84_X




Scale 2:1

Attributes:

Size	27.940 x 27.940 MM (visible)
	27.940 x 27.940 MM (PlaceBound)
Height	5.59 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	PGA
MechPinCnt	0
MechPads	NA

CPGA85_X




Scale 2:1

Attributes:

Size	27.940 x 27.940 MM (visible)
	27.940 x 27.940 MM (PlaceBound)
Height	5.59 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	85
ConnPads	PGA
MechPinCnt	0
MechPads	NA

CQFP100



Scale 2:1


Attributes:

Size	22.850 x 22.850 MM (visible)
	23.160 x 23.160 MM (PlaceBound)
Height	3.68 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	100
ConnPads	SMD110REC19
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CQFP132




Scale 2:1

Attributes:

Size	27.930 x 27.930 MM (visible)
	28.240 x 28.240 MM (PlaceBound)
Height	4.93 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	132
ConnPads	SMD110REC19
MechPinCnt	0
MechPads	NA

CQFP164




Scale 2:1

Attributes:

Size	33.010 x 33.010 MM (visible)
	33.320 x 33.320 MM (PlaceBound)
Height	4.93 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	164
ConnPads	SMD110REC19
MechPinCnt	0
MechPads	NA

CQFP208_ALT




Scale 2:1

Attributes:

Size	30.990 x 30.990 MM (visible)
	31.240 x 31.240 MM (PlaceBound)
Height	3.58 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	208
ConnPads	SMD36REC12
MechPinCnt	0
MechPads	NA

CRYS11MHZ



Scale 5:1

Attributes:

Size	10.160 x 4.450 MM (visible)
	10.160 x 4.450 MM (PlaceBound)
Height	6.35 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

CRYS14




Scale 2:1

Attributes:

Size	10.160 x 17.780 MM (visible)
	10.790 x 17.780 MM (PlaceBound)
Height	3.18 MM
PitchX	7.620 MM
PitchY	15.240 MM
ConnPinCnt	4
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

CY10



Scale 5:1

Attributes:

Size	17.140 x 2.770 MM (visible)
	17.680 x 3.100 MM (PlaceBound)
Height	5.33 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD75CIR45D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 1

CB Distribution

CY15



Attributes:

Size	19.680 x 3.960 MM (visible)
	20.320 x 5.080 MM (PlaceBound)
Height	7.87 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD75CIR51D
MechPinCnt	0
MechPads	NA

Scale 5:1

CY20




Attributes:

Size	27.760 x 4.780 MM (visible)
	29.200 x 5.080 MM (PlaceBound)
Height	12.7 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD93CIR58D
MechPinCnt	0
MechPads	NA

Scale 2:1

CYLD150LS100031




Attributes:

Size	12.820 x 6.790 MM (visible)
	4.620 x 4.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

CYLD150LS125031



Attributes:

Size	12.820 x 6.790 MM (visible)
	5.260 x 4.000 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

CYLD175LS100031




Attributes:

Size	12.820 x 7.430 MM (visible)
	4.620 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

CYLD175LS125031



Attributes:


Size	12.820 x 7.430 MM (visible)
	5.260 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

CYLD200LS100031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	5.280 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

CYLD200LS125031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	5.260 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

CYLD200LS150031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	5.890 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

CYLD225LS100031




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	5.920 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

CYLD225LS125031




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	5.920 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

CYLD250LS100031



Scale 5:1

Attributes:


Size	12.820 x 9.350 MM (visible)
	6.560 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 3

CB Distribution

CYLD250LS125031




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	6.550 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

CYLD250LS150031




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	6.550 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

CYLD275LS100031




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	7.180 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

CYLD275LS100034




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	7.180 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

CYLD275LS100037




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	7.180 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD2
	TM_CYLND_LLB_PAD5
MechPinCnt	0
MechPads	NA

CYLD275LS125034



Scale 5:1


Attributes:

Size	12.820 x 9.970 MM (visible)
	7.190 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 4

CYLD275LS125037




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	7.190 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD2
	TM_CYLND_LLB_PAD5
MechPinCnt	0
MechPads	NA

CYLD300LS100031




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

CYLD300LS100034




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

CYLD300LS125034




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

CYLD300LS200031




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

CYLD300LS200034



Scale 5:1


Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 5

CYLD325LS125034




Scale 5:1

Attributes:

Size	12.820 x 11.250 MM (visible)
	8.460 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

CYLD325LS150034




Scale 5:1

Attributes:

Size	12.820 x 11.250 MM (visible)
	8.450 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

CYLD325LS175034




Scale 5:1

Attributes:

Size	12.820 x 11.250 MM (visible)
	8.460 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	4.440 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

CYLD350LS175034




Scale 5:1

Attributes:

Size	12.820 x 11.880 MM (visible)
	9.090 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	4.440 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

CYLD350LS200031




Scale 5:1

Attributes:

Size	12.820 x 11.880 MM (visible)
	9.100 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD3
	TM_CYLND_LLB_PAD4
MechPinCnt	0
MechPads	NA

CYLD350LS200034



Scale 5:1


Attributes:

Size	12.820 x 11.880 MM (visible)
	9.100 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

CYLD400LS200034




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

CYLD400LS225034




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	5.720 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

CYLD500LS200034




Scale 2:1

Attributes:

Size	12.900 x 15.690 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

CYLD500LS200037




Scale 2:1

Attributes:

Size	12.900 x 15.690 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD2
	TM_CYLND_LLB_PAD5
MechPinCnt	0
MechPads	NA

CYLD500LS200040




Scale 2:1

Attributes:

Size	12.900 x 15.690 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD7
	TM_CYLND_LLB_PAD8
MechPinCnt	0
MechPads	NA

CYLD500LS225034



Scale 2:1


Attributes:

Size	12.900 x 15.690 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	5.720 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 7

CYLD600LS150034




Scale 2:1

Attributes:

Size	15.440 x 18.230 MM (visible)
	15.450 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

CYLD600LS175034




Scale 2:1

Attributes:

Size	15.440 x 18.230 MM (visible)
	15.440 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	4.440 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD1
	TM_CYLND_LLB_PAD2
MechPinCnt	0
MechPads	NA

CYLD650LS300040




Scale 2:1

Attributes:

Size	16.710 x 19.510 MM (visible)
	16.720 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD7
	TM_CYLND_LLB_PAD8
MechPinCnt	0
MechPads	NA

CYLD650LS325040




Scale 2:1

Attributes:

Size	16.710 x 19.510 MM (visible)
	16.710 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	8.260 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD7
	TM_CYLND_LLB_PAD8
MechPinCnt	0
MechPads	NA

CYLD700LS300040




Scale 2:1

Attributes:

Size	17.980 x 20.770 MM (visible)
	17.980 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD7
	TM_CYLND_LLB_PAD8
MechPinCnt	0
MechPads	NA

CYLD700LS325040



Scale 2:1


Attributes:

Size	17.980 x 20.770 MM (visible)
	17.980 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	8.260 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD7
	TM_CYLND_LLB_PAD8
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 8

CYLD725LS300040




Attributes:

Size	18.620 x 21.410 MM (visible)
	18.620 x 18.620 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD7
	TM_CYLND_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

CYLD725LS325040




Attributes:

Size	18.620 x 21.410 MM (visible)
	18.620 x 18.620 MM (PlaceBound)
Height	0.03 MM
PitchX	8.260 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_CYLND_LLB_PAD7
	TM_CYLND_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX11N40014007




Attributes:

Size	15.970 x 6.170 MM (visible)
	16.350 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX11N4370A4372A




Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX11N46784717




Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX11N47194725



Attributes:


Size	22.860 x 15.690 MM (visible)
	23.240 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD33
	TM_DIODE_LLB_PAD34
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 9

CB Distribution

DAX11N4728A4764A




Scale 5:1

Attributes:

Size	15.340 x 6.170 MM (visible)
	15.720 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.340 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

DAX11N49334937




Scale 5:1

Attributes:

Size	15.970 x 6.170 MM (visible)
	16.350 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

DAX11N5221B5281B




Scale 5:1

Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX11N5333B5388B




Scale 2:1

Attributes:

Size	21.280 x 6.800 MM (visible)
	21.670 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD39
	TM_DIODE_LLB_PAD40
MechPinCnt	0
MechPads	NA

DAX11N54005408



Scale 2:1

Attributes:

Size	20.880 x 9.350 MM (visible)
	21.260 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	18.420 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD35
	TM_DIODE_LLB_PAD36
MechPinCnt	0
MechPads	NA

DAX11N5441B5456B



Scale 5:1


Attributes:

Size	15.670 x 6.170 MM (visible)
	16.050 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 10

DAX11N58175819




Attributes:

Size	14.700 x 6.170 MM (visible)
	15.080 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX11N58205821




Attributes:

Size	21.510 x 8.710 MM (visible)
	21.890 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD35
	TM_DIODE_LLB_PAD36
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX11N58235825




Attributes:

Size	22.860 x 15.690 MM (visible)
	23.240 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD33
	TM_DIODE_LLB_PAD34
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX11N5913B5956B




Attributes:

Size	15.340 x 6.170 MM (visible)
	15.720 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.340 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX11N5985B6025B




Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX11N746A759A



Attributes:


Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 11

CB Distribution

DAX11N957B992B




Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1300X050028




Attributes:

Size	12.820 x 4.480 MM (visible)
	9.520 x 1.900 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD29
	TM_DIODE_LLB_PAD30
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1350X080031




Attributes:

Size	12.820 x 5.030 MM (visible)
	10.970 x 2.240 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1350X200031




Attributes:

Size	12.820 x 8.070 MM (visible)
	10.970 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD5_1
	TM_DIODE_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1375X070034




Attributes:

Size	12.820 x 4.920 MM (visible)
	11.680 x 2.160 MM (PlaceBound)
Height	0.03 MM
PitchX	9.520 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1400X080028



Attributes:


Size	12.820 x 5.030 MM (visible)
	12.060 x 2.240 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD10
	TM_DIODE_LLB_PAD9
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

DAX1425X100040




Attributes:

Size	12.820 x 5.530 MM (visible)
	13.110 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11
	TM_DIODE_LLB_PAD12
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1425X125040




Attributes:

Size	12.820 x 6.170 MM (visible)
	13.110 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11_1
	TM_DIODE_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1425X150040




Attributes:

Size	12.820 x 6.800 MM (visible)
	13.110 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11_1
	TM_DIODE_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1450X090031




Attributes:

Size	13.130 x 5.270 MM (visible)
	13.510 x 2.480 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1450X100034




Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD13
	TM_DIODE_LLB_PAD14
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1450X125042



Attributes:

Size	12.820 x 6.170 MM (visible)
	12.840 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	10.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA


Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 13

CB Distribution

DAX1450X150040




Attributes:

Size	13.360 x 6.800 MM (visible)
	13.750 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11_1
	TM_DIODE_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1475X125042




Attributes:

Size	12.820 x 6.170 MM (visible)
	13.160 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1500X110046




Attributes:

Size	14.780 x 5.790 MM (visible)
	15.160 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1500X125042




Attributes:

Size	13.410 x 6.170 MM (visible)
	13.790 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1550X110034




Attributes:

Size	15.750 x 5.790 MM (visible)
	16.130 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1550X120046



Attributes:


Size	16.050 x 6.030 MM (visible)
	16.430 x 3.260 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 14

CB Distribution

DAX1550X125034



Scale 5:1

Attributes:

Size	15.750 x 6.170 MM (visible)
	16.130 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

DAX1550X140046




Scale 5:1

Attributes:

Size	16.050 x 6.550 MM (visible)
	16.430 x 3.760 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD19_1
	TM_DIODE_LLB_PAD20_1
MechPinCnt	0
MechPads	NA

DAX1550X150046




Scale 5:1

Attributes:

Size	16.050 x 6.800 MM (visible)
	16.430 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAX1550X160031




Scale 5:1

Attributes:

Size	15.670 x 7.050 MM (visible)
	16.050 x 4.260 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX1575X125046




Scale 5:1

Attributes:

Size	16.680 x 6.170 MM (visible)
	17.070 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAX1650X080050



Scale 5:1

Attributes:


Size	18.690 x 5.190 MM (visible)
	19.070 x 2.560 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD21
	TM_DIODE_LLB_PAD22
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 15

CB Distribution

DAX1700X150042



Scale 5:1

Attributes:

Size	19.760 x 6.800 MM (visible)
	20.140 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD1
	TM_DIODE_LLB_PAD2
MechPinCnt	0
MechPads	NA

DAX1750X150042




Scale 2:1

Attributes:

Size	21.030 x 6.800 MM (visible)
	21.410 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

DAX1775X375062



Scale 2:1

Attributes:

Size	22.170 x 12.510 MM (visible)
	22.560 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

DAX1800X110067




Scale 2:1

Attributes:

Size	22.940 x 5.790 MM (visible)
	23.320 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD25
	TM_DIODE_LLB_PAD26
MechPinCnt	0
MechPads	NA

DAX1800X225062




Scale 2:1

Attributes:

Size	23.450 x 8.710 MM (visible)
	23.830 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

DAX1800X375062



Scale 2:1


Attributes:

Size	22.810 x 12.510 MM (visible)
	23.200 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 16

CB Distribution

DAX1825X225062




Attributes:

Size	24.080 x 8.710 MM (visible)
	24.470 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX1825X375062



Attributes:

Size	23.450 x 12.510 MM (visible)
	23.830 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX1850X225062




Attributes:

Size	24.710 x 8.710 MM (visible)
	25.100 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX1850X260050



Attributes:

Size	23.770 x 9.590 MM (visible)
	24.150 x 6.800 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD21
	TM_DIODE_LLB_PAD22
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX1900X270050




Attributes:

Size	25.040 x 9.970 MM (visible)
	25.420 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	22.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD27_1
	TM_DIODE_LLB_PAD28_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX1950X150062



Attributes:


Size	26.620 x 9.350 MM (visible)
	27.010 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DAX1DO204AA




Scale 5:1

Attributes:

Size	15.750 x 5.790 MM (visible)
	16.130 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

DAX1DO204AB



Scale 5:1

Attributes:

Size	15.750 x 6.550 MM (visible)
	16.130 x 3.760 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

DAX1DO204AC




Scale 5:1

Attributes:

Size	16.050 x 6.550 MM (visible)
	16.430 x 3.760 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD19_1
	TM_DIODE_LLB_PAD20_1
MechPinCnt	0
MechPads	NA

DAX1DO204AD




Scale 5:1

Attributes:

Size	12.820 x 4.480 MM (visible)
	9.520 x 1.900 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD29_1
	TM_DIODE_LLB_PAD30_1
MechPinCnt	0
MechPads	NA

DAX1DO204AE




Scale 2:1

Attributes:

Size	23.770 x 9.590 MM (visible)
	24.150 x 6.800 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD21
	TM_DIODE_LLB_PAD22
MechPinCnt	0
MechPads	NA

DAX1DO204AF



Scale 5:1


Attributes:

Size	19.760 x 6.800 MM (visible)
	20.140 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD1
	TM_DIODE_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 18

CB Distribution

DAX1DO204AG




Scale 5:1

Attributes:

Size	12.820 x 5.030 MM (visible)
	10.970 x 2.240 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX1DO204AH




Scale 5:1

Attributes:

Size	13.130 x 5.270 MM (visible)
	13.510 x 2.480 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX1DO204AJ




Scale 5:1

Attributes:

Size	15.670 x 7.050 MM (visible)
	16.050 x 4.260 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX1DO204AK




Scale 5:1

Attributes:

Size	12.820 x 5.030 MM (visible)
	12.060 x 2.240 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD10
	TM_DIODE_LLB_PAD9
MechPinCnt	0
MechPads	NA

DAX1DO204AL




Scale 5:1

Attributes:

Size	14.780 x 5.790 MM (visible)
	15.160 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAX1DO204AM



Scale 5:1


Attributes:

Size	14.780 x 5.790 MM (visible)
	15.160 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 19

DAX1DO204AN




Scale 5:1

Attributes:

Size	16.050 x 6.030 MM (visible)
	16.430 x 3.260 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAX1DO204AP




Scale 5:1

Attributes:

Size	16.050 x 6.800 MM (visible)
	16.430 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAX1DO204AR




Scale 2:1

Attributes:

Size	26.620 x 9.350 MM (visible)
	27.010 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

DAX1DO206AA



Scale 5:1

Attributes:

Size	18.690 x 5.190 MM (visible)
	19.070 x 2.560 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD21
	TM_DIODE_LLB_PAD22
MechPinCnt	0
MechPads	NA

DAX1DO206AB




Scale 2:1

Attributes:

Size	22.940 x 5.790 MM (visible)
	23.320 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD25
	TM_DIODE_LLB_PAD26
MechPinCnt	0
MechPads	NA

DAX1DO26



Scale 2:1

Attributes:

Size	25.040 x 9.970 MM (visible)
	25.420 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	22.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD27_1
	TM_DIODE_LLB_PAD28_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 20

CB Distribution

DAX1DO29




Attributes:

Size	21.030 x 6.800 MM (visible)
	21.410 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX1DO34




Attributes:

Size	12.820 x 4.920 MM (visible)
	11.680 x 2.160 MM (PlaceBound)
Height	0.03 MM
PitchX	9.520 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1DO35




Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD13
	TM_DIODE_LLB_PAD14
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1DO41




Attributes:

Size	16.680 x 6.170 MM (visible)
	17.070 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1DO7



Attributes:

Size	15.750 x 6.170 MM (visible)
	16.130 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1HELP



#REFDES

Attributes:


Size	55.510 x 29.030 MM (visible)
	100.530 x 70.050 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD1
	TM_DIODE_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 21

CB Distribution

DAX1N40014007




Scale 5:1

Attributes:

Size	15.970 x 6.170 MM (visible)
	16.350 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

DAX1N4370A4372A




Scale 5:1

Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX1N46784717




Scale 5:1

Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX1N47194725




Scale 2:1

Attributes:

Size	22.860 x 15.690 MM (visible)
	23.240 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD33
	TM_DIODE_LLB_PAD34
MechPinCnt	0
MechPads	NA

DAX1N4728A4764A




Scale 5:1

Attributes:

Size	15.340 x 6.170 MM (visible)
	15.720 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.340 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

DAX1N49334937



Scale 5:1


Attributes:

Size	15.970 x 6.170 MM (visible)
	16.350 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DAX1N5221B5281B



Scale 5:1

Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX1N5333B5388B




Scale 2:1

Attributes:

Size	21.280 x 6.800 MM (visible)
	21.670 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD39
	TM_DIODE_LLB_PAD40
MechPinCnt	0
MechPads	NA

DAX1N54005408




Scale 2:1

Attributes:

Size	20.880 x 9.350 MM (visible)
	21.260 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	18.420 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD35
	TM_DIODE_LLB_PAD36
MechPinCnt	0
MechPads	NA

DAX1N5441B5456B




Scale 5:1

Attributes:

Size	15.670 x 6.170 MM (visible)
	16.050 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX1N58175819




Scale 5:1

Attributes:

Size	14.700 x 6.170 MM (visible)
	15.080 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

DAX1N58205821



Scale 2:1


Attributes:

Size	21.510 x 8.710 MM (visible)
	21.890 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD35
	TM_DIODE_LLB_PAD36
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 23

DAX1N58235825




Attributes:

Size	22.860 x 15.690 MM (visible)
	23.240 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD33
	TM_DIODE_LLB_PAD34
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX1N5913B5956B




Attributes:

Size	15.340 x 6.170 MM (visible)
	15.720 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.340 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1N5985B6025B




Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1N746A759A




Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1N957B992B




Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX1SOD57



Attributes:


Size	12.820 x 6.800 MM (visible)
	13.110 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11_1
	TM_DIODE_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 24

CB Distribution

DAX1SOD64




Attributes:

Size	12.820 x 8.070 MM (visible)
	10.970 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD5_1
	TM_DIODE_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX21N40014007




Attributes:

Size	15.970 x 6.170 MM (visible)
	16.350 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX21N4370A4372A




Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX21N46784717




Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX21N47194725




Attributes:

Size	22.860 x 15.690 MM (visible)
	23.240 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD33
	TM_DIODE_LLB_PAD34
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX21N4728A4764A



Attributes:


Size	15.340 x 6.170 MM (visible)
	15.720 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.340 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 25

DAX21N49334937




Scale 5:1

Attributes:

Size	15.970 x 6.170 MM (visible)
	16.350 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

DAX21N5221B5281B



Scale 5:1

Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX21N5333B5388B




Scale 2:1

Attributes:

Size	21.280 x 6.800 MM (visible)
	21.670 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD39
	TM_DIODE_LLB_PAD40
MechPinCnt	0
MechPads	NA

DAX21N54005408




Scale 2:1

Attributes:

Size	20.880 x 9.350 MM (visible)
	21.260 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	18.420 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD35
	TM_DIODE_LLB_PAD36
MechPinCnt	0
MechPads	NA

DAX21N5441B5456B




Scale 5:1

Attributes:

Size	15.670 x 6.170 MM (visible)
	16.050 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX21N58175819



Scale 5:1


Attributes:

Size	14.700 x 6.170 MM (visible)
	15.080 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DAX21N58205821




Attributes:

Size	21.510 x 8.710 MM (visible)
	21.890 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD35
	TM_DIODE_LLB_PAD36
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX21N58235825




Attributes:

Size	22.860 x 15.690 MM (visible)
	23.240 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD33
	TM_DIODE_LLB_PAD34
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX21N5913B5956B




Attributes:

Size	15.340 x 6.170 MM (visible)
	15.720 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.340 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD31
	TM_DIODE_LLB_PAD32
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX21N5985B6025B




Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX21N746A759A




Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX21N957B992B




Attributes:

Size	13.130 x 5.530 MM (visible)
	13.510 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

DAX2300X050028




Attributes:

Size	12.820 x 4.480 MM (visible)
	9.520 x 1.900 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD29
	TM_DIODE_LLB_PAD30
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2350X080031




Attributes:

Size	12.820 x 5.030 MM (visible)
	10.970 x 2.240 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2350X200031




Attributes:

Size	12.820 x 8.070 MM (visible)
	10.970 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD5_1
	TM_DIODE_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2375X070034




Attributes:

Size	12.820 x 4.920 MM (visible)
	11.680 x 2.160 MM (PlaceBound)
Height	0.03 MM
PitchX	9.520 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2400X080028




Attributes:

Size	12.820 x 5.030 MM (visible)
	12.060 x 2.240 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD10
	TM_DIODE_LLB_PAD9
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2425X100040



Attributes:


Size	12.820 x 5.530 MM (visible)
	13.110 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11
	TM_DIODE_LLB_PAD12
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

DAX2425X125040




Attributes:

Size	12.820 x 6.170 MM (visible)
	13.110 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11_1
	TM_DIODE_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2425X150040




Attributes:

Size	12.820 x 6.800 MM (visible)
	13.110 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11_1
	TM_DIODE_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2450X090031




Attributes:

Size	13.130 x 5.270 MM (visible)
	13.510 x 2.480 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2450X100034




Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD13
	TM_DIODE_LLB_PAD14
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2450X125042




Attributes:

Size	12.820 x 6.170 MM (visible)
	12.840 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	10.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2450X150040




Attributes:

Size	13.360 x 6.800 MM (visible)
	13.750 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11_1
	TM_DIODE_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

DAX2475X125042




Attributes:

Size	12.820 x 6.170 MM (visible)
	13.160 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2500X110046




Attributes:

Size	14.780 x 5.790 MM (visible)
	15.160 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2500X125042




Attributes:

Size	13.410 x 6.170 MM (visible)
	13.790 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2550X110034




Attributes:

Size	15.750 x 5.790 MM (visible)
	16.130 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2550X120046




Attributes:

Size	16.050 x 6.030 MM (visible)
	16.430 x 3.260 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2550X125034



Attributes:


Size	15.750 x 6.170 MM (visible)
	16.130 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 30

CB Distribution

DAX2550X140046




Scale 5:1

Attributes:

Size	16.050 x 6.550 MM (visible)
	16.430 x 3.760 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD19_1
	TM_DIODE_LLB_PAD20_1
MechPinCnt	0
MechPads	NA

DAX2550X150046



Scale 5:1

Attributes:

Size	16.050 x 6.800 MM (visible)
	16.430 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAX2550X160031




Scale 5:1

Attributes:

Size	15.670 x 7.050 MM (visible)
	16.050 x 4.260 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX2575X125046




Scale 5:1

Attributes:

Size	16.690 x 6.170 MM (visible)
	17.070 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAX2650X080050




Scale 5:1

Attributes:

Size	18.690 x 5.190 MM (visible)
	19.070 x 2.560 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD21
	TM_DIODE_LLB_PAD22
MechPinCnt	0
MechPads	NA

DAX2700X150042



Scale 5:1

Attributes:

Size	19.760 x 6.800 MM (visible)
	20.140 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD1
	TM_DIODE_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 31

DAX2750X150042




Attributes:

Size	21.030 x 6.800 MM (visible)
	21.410 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX2775X375062




Attributes:

Size	22.170 x 12.510 MM (visible)
	22.560 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX2800X110067




Attributes:

Size	22.940 x 5.790 MM (visible)
	23.320 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD25
	TM_DIODE_LLB_PAD26
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX2800X225062




Attributes:

Size	23.440 x 8.710 MM (visible)
	23.830 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX2800X375062




Attributes:

Size	22.810 x 12.510 MM (visible)
	23.200 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX2825X225062



Attributes:


Size	24.080 x 8.710 MM (visible)
	24.470 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DAX2825X375062



Attributes:

Size	23.440 x 12.510 MM (visible)
	23.830 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX2850X225062




Attributes:

Size	24.710 x 8.710 MM (visible)
	25.100 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX2850X260050




Attributes:

Size	23.770 x 9.590 MM (visible)
	24.150 x 6.800 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD21
	TM_DIODE_LLB_PAD22
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX2900X270050




Attributes:

Size	25.040 x 9.970 MM (visible)
	25.420 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	22.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD27_1
	TM_DIODE_LLB_PAD28_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX2950X150062




Attributes:

Size	26.620 x 9.350 MM (visible)
	27.010 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX2DO204AA



Attributes:


Size	15.750 x 5.790 MM (visible)
	16.130 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DAX2DO204AB




Scale 5:1

Attributes:

Size	15.750 x 6.550 MM (visible)
	16.130 x 3.760 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

DAX2DO204AC




Scale 5:1

Attributes:

Size	16.050 x 6.550 MM (visible)
	16.430 x 3.760 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD19_1
	TM_DIODE_LLB_PAD20_1
MechPinCnt	0
MechPads	NA

DAX2DO204AD




Scale 5:1

Attributes:

Size	12.820 x 4.480 MM (visible)
	9.520 x 1.900 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD29_1
	TM_DIODE_LLB_PAD30_1
MechPinCnt	0
MechPads	NA

DAX2DO204AE




Scale 2:1

Attributes:

Size	23.770 x 9.590 MM (visible)
	24.150 x 6.800 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD21
	TM_DIODE_LLB_PAD22
MechPinCnt	0
MechPads	NA

DAX2DO204AF




Scale 5:1

Attributes:

Size	19.760 x 6.800 MM (visible)
	20.140 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD1
	TM_DIODE_LLB_PAD2
MechPinCnt	0
MechPads	NA

DAX2DO204AG



Scale 5:1


Attributes:

Size	12.820 x 5.030 MM (visible)
	10.970 x 2.240 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 34

DAX2DO204AH




Scale 5:1

Attributes:

Size	13.130 x 5.270 MM (visible)
	13.510 x 2.480 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX2DO204AJ




Scale 5:1

Attributes:

Size	15.670 x 7.050 MM (visible)
	16.050 x 4.260 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX2DO204AK




Scale 5:1

Attributes:

Size	12.820 x 5.030 MM (visible)
	12.060 x 2.240 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD10
	TM_DIODE_LLB_PAD9
MechPinCnt	0
MechPads	NA

DAX2DO204AL




Scale 5:1

Attributes:

Size	14.780 x 5.790 MM (visible)
	15.160 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAX2DO204AM




Scale 5:1

Attributes:

Size	14.780 x 5.790 MM (visible)
	15.160 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAX2DO204AN



Scale 5:1

Attributes:

Size	16.050 x 6.030 MM (visible)
	16.430 x 3.260 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA


Library Name	Name	Date
symbols	NYE	09.11.17

Size

CB Distribution

Cage Code

DAX2DO204AP




Scale 5:1

Attributes:

Size	16.050 x 6.800 MM (visible)
	16.430 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAX2DO204AR




Scale 2:1

Attributes:

Size	26.620 x 9.350 MM (visible)
	27.010 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

DAX2DO206AA



Scale 5:1

Attributes:

Size	18.690 x 5.190 MM (visible)
	19.070 x 2.560 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD21
	TM_DIODE_LLB_PAD22
MechPinCnt	0
MechPads	NA

DAX2DO206AB




Scale 2:1

Attributes:

Size	22.940 x 5.790 MM (visible)
	23.320 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD25
	TM_DIODE_LLB_PAD26
MechPinCnt	0
MechPads	NA

DAX2DO26



Scale 2:1

Attributes:

Size	25.040 x 9.970 MM (visible)
	25.420 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	22.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD27_1
	TM_DIODE_LLB_PAD28_1
MechPinCnt	0
MechPads	NA

DAX2DO29



Scale 2:1


Attributes:

Size	21.030 x 6.800 MM (visible)
	21.410 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 36

DAX2DO34




Attributes:

Size	12.820 x 4.920 MM (visible)
	11.680 x 2.160 MM (PlaceBound)
Height	0.03 MM
PitchX	9.520 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2DO35




Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD13
	TM_DIODE_LLB_PAD14
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2DO41



Attributes:

Size	16.690 x 6.170 MM (visible)
	17.070 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2DO7



Attributes:

Size	15.750 x 6.170 MM (visible)
	16.130 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX2HELP




#REFDES

Attributes:

Size	55.510 x 29.030 MM (visible)
	100.530 x 70.050 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD1
	TM_DIODE_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DAX2SOD57



Attributes:


Size	12.820 x 6.800 MM (visible)
	13.110 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11_1
	TM_DIODE_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 37

DAX2SOD64




Attributes:

Size	12.820 x 8.070 MM (visible)
	10.970 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD5_1
	TM_DIODE_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX300X050028




Attributes:

Size	12.820 x 4.480 MM (visible)
	9.520 x 1.900 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD29
	TM_DIODE_LLB_PAD30
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX350X080031




Attributes:

Size	12.820 x 5.030 MM (visible)
	10.970 x 2.240 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX350X200031




Attributes:

Size	12.820 x 8.070 MM (visible)
	10.970 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD5_1
	TM_DIODE_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX375X070034




Attributes:

Size	12.820 x 4.920 MM (visible)
	11.680 x 2.160 MM (PlaceBound)
Height	0.03 MM
PitchX	9.520 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX400X080028



Attributes:

Size	12.820 x 5.030 MM (visible)
	12.060 x 2.240 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD10
	TM_DIODE_LLB_PAD9
MechPinCnt	0
MechPads	NA


Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

CB Distribution

Size | Cage Code

DAX425X100040




Attributes:

Size	12.820 x 5.530 MM (visible)
	13.110 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11
	TM_DIODE_LLB_PAD12
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX425X125040




Attributes:

Size	12.820 x 6.170 MM (visible)
	13.110 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11_1
	TM_DIODE_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX425X150040




Attributes:

Size	12.820 x 6.800 MM (visible)
	13.110 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11_1
	TM_DIODE_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX450X090031




Attributes:

Size	13.130 x 5.270 MM (visible)
	13.510 x 2.480 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX450X100034




Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD13
	TM_DIODE_LLB_PAD14
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX450X125042



Attributes:

Size	12.820 x 6.170 MM (visible)
	12.840 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	10.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA


Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 39

CB Distribution

DAX450X150040




Attributes:

Size	13.360 x 6.800 MM (visible)
	13.750 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11_1
	TM_DIODE_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX475X125042




Attributes:

Size	12.820 x 6.170 MM (visible)
	13.160 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX500X110046




Attributes:

Size	14.780 x 5.790 MM (visible)
	15.160 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX500X125042




Attributes:

Size	13.410 x 6.170 MM (visible)
	13.790 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX550X110034




Attributes:

Size	15.750 x 5.790 MM (visible)
	16.130 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX550X120046



Attributes:


Size	16.050 x 6.030 MM (visible)
	16.430 x 3.260 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 40

CB Distribution

DAX550X125034




Scale 5:1

Attributes:

Size	15.750 x 6.170 MM (visible)
	16.130 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

DAX550X140046




Scale 5:1

Attributes:

Size	16.050 x 6.550 MM (visible)
	16.430 x 3.760 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD19_1
	TM_DIODE_LLB_PAD20_1
MechPinCnt	0
MechPads	NA

DAX550X150046




Scale 5:1

Attributes:

Size	16.050 x 6.800 MM (visible)
	16.430 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAX550X160031




Scale 5:1

Attributes:

Size	15.670 x 7.050 MM (visible)
	16.050 x 4.260 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAX575X125046




Scale 5:1

Attributes:

Size	16.680 x 6.170 MM (visible)
	17.070 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAX650X080050



Scale 5:1

Attributes:


Size	18.690 x 5.190 MM (visible)
	19.070 x 2.560 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD21
	TM_DIODE_LLB_PAD22
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CB Distribution

DAX700X150042



Attributes:

Size	19.760 x 6.800 MM (visible)
	20.140 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD1
	TM_DIODE_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

DAX750X150042




Attributes:

Size	21.030 x 6.800 MM (visible)
	21.410 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX775X375062



Attributes:

Size	22.170 x 12.510 MM (visible)
	22.560 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	19.680 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX800X110067




Attributes:

Size	22.940 x 5.790 MM (visible)
	23.320 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD25
	TM_DIODE_LLB_PAD26
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX800X225062




Attributes:

Size	23.450 x 8.710 MM (visible)
	23.830 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX800X375062



Attributes:


Size	22.810 x 12.510 MM (visible)
	23.200 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 42

CB Distribution

DAX825X225062




Attributes:

Size	24.080 x 8.710 MM (visible)
	24.470 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX825X375062



Attributes:

Size	23.450 x 12.510 MM (visible)
	23.830 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	20.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX850X225062




Attributes:

Size	24.710 x 8.710 MM (visible)
	25.100 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	22.220 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX850X260050



Attributes:

Size	23.770 x 9.590 MM (visible)
	24.150 x 6.800 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD21
	TM_DIODE_LLB_PAD22
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX900X270050




Attributes:

Size	25.040 x 9.970 MM (visible)
	25.420 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	22.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD27_1
	TM_DIODE_LLB_PAD28_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DAX950X150062



Attributes:


Size	26.620 x 9.350 MM (visible)
	27.010 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DAXDO204AA




Scale 5:1

Attributes:

Size	15.750 x 5.790 MM (visible)
	16.130 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

DAXDO204AB



Scale 5:1

Attributes:

Size	15.750 x 6.550 MM (visible)
	16.130 x 3.760 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

DAXDO204AC




Scale 5:1

Attributes:

Size	16.050 x 6.550 MM (visible)
	16.430 x 3.760 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD19_1
	TM_DIODE_LLB_PAD20_1
MechPinCnt	0
MechPads	NA

DAXDO204AD




Scale 5:1

Attributes:

Size	12.820 x 4.480 MM (visible)
	9.520 x 1.900 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD29_1
	TM_DIODE_LLB_PAD30_1
MechPinCnt	0
MechPads	NA

DAXDO204AE




Scale 2:1

Attributes:

Size	23.770 x 9.590 MM (visible)
	24.150 x 6.800 MM (PlaceBound)
Height	0.03 MM
PitchX	21.590 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD21
	TM_DIODE_LLB_PAD22
MechPinCnt	0
MechPads	NA

DAXDO204AF



Scale 5:1


Attributes:

Size	19.760 x 6.800 MM (visible)
	20.140 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD1
	TM_DIODE_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 44

DAXDO204AG




Scale 5:1

Attributes:

Size	12.820 x 5.030 MM (visible)
	10.970 x 2.240 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAXDO204AH




Scale 5:1

Attributes:

Size	13.130 x 5.270 MM (visible)
	13.510 x 2.480 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAXDO204AJ




Scale 5:1

Attributes:

Size	15.670 x 7.050 MM (visible)
	16.050 x 4.260 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD3
	TM_DIODE_LLB_PAD4
MechPinCnt	0
MechPads	NA

DAXDO204AK




Scale 5:1

Attributes:

Size	12.820 x 5.030 MM (visible)
	12.060 x 2.240 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD10
	TM_DIODE_LLB_PAD9
MechPinCnt	0
MechPads	NA

DAXDO204AL




Scale 5:1

Attributes:

Size	14.780 x 5.790 MM (visible)
	15.160 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAXDO204AM



Scale 5:1


Attributes:

Size	14.780 x 5.790 MM (visible)
	15.160 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 45

CB Distribution

DAXDO204AN




Scale 5:1

Attributes:

Size	16.050 x 6.030 MM (visible)
	16.430 x 3.260 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAXDO204AP




Scale 5:1

Attributes:

Size	16.050 x 6.800 MM (visible)
	16.430 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

DAXDO204AR




Scale 2:1

Attributes:

Size	26.620 x 9.350 MM (visible)
	27.010 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	24.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD23
	TM_DIODE_LLB_PAD24
MechPinCnt	0
MechPads	NA

DAXDO206AA



Scale 5:1

Attributes:

Size	18.690 x 5.190 MM (visible)
	19.070 x 2.560 MM (PlaceBound)
Height	0.03 MM
PitchX	16.510 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD21
	TM_DIODE_LLB_PAD22
MechPinCnt	0
MechPads	NA

DAXDO206AB




Scale 2:1

Attributes:

Size	22.940 x 5.790 MM (visible)
	23.320 x 3.000 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD25
	TM_DIODE_LLB_PAD26
MechPinCnt	0
MechPads	NA

DAXDO26



Scale 2:1

Attributes:

Size	25.040 x 9.970 MM (visible)
	25.420 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	22.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD27_1
	TM_DIODE_LLB_PAD28_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 46

CB Distribution

DAXDO29




Attributes:

Size	21.030 x 6.800 MM (visible)
	21.410 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	19.050 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD15_1
	TM_DIODE_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DAXDO34




Attributes:

Size	12.820 x 4.920 MM (visible)
	11.680 x 2.160 MM (PlaceBound)
Height	0.03 MM
PitchX	9.520 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAXDO35




Attributes:

Size	13.210 x 5.530 MM (visible)
	13.590 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	11.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD13
	TM_DIODE_LLB_PAD14
MechPinCnt	0
MechPads	NA

Scale 5:1

DAXDO41




Attributes:

Size	16.680 x 6.170 MM (visible)
	17.070 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	14.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD17
	TM_DIODE_LLB_PAD18
MechPinCnt	0
MechPads	NA

Scale 5:1

DAXDO7




Attributes:

Size	15.750 x 6.170 MM (visible)
	16.130 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	13.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD7_1
	TM_DIODE_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

DAXSOD57



Attributes:


Size	12.820 x 6.800 MM (visible)
	13.110 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	10.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD11_1
	TM_DIODE_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 47

CB Distribution

DAXSOD64




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	10.970 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	8.890 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DIODE_LLB_PAD5_1
	TM_DIODE_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

DB15




Scale 2:1

Attributes:

Size	41.910 x 23.490 MM (visible)
	41.910 x 23.490 MM (PlaceBound)
Height	16.51 MM
PitchX	2.740 MM
PitchY	NA
ConnPinCnt	17
ConnPads	HOLE130P
	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DB25




Scale 1:1

Attributes:

Size	55.250 x 22.860 MM (visible)
	55.880 x 23.490 MM (PlaceBound)
Height	16.51 MM
PitchX	2.740 MM
PitchY	NA
ConnPinCnt	27
ConnPads	HOLE130P
	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DB9




Scale 2:1

Attributes:

Size	33.020 x 23.500 MM (visible)
	32.920 x 24.690 MM (PlaceBound)
Height	16.51 MM
PitchX	2.740 MM
PitchY	NA
ConnPinCnt	11
ConnPads	HOLE130P
	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DCON050RSALTTM100




Scale 1:1

Attributes:

Size	84.650 x 20.130 MM (visible)
	84.650 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	102
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050RSALTTM120



Scale 1:1


Attributes:

Size	97.350 x 20.130 MM (visible)
	97.350 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	122
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DCON050RSALTTM20




Scale 2:1

Attributes:

Size	33.850 x 20.130 MM (visible)
	33.850 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	22
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050RSALTTM26




Scale 2:1

Attributes:

Size	37.660 x 20.130 MM (visible)
	37.660 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	28
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050RSALTTM28




Scale 2:1

Attributes:

Size	38.930 x 20.130 MM (visible)
	38.930 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	30
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050RSALTTM40




Scale 2:1

Attributes:

Size	46.550 x 20.130 MM (visible)
	46.550 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	42
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050RSALTTM50




Scale 1:1

Attributes:

Size	52.900 x 20.130 MM (visible)
	52.900 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	52
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050RSALTTM60



Scale 1:1


Attributes:

Size	59.250 x 20.130 MM (visible)
	59.250 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	62
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DCON050RSALTTM68




Attributes:

Size	64.330 x 20.130 MM (visible)
	64.330 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	70
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON050RSALTTM80




Attributes:

Size	71.950 x 20.130 MM (visible)
	71.950 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	82
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON050RSTM100




Attributes:

Size	84.650 x 20.140 MM (visible)
	84.650 x 17.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	102
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON050RSTM120




Attributes:

Size	97.350 x 20.140 MM (visible)
	97.350 x 17.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	122
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON050RSTM20




Attributes:

Size	33.850 x 20.140 MM (visible)
	33.850 x 17.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	22
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

DCON050RSTM26



Attributes:


Size	37.660 x 20.140 MM (visible)
	37.660 x 17.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	28
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 50

CB Distribution

DCON050RSTM28




Scale 2:1

Attributes:

Size	38.930 x 20.140 MM (visible)
	38.930 x 17.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	30
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050RSTM40




Scale 2:1

Attributes:

Size	46.550 x 20.140 MM (visible)
	46.550 x 17.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	42
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050RSTM50




Scale 1:1

Attributes:

Size	52.900 x 20.140 MM (visible)
	52.900 x 17.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	52
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050RSTM60




Scale 1:1

Attributes:

Size	59.250 x 20.140 MM (visible)
	59.250 x 17.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	62
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050RSTM68




Scale 1:1

Attributes:

Size	64.330 x 20.140 MM (visible)
	64.330 x 17.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	70
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050RSTM80



Scale 1:1


Attributes:

Size	71.950 x 20.140 MM (visible)
	71.950 x 17.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	82
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DCON050VSALTTM100




Scale 1:1

Attributes:

Size	84.650 x 13.790 MM (visible)
	84.650 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	102
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050VSALTTM120




Scale 1:1

Attributes:

Size	97.350 x 13.790 MM (visible)
	97.350 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	122
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050VSALTTM20




Scale 2:1

Attributes:

Size	33.850 x 13.790 MM (visible)
	33.850 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	22
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050VSALTTM26




Scale 2:1

Attributes:

Size	37.660 x 13.790 MM (visible)
	37.660 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	28
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050VSALTTM28




Scale 2:1

Attributes:

Size	38.930 x 13.790 MM (visible)
	38.930 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	30
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050VSALTTM40



Scale 2:1


Attributes:

Size	46.550 x 13.790 MM (visible)
	46.550 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	42
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DCON050VSALTTM50




Attributes:

Size	52.900 x 13.790 MM (visible)
	52.900 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	52
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON050VSALTTM60




Attributes:

Size	59.250 x 13.790 MM (visible)
	59.250 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	62
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON050VSALTTM68




Attributes:

Size	64.330 x 13.790 MM (visible)
	64.330 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	70
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON050VSALTTM80




Attributes:

Size	71.950 x 13.790 MM (visible)
	71.950 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	82
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON050VSTM100




Attributes:

Size	84.650 x 13.790 MM (visible)
	84.650 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	102
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON050VSTM120



Attributes:


Size	97.350 x 13.790 MM (visible)
	97.350 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	122
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 53

CB Distribution

DCON050VSTM20




Scale 2:1

Attributes:

Size	33.850 x 13.790 MM (visible)
	33.850 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	22
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050VSTM26




Scale 2:1

Attributes:

Size	37.660 x 13.790 MM (visible)
	37.660 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	28
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050VSTM28




Scale 2:1

Attributes:

Size	38.930 x 13.790 MM (visible)
	38.930 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	30
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050VSTM40




Scale 2:1

Attributes:

Size	46.550 x 13.790 MM (visible)
	46.550 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	42
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050VSTM50




Scale 1:1

Attributes:

Size	52.900 x 13.790 MM (visible)
	52.900 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	52
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON050VSTM60



Scale 1:1

Attributes:


Size	59.250 x 13.790 MM (visible)
	59.250 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	62
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 54

CB Distribution

DCON050VSTM68




Attributes:

Size	64.330 x 13.790 MM (visible)
	64.330 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	70
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON050VSTM80




Attributes:

Size	71.950 x 13.790 MM (visible)
	71.950 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	82
ConnPads	DCON050T_LLB_HOLE1
	DCON050T_LLB_PAD1
	DCON050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON085X151VPTM14




Attributes:

Size	45.290 x 18.860 MM (visible)
	45.290 x 16.070 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	3.810 MM
ConnPinCnt	16
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD1
	DCON085T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

DCON085X151VPTM24




Attributes:

Size	56.080 x 18.860 MM (visible)
	56.090 x 16.070 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	3.810 MM
ConnPinCnt	26
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD1
	DCON085T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON085X151VPTM36




Attributes:

Size	68.780 x 18.860 MM (visible)
	68.780 x 16.070 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	3.810 MM
ConnPinCnt	38
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD1
	DCON085T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DCON085X151VPTM50




Attributes:

Size	84.020 x 18.860 MM (visible)
	84.020 x 16.070 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	3.810 MM
ConnPinCnt	52
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD1
	DCON085T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

DCON085X151VSTM14




Scale 2:1

Attributes:

Size	45.290 x 18.860 MM (visible)
	45.290 x 16.070 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	3.810 MM
ConnPinCnt	16
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD3
	DCON085T_LLB_PAD4
MechPinCnt	0
MechPads	NA

DCON085X151VSTM24




Scale 1:1

Attributes:

Size	56.080 x 18.860 MM (visible)
	56.090 x 16.070 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	3.810 MM
ConnPinCnt	26
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD3
	DCON085T_LLB_PAD4
MechPinCnt	0
MechPads	NA

DCON085X151VSTM36




Scale 1:1

Attributes:

Size	68.780 x 18.860 MM (visible)
	68.780 x 16.070 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	3.810 MM
ConnPinCnt	38
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD3
	DCON085T_LLB_PAD4
MechPinCnt	0
MechPads	NA

DCON085X151VSTM50




Scale 1:1

Attributes:

Size	84.020 x 18.860 MM (visible)
	84.020 x 16.070 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	3.810 MM
ConnPinCnt	52
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD3
	DCON085T_LLB_PAD4
MechPinCnt	0
MechPads	NA

DCON085X169RPTM14




Scale 2:1

Attributes:

Size	45.920 x 28.390 MM (visible)
	45.920 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.320 MM
ConnPinCnt	16
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD5
	DCON085T_LLB_PAD6
MechPinCnt	0
MechPads	NA

DCON085X169RPTM24



Scale 1:1


Attributes:

Size	56.080 x 28.390 MM (visible)
	56.090 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.320 MM
ConnPinCnt	26
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD5
	DCON085T_LLB_PAD6
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 56

DCON085X169RPTM36



Scale 1:1

Attributes:

Size	68.780 x 28.390 MM (visible)
	68.780 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.290 MM
ConnPinCnt	38
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD5
	DCON085T_LLB_PAD6
MechPinCnt	0
MechPads	NA

DCON085X169RPTM50




Scale 1:1

Attributes:

Size	84.020 x 28.390 MM (visible)
	84.020 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.290 MM
ConnPinCnt	52
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD5
	DCON085T_LLB_PAD6
MechPinCnt	0
MechPads	NA

DCON085X169RSTM14




Scale 2:1

Attributes:

Size	45.920 x 28.390 MM (visible)
	45.920 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.320 MM
ConnPinCnt	16
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD7_1
	DCON085T_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

DCON085X169RSTM24




Scale 1:1

Attributes:

Size	56.080 x 28.390 MM (visible)
	56.090 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.320 MM
ConnPinCnt	26
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD7_1
	DCON085T_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

DCON085X169RSTM36




Scale 1:1

Attributes:

Size	68.780 x 28.390 MM (visible)
	68.780 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.290 MM
ConnPinCnt	38
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD7_1
	DCON085T_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

DCON085X169RSTM50



Scale 1:1


Attributes:

Size	84.020 x 28.390 MM (visible)
	84.020 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.290 MM
ConnPinCnt	52
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD7_1
	DCON085T_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DCON085X169VPTM14




Scale 2:1

Attributes:

Size	45.290 x 18.870 MM (visible)
	45.290 x 16.080 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.320 MM
ConnPinCnt	16
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD1
	DCON085T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON085X169VPTM24




Scale 1:1

Attributes:

Size	56.080 x 18.870 MM (visible)
	56.090 x 16.080 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.320 MM
ConnPinCnt	26
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD1
	DCON085T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON085X169VPTM36




Scale 1:1

Attributes:

Size	68.780 x 18.870 MM (visible)
	68.780 x 16.080 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.320 MM
ConnPinCnt	38
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD1
	DCON085T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON085X169VPTM50




Scale 1:1

Attributes:

Size	84.020 x 18.870 MM (visible)
	84.020 x 16.080 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.320 MM
ConnPinCnt	52
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD1
	DCON085T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DCON085X169VSTM14




Scale 2:1

Attributes:

Size	45.290 x 18.870 MM (visible)
	45.290 x 16.080 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.320 MM
ConnPinCnt	16
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD3
	DCON085T_LLB_PAD4
MechPinCnt	0
MechPads	NA

DCON085X169VSTM24



Scale 1:1


Attributes:

Size	56.080 x 18.870 MM (visible)
	56.090 x 16.080 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.320 MM
ConnPinCnt	26
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD3
	DCON085T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 58

DCON085X169VSTM36




Scale 1:1

Attributes:

Size	68.780 x 18.870 MM (visible)
	68.780 x 16.080 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.320 MM
ConnPinCnt	38
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD3
	DCON085T_LLB_PAD4
MechPinCnt	0
MechPads	NA

DCON085X169VSTM50




Scale 1:1

Attributes:

Size	84.020 x 18.870 MM (visible)
	84.020 x 16.080 MM (PlaceBound)
Height	0.03 MM
PitchX	2.150 MM
PitchY	4.320 MM
ConnPinCnt	52
ConnPads	DCON085T_LLB_HOLE1
	DCON085T_LLB_PAD3
	DCON085T_LLB_PAD4
MechPinCnt	0
MechPads	NA

DIMM0508BVSTM168



Scale 1:2

Attributes:

Size	158.310 x 12.730 MM (visible)
	158.320 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	170
ConnPads	DIMM050T_LLB_HOLE1
	DIMM050T_LLB_PAD1
	DIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIMM050FINGERS128



Scale 1:1

Attributes:

Size	94.210 x 13.430 MM (visible)
	92.810 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	130
ConnPads	DIMM050F_LLB_HOLE1
	DIMM050F_LLB_PAD1
	DIMM050F_LLB_PAD2
	DIMM050F_LLB_PAD3
	DIMM050F_LLB_PAD4
MechPinCnt	0
MechPads	NA

DIMM050FINGERS136



Scale 1:2

Attributes:

Size	99.670 x 13.430 MM (visible)
	98.970 x 11.010 MM (PlaceBound)
Height	0.03 MM
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	138
ConnPads	DIMM050F_LLB_HOLE1
	DIMM050F_LLB_PAD1
	DIMM050F_LLB_PAD2
	DIMM050F_LLB_PAD3
	DIMM050F_LLB_PAD4
MechPinCnt	0
MechPads	NA

DIMM050FINGERS144



Scale 1:2

Attributes:

Size	104.370 x 13.430 MM (visible)
	102.970 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	146
ConnPads	DIMM050F_LLB_HOLE1
	DIMM050F_LLB_PAD1
	DIMM050F_LLB_PAD2
	DIMM050F_LLB_PAD3
	DIMM050F_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DIMM050FINGERS160



Attributes:

Size	114.530 x 13.430 MM (visible)
	113.130 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	162
ConnPads	DIMM050F_LLB_HOLE1
	DIMM050F_LLB_PAD1
	DIMM050F_LLB_PAD2
	DIMM050F_LLB_PAD3
	DIMM050F_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:2

DIMM050FINGERS200



Attributes:

Size	139.930 x 13.430 MM (visible)
	138.530 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	202
ConnPads	DIMM050F_LLB_HOLE1
	DIMM050F_LLB_PAD1
	DIMM050F_LLB_PAD2
	DIMM050F_LLB_PAD3
	DIMM050F_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:2

DIMM050FINGERS8BYTE




Attributes:

Size	130.730 x 6.170 MM (visible)
	130.120 x 3.840 MM (PlaceBound)
Height	0.03 MM
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	170
ConnPads	DIMM050F_LLB_HOLE2
	DIMM050F_LLB_PAD1
	DIMM050F_LLB_PAD2
	DIMM050F_LLB_PAD3
	DIMM050F_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:2

DIMM050VS2TM128X2




Attributes:

Size	109.420 x 20.140 MM (visible)
	109.420 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	262
ConnPads	DIMM050T_LLB_HOLE1
	DIMM050T_LLB_HOLE2
	DIMM050T_LLB_PAD1
	DIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

DIMM050VS2TM136X2




Attributes:

Size	114.500 x 20.150 MM (visible)
	114.500 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	278
ConnPads	DIMM050T_LLB_HOLE1
	DIMM050T_LLB_HOLE2
	DIMM050T_LLB_PAD1
	DIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

DIMM050VS2TM144X2



Attributes:


Size	119.580 x 20.140 MM (visible)
	119.580 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	294
ConnPads	DIMM050T_LLB_HOLE1
	DIMM050T_LLB_HOLE2
	DIMM050T_LLB_PAD1
	DIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 60

CB Distribution

DIMM050VS2TM160X2




Attributes:

Size	129.740 x 20.140 MM (visible) 129.740 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	326
ConnPads	DIMM050T_LLB_HOLE1 DIMM050T_LLB_HOLE2 DIMM050T_LLB_PAD1 DIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

DIMM050VS2TM200X2




Attributes:

Size	155.140 x 20.140 MM (visible) 155.140 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	406
ConnPads	DIMM050T_LLB_HOLE1 DIMM050T_LLB_HOLE2 DIMM050T_LLB_PAD1 DIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

DIMM050VSTM104




Attributes:

Size	94.180 x 12.200 MM (visible) 94.180 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	107
ConnPads	DIMM050T_LLB_HOLE1 DIMM050T_LLB_HOLE2 DIMM050T_LLB_PAD1 DIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DIMM050VSTM128




Attributes:

Size	109.420 x 12.200 MM (visible) 109.420 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	131
ConnPads	DIMM050T_LLB_HOLE1 DIMM050T_LLB_HOLE2 DIMM050T_LLB_PAD1 DIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

DIMM050VSTM136




Attributes:

Size	114.500 x 12.200 MM (visible) 114.500 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	139
ConnPads	DIMM050T_LLB_HOLE1 DIMM050T_LLB_HOLE2 DIMM050T_LLB_PAD1 DIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

DIMM050VSTM144



Attributes:


Size	119.580 x 12.200 MM (visible) 119.580 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	147
ConnPads	DIMM050T_LLB_HOLE1 DIMM050T_LLB_HOLE2 DIMM050T_LLB_PAD1 DIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 61

CB Distribution

DIMM050VSTM160




Attributes:

Size	129.740 x 12.200 MM (visible) 129.740 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	163
ConnPads	DIMM050T_LLB_HOLE1 DIMM050T_LLB_HOLE2 DIMM050T_LLB_PAD1 DIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

DIMM050VSTM200




Attributes:

Size	155.140 x 12.200 MM (visible) 155.140 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.800 MM
ConnPinCnt	203
ConnPads	DIMM050T_LLB_HOLE1 DIMM050T_LLB_HOLE2 DIMM050T_LLB_PAD1 DIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

DIN32ABR




Attributes:

Size	53.800 x 19.460 MM (visible) 53.800 x 16.680 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	34
ConnPads	DIN_LLB_HOLE1 DIN_LLB_PAD1 DIN_LLB_PAD2 DIN_LLB_PAD3 DIN_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

DIN32ABV




Attributes:

Size	54.810 x 11.250 MM (visible) 54.820 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	34
ConnPads	DIN_LLB_HOLE1 DIN_LLB_PAD1 DIN_LLB_PAD2 DIN_LLB_PAD3 DIN_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

DIN64ABR




Attributes:

Size	94.440 x 19.460 MM (visible) 94.440 x 16.680 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	66
ConnPads	DIN_LLB_HOLE1 DIN_LLB_PAD1 DIN_LLB_PAD2 DIN_LLB_PAD3 DIN_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

DIN64ABV



Attributes:

Size	95.460 x 11.250 MM (visible) 95.460 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	66
ConnPads	DIN_LLB_HOLE1 DIN_LLB_PAD1 DIN_LLB_PAD2 DIN_LLB_PAD3 DIN_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 62

CB Distribution

DIN64ACR




Scale 1:1

Attributes:

Size	94.440 x 22.000 MM (visible)
	94.440 x 19.220 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	66
ConnPads	DIN_LLB_HOLE1
	DIN_LLB_PAD1
	DIN_LLB_PAD2
	DIN_LLB_PAD3
	DIN_LLB_PAD4
MechPinCnt	0
MechPads	NA

DIN64ACV




Scale 1:1

Attributes:

Size	95.460 x 13.790 MM (visible)
	95.460 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	66
ConnPads	DIN_LLB_HOLE1
	DIN_LLB_PAD1
	DIN_LLB_PAD2
	DIN_LLB_PAD3
	DIN_LLB_PAD4
MechPinCnt	0
MechPads	NA

DIN96ABCR




Scale 1:1

Attributes:

Size	94.440 x 22.000 MM (visible)
	94.440 x 19.220 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	98
ConnPads	DIN_LLB_HOLE1
	DIN_LLB_PAD1
	DIN_LLB_PAD2
	DIN_LLB_PAD3
	DIN_LLB_PAD4
MechPinCnt	0
MechPads	NA

DIN96ABCV




Scale 1:1

Attributes:

Size	95.460 x 13.790 MM (visible)
	95.460 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	98
ConnPads	DIN_LLB_HOLE1
	DIN_LLB_PAD1
	DIN_LLB_PAD2
	DIN_LLB_PAD3
	DIN_LLB_PAD4
MechPinCnt	0
MechPads	NA

DINCMINSM3




Scale 2:1

Attributes:

Size	16.150 x 18.100 MM (visible)
	16.530 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	5
ConnPads	DIN_LLB_PAD10
	DIN_LLB_PAD9
MechPinCnt	0
MechPads	NA

DINCMINSM4



Scale 2:1


Attributes:

Size	16.150 x 18.100 MM (visible)
	16.530 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	6
ConnPads	DIN_LLB_PAD10
	DIN_LLB_PAD9
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 63

DINCMINSM5




Scale 2:1

Attributes:

Size	16.150 x 18.100 MM (visible)
	16.530 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	7
ConnPads	DIN_LLB_PAD10
	DIN_LLB_PAD9
MechPinCnt	0
MechPads	NA

DINCMINSM6




Scale 2:1

Attributes:

Size	16.150 x 18.100 MM (visible)
	16.530 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	8
ConnPads	DIN_LLB_PAD10
	DIN_LLB_PAD9
MechPinCnt	0
MechPads	NA

DINCMINSM6A




Scale 2:1

Attributes:

Size	16.150 x 18.100 MM (visible)
	16.530 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	8
ConnPads	DIN_LIB_PAD10
	DIN_LIB_PAD9
MechPinCnt	0
MechPads	NA

DINCMINSM7




Scale 2:1

Attributes:

Size	16.150 x 18.100 MM (visible)
	16.530 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	9
ConnPads	DIN_LLB_PAD10
	DIN_LLB_PAD9
MechPinCnt	0
MechPads	NA

DINCMINSM8




Scale 2:1

Attributes:

Size	16.150 x 18.100 MM (visible)
	16.530 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	10
ConnPads	DIN_LLB_PAD10
	DIN_LLB_PAD9
MechPinCnt	0
MechPads	NA

DINCMINTM3



Scale 2:1


Attributes:

Size	16.690 x 17.290 MM (visible)
	17.070 x 13.030 MM (PlaceBound)
Height	0.03 MM
PitchX	6.810 MM
PitchY	NA
ConnPinCnt	6
ConnPads	DIN_LLB_PAD11
	DIN_LLB_PAD2
	DIN_LLB_PAD3
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DINCMINTM4




Scale 2:1

Attributes:

Size	16.690 x 17.290 MM (visible)
	17.070 x 13.030 MM (PlaceBound)
Height	0.03 MM
PitchX	6.810 MM
PitchY	2.490 MM
ConnPinCnt	7
ConnPads	DIN_LLB_PAD11
	DIN_LLB_PAD2
	DIN_LLB_PAD3
MechPinCnt	0
MechPads	NA

DINCMINTM5




Scale 2:1

Attributes:

Size	16.690 x 17.290 MM (visible)
	17.070 x 13.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.110 MM
PitchY	2.490 MM
ConnPinCnt	8
ConnPads	DIN_LLB_PAD11
	DIN_LLB_PAD2
	DIN_LLB_PAD3
MechPinCnt	0
MechPads	NA

DINCMINTM6




Scale 2:1

Attributes:

Size	16.690 x 17.290 MM (visible)
	16.890 x 13.460 MM (PlaceBound)
Height	13 MM
PitchX	2.050 MM
PitchY	2.490 MM
ConnPinCnt	9
ConnPads	TM_035H_055P_RND
	TM_035H_055P_SQ
	TM_091H_112P_RND
MechPinCnt	0
MechPads	NA

DINCMINTM7




Scale 2:1

Attributes:

Size	16.690 x 17.290 MM (visible)
	17.070 x 13.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.110 MM
PitchY	2.490 MM
ConnPinCnt	10
ConnPads	DIN_LLB_PAD11
	DIN_LLB_PAD2
	DIN_LLB_PAD3
MechPinCnt	0
MechPads	NA

DINCMINTM8




Scale 2:1

Attributes:

Size	16.690 x 17.290 MM (visible)
	17.070 x 13.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.110 MM
PitchY	2.490 MM
ConnPinCnt	11
ConnPads	DIN_LLB_PAD11
	DIN_LLB_PAD2
	DIN_LLB_PAD3
MechPinCnt	0
MechPads	NA

DINCSTDTM4



Scale 2:1


Attributes:

Size	21.540 x 21.280 MM (visible)
	21.540 x 18.490 MM (PlaceBound)
Height	0.03 MM
PitchX	4.980 MM
PitchY	12.500 MM
ConnPinCnt	6
ConnPads	DIN_LLB_PAD5_1
	DIN_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 65

DINCSTDTM5




Scale 2:1

Attributes:

Size	21.540 x 21.280 MM (visible)
	21.540 x 18.490 MM (PlaceBound)
Height	0.03 MM
PitchX	4.980 MM
PitchY	NA
ConnPinCnt	7
ConnPads	DIN_LLB_PAD5_1
	DIN_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

DINCSTDTM6




Scale 2:1

Attributes:

Size	21.540 x 22.880 MM (visible)
	21.540 x 18.840 MM (PlaceBound)
Height	0.03 MM
PitchX	4.980 MM
PitchY	5.000 MM
ConnPinCnt	8
ConnPads	DIN_LLB_PAD5_1
	DIN_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

DINCSTDTM7




Scale 2:1

Attributes:

Size	21.540 x 21.280 MM (visible)
	21.540 x 18.490 MM (PlaceBound)
Height	0.03 MM
PitchX	4.980 MM
PitchY	12.500 MM
ConnPinCnt	9
ConnPads	DIN_LLB_PAD5_1
	DIN_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

DINCSTDTM8




Scale 2:1

Attributes:

Size	21.540 x 22.880 MM (visible)
	21.540 x 18.840 MM (PlaceBound)
Height	0.03 MM
PitchX	4.980 MM
PitchY	5.000 MM
ConnPinCnt	10
ConnPads	DIN_LLB_PAD5_1
	DIN_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

DIO400




Scale 5:1

Attributes:

Size	4.170 x 11.680 MM (visible)
	2.770 x 12.370 MM (PlaceBound)
Height	2.54 MM
PitchX	NA
PitchY	10.160 MM
ConnPinCnt	2
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIO500




Scale 5:1

Attributes:

Size	4.500 x 14.540 MM (visible)
	2.620 x 15.110 MM (PlaceBound)
Height	2.54 MM
PitchX	NA
PitchY	12.700 MM
ConnPinCnt	2
ConnPads	PAD70SQ45D
	PAD75CIR45D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 66

DIP10014W300L700




Scale 5:1

Attributes:

Size	17.980 x 12.510 MM (visible)
	17.980 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	14
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10014W300L725




Scale 5:1

Attributes:

Size	18.620 x 12.510 MM (visible)
	18.620 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	14
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10014W300L750




Scale 5:1

Attributes:

Size	19.250 x 12.510 MM (visible)
	19.260 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	14
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10014W300L775




Scale 2:1

Attributes:

Size	19.880 x 12.510 MM (visible)
	19.880 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	14
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10014W300L800




Scale 2:1

Attributes:

Size	20.520 x 12.510 MM (visible)
	20.520 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	14
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10014W300L825



Scale 2:1


Attributes:

Size	21.160 x 12.510 MM (visible)
	21.160 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	14
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DIP10014W300L850




Scale 2:1

Attributes:

Size	21.800 x 12.510 MM (visible)
	21.800 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	14
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10016W300L775




Scale 2:1

Attributes:

Size	20.200 x 12.510 MM (visible)
	20.520 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	16
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10016W300L800




Scale 2:1

Attributes:

Size	20.520 x 12.510 MM (visible)
	20.520 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	16
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10016W300L825




Scale 2:1

Attributes:

Size	21.160 x 12.510 MM (visible)
	21.160 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	16
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10016W300L875




Scale 2:1

Attributes:

Size	22.420 x 12.510 MM (visible)
	22.420 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	16
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10016W300L900




Scale 2:1

Attributes:

Size	23.060 x 12.510 MM (visible)
	23.060 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	16
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

DIP10016W300L950




Scale 2:1

Attributes:

Size	21.790 x 12.510 MM (visible)
	21.800 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	16
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10018W300L900




Scale 2:1

Attributes:

Size	23.060 x 12.510 MM (visible)
	23.060 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	18
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10018W300L925




Scale 2:1

Attributes:

Size	23.700 x 12.510 MM (visible)
	23.700 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	18
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10018W300L950




Scale 2:1

Attributes:

Size	24.330 x 12.510 MM (visible)
	24.340 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	18
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10020W300L1000




Scale 2:1

Attributes:

Size	25.600 x 12.510 MM (visible)
	25.600 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	20
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10020W300L1025



Scale 2:1


Attributes:

Size	26.240 x 12.510 MM (visible)
	26.240 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	20
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 69

CB Distribution

DIP10020W300L1050




Scale 2:1

Attributes:

Size	26.870 x 12.510 MM (visible)
	26.880 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	20
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10020W300L1075




Scale 2:1

Attributes:

Size	27.500 x 12.510 MM (visible)
	27.500 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	20
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10020W300L1100




Scale 2:1

Attributes:

Size	28.140 x 12.510 MM (visible)
	28.140 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	20
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10020W300L975




Scale 2:1

Attributes:

Size	25.280 x 12.510 MM (visible)
	25.600 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	20
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10020W400L1000




Scale 2:1

Attributes:

Size	25.600 x 15.050 MM (visible)
	25.600 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	20
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10020W400L1025




Scale 2:1

Attributes:

Size	26.240 x 15.050 MM (visible)
	26.240 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	20
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

DIP10020W400L1050




Scale 2:1

Attributes:

Size	26.870 x 15.050 MM (visible)
	26.880 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	20
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10022W300L1075




Scale 2:1

Attributes:

Size	27.820 x 12.510 MM (visible)
	28.140 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	22
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
	DIP100T_LLB_PAD3_1
MechPinCnt	0
MechPads	NA

DIP10022W300L1100




Scale 2:1

Attributes:

Size	28.140 x 12.510 MM (visible)
	28.140 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	22
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
	DIP100T_LLB_PAD3_1
MechPinCnt	0
MechPads	NA

DIP10022W300L1125




Scale 2:1

Attributes:

Size	28.780 x 12.510 MM (visible)
	28.780 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	22
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
	DIP100T_LLB_PAD3_1
MechPinCnt	0
MechPads	NA

DIP10022W300L1150




Scale 2:1

Attributes:

Size	29.410 x 12.510 MM (visible)
	29.420 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	22
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
	DIP100T_LLB_PAD3_1
MechPinCnt	0
MechPads	NA

DIP10022W300L1200



Scale 2:1


Attributes:

Size	30.680 x 12.510 MM (visible)
	30.680 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	22
ConnPads	DIP100T_LLB_PAD1
	DIP100T_LLB_PAD2
	DIP100T_LLB_PAD3_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 71

CB Distribution

DIP10022W400L1125




Attributes:

Size	28.780 x 15.050 MM (visible)
	28.780 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	22
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP10022W400L1150




Attributes:

Size	29.410 x 15.050 MM (visible)
	29.420 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	22
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP10024W300L1175




Attributes:

Size	30.360 x 12.510 MM (visible)
	30.680 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP10024W300L1200




Attributes:

Size	30.680 x 12.510 MM (visible)
	30.680 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP10024W300L1225




Attributes:

Size	31.320 x 12.510 MM (visible)
	31.320 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP10024W300L1250




Attributes:

Size	31.950 x 12.510 MM (visible)
	31.960 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

DIP10024W300L1275




Scale 2:1

Attributes:

Size	32.580 x 12.510 MM (visible)
	32.580 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10024W300L1300




Scale 2:1

Attributes:

Size	33.220 x 12.510 MM (visible)
	33.220 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10024W400L1225




Scale 2:1

Attributes:

Size	31.320 x 15.050 MM (visible)
	31.320 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10024W400L1250




Scale 2:1

Attributes:

Size	31.950 x 15.050 MM (visible)
	31.960 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10024W600L1200




Scale 2:1

Attributes:

Size	30.680 x 20.130 MM (visible)
	30.680 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10024W600L1225




Scale 2:1

Attributes:

Size	31.320 x 20.130 MM (visible)
	31.320 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 73

DIP10024W600L1250




Scale 2:1

Attributes:

Size	31.950 x 20.130 MM (visible)
	31.960 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10024W600L1275




Scale 2:1

Attributes:

Size	32.580 x 20.130 MM (visible)
	32.580 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10024W600L1300




Scale 2:1

Attributes:

Size	33.220 x 20.130 MM (visible)
	33.220 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	24
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10028W300L1375




Scale 2:1

Attributes:

Size	35.440 x 12.510 MM (visible)
	35.760 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10028W300L1400




Scale 2:1

Attributes:

Size	35.760 x 12.510 MM (visible)
	35.760 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10028W300L1425




Scale 2:1

Attributes:

Size	36.400 x 12.510 MM (visible)
	36.400 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 74

DIP10028W300L1450



Attributes:

Size	37.030 x 12.510 MM (visible)
	37.040 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP10028W300L1475




Attributes:

Size	37.660 x 12.510 MM (visible)
	37.660 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP10028W300L1500




Attributes:

Size	38.300 x 12.510 MM (visible)
	38.300 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP10028W400L1425




Attributes:

Size	36.400 x 15.050 MM (visible)
	36.400 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP10028W400L1450




Attributes:

Size	37.030 x 15.050 MM (visible)
	37.040 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP10028W600L1400



Attributes:


Size	35.760 x 20.130 MM (visible)
	35.760 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 75

CB Distribution

DIP10028W600L1425




Scale 2:1

Attributes:

Size	36.400 x 20.130 MM (visible)
	36.400 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10028W600L1450




Scale 2:1

Attributes:

Size	37.030 x 20.130 MM (visible)
	37.040 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10028W600L1475




Scale 2:1

Attributes:

Size	37.660 x 20.130 MM (visible)
	37.660 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10028W600L1500



Scale 2:1

Attributes:

Size	38.300 x 20.130 MM (visible)
	38.300 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10028W600L1525



Scale 2:1

Attributes:

Size	38.940 x 20.130 MM (visible)
	38.940 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10028W600L1550




Scale 2:1

Attributes:

Size	39.580 x 20.130 MM (visible)
	39.580 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

DIP10028W600L1575




Scale 2:1

Attributes:

Size	40.200 x 20.130 MM (visible)
	40.200 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10028W600L1600




Scale 2:1

Attributes:

Size	40.840 x 20.130 MM (visible)
	40.840 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	28
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10032W300L1600




Scale 2:1

Attributes:

Size	40.840 x 12.510 MM (visible)
	40.840 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	32
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10032W300L1625



Scale 2:1

Attributes:

Size	41.480 x 12.510 MM (visible)
	41.480 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	32
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10032W600L1600




Scale 2:1

Attributes:

Size	40.840 x 20.130 MM (visible)
	40.840 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	32
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10032W600L1625



Scale 2:1


Attributes:

Size	41.480 x 20.130 MM (visible)
	41.480 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	32
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DIP10032W600L1650




Scale 2:1

Attributes:

Size	42.110 x 20.130 MM (visible)
	42.120 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	32
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10032W600L1675




Scale 2:1

Attributes:

Size	42.740 x 20.130 MM (visible)
	42.740 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	32
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10032W600L1700




Scale 2:1

Attributes:

Size	43.380 x 20.130 MM (visible)
	43.380 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	32
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10036W600L1825




Scale 2:1

Attributes:

Size	46.560 x 20.130 MM (visible)
	46.560 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	36
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10036W600L1850



Scale 2:1

Attributes:

Size	47.190 x 20.130 MM (visible)
	47.200 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	36
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10036W900L1800



Scale 2:1


Attributes:

Size	45.920 x 27.750 MM (visible)
	45.920 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	22.860 MM
ConnPinCnt	36
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DIP10040W600L2025




Attributes:

Size	51.640 x 20.130 MM (visible)
	51.640 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	40
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 1:1

DIP10040W600L2050




Attributes:

Size	52.270 x 20.130 MM (visible)
	52.280 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	40
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 1:1

DIP10040W600L2075




Attributes:

Size	52.900 x 20.130 MM (visible)
	52.900 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	40
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 1:1

DIP10040W600L2100




Attributes:

Size	53.540 x 20.130 MM (visible)
	53.540 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	40
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 1:1

DIP10048W600L2425




Attributes:

Size	61.800 x 20.130 MM (visible)
	61.800 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	48
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 1:1

DIP10048W600L2450



Attributes:


Size	62.430 x 20.130 MM (visible)
	62.440 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	48
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 79

CB Distribution

DIP10048W600L2475




Scale 1:1

Attributes:

Size	63.060 x 20.130 MM (visible)
	63.060 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	48
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10048W600L2500



Scale 1:1

Attributes:

Size	63.700 x 20.130 MM (visible)
	63.700 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	48
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10064W900L3225



Scale 1:1

Attributes:

Size	82.120 x 27.750 MM (visible)
	82.120 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	22.860 MM
ConnPinCnt	64
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP10064W900L3250




Scale 1:1

Attributes:

Size	82.750 x 27.750 MM (visible)
	82.760 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	22.860 MM
ConnPinCnt	64
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP1006W300L375




Scale 5:1

Attributes:

Size	12.820 x 12.260 MM (visible)
	9.720 x 9.860 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	6
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP1008W300L400



Scale 5:1


Attributes:

Size	12.820 x 12.510 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	8
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DIP1008W300L425




Scale 5:1

Attributes:

Size	12.820 x 12.510 MM (visible)
	11.000 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	8
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP1008W300L450




Scale 5:1

Attributes:

Size	12.820 x 12.510 MM (visible)
	11.640 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	8
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP1008W300L475




Scale 5:1

Attributes:

Size	12.820 x 12.510 MM (visible)
	12.260 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	8
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP1008W300L500




Scale 5:1

Attributes:

Size	12.900 x 12.510 MM (visible)
	12.900 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	8
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP1008W300L525




Scale 5:1

Attributes:

Size	13.540 x 12.510 MM (visible)
	13.540 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	8
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

DIP1008W300L550




Scale 5:1

Attributes:

Size	14.170 x 12.510 MM (visible)
	14.180 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	8
ConnPads	DIP100T_LLB_PAD3_1
	DIP100T_LLB_PAD4_1
	DIP100T_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

DIP100B14W300L800



Attributes:

Size	20.520 x 12.970 MM (visible)
	20.520 x 10.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	14
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP100B14W300L850




Attributes:

Size	21.800 x 12.970 MM (visible)
	21.800 x 10.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	14
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP100B16W300L850




Attributes:

Size	21.790 x 12.970 MM (visible)
	21.800 x 10.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	16
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP100B16W300L900




Attributes:

Size	23.060 x 12.970 MM (visible)
	23.060 x 10.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	16
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP100B16W300L950




Attributes:

Size	24.340 x 12.970 MM (visible)
	24.340 x 10.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	16
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP100B18W300L950



Attributes:


Size	24.330 x 12.970 MM (visible)
	24.340 x 10.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	18
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

DIP100B20W300L1050




Attributes:

Size	26.870 x 12.970 MM (visible)
	26.880 x 10.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	20
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP100B22W400L1150



Attributes:

Size	29.410 x 15.510 MM (visible)
	29.420 x 13.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	22
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP100B24W300L1300




Attributes:

Size	33.220 x 12.970 MM (visible)
	33.220 x 10.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	24
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP100B24W400L1250




Attributes:

Size	31.950 x 15.510 MM (visible)
	31.960 x 13.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	24
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP100B24W600L1300




Attributes:

Size	33.220 x 20.590 MM (visible)
	33.220 x 18.180 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	15.240 MM
ConnPinCnt	24
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

DIP100B28W300L1450



Attributes:


Size	37.030 x 12.970 MM (visible)
	37.040 x 10.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	28
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 83

CB Distribution

DIP100B8W300L450




Scale 5:1

Attributes:

Size	12.820 x 12.970 MM (visible)
	11.640 x 10.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	8
ConnPads	DIP100B_LLB_PAD1_1
	DIP100B_LLB_PAD2
MechPinCnt	0
MechPads	NA

DIP10_2




Scale 5:1

Attributes:

Size	7.620 x 13.960 MM (visible)
	8.880 x 13.960 MM (PlaceBound)
Height	8.89 MM
PitchX	5.080 MM
PitchY	2.540 MM
ConnPinCnt	10
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP10_3




Scale 5:1

Attributes:

Size	9.140 x 12.700 MM (visible)
	10.160 x 12.700 MM (PlaceBound)
Height	7.62 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	10
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP14_3




Scale 2:1

Attributes:

Size	9.140 x 19.040 MM (visible)
	10.160 x 19.040 MM (PlaceBound)
Height	5.33 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	14
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP16_3




Scale 2:1

Attributes:

Size	9.140 x 22.220 MM (visible)
	9.900 x 22.290 MM (PlaceBound)
Height	5.33 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP18_3




Scale 2:1

Attributes:

Size	9.140 x 22.860 MM (visible)
	10.160 x 22.860 MM (PlaceBound)
Height	5.33 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	18
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

DIP18_4




Scale 2:1

Attributes:

Size	11.680 x 22.860 MM (visible)
	12.700 x 23.490 MM (PlaceBound)
Height	7.62 MM
PitchX	10.160 MM
PitchY	2.540 MM
ConnPinCnt	18
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP20




Scale 2:1

Attributes:

Size	9.120 x 26.060 MM (visible)
	9.600 x 26.500 MM (PlaceBound)
Height	5.06 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	TRND1-50D0-90PNP
	TSQR1-50D0-90PNP
MechPinCnt	0
MechPads	NA

DIP20_3




Scale 2:1

Attributes:

Size	10.160 x 25.400 MM (visible)
	10.160 x 25.400 MM (PlaceBound)
Height	1.9 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP20_4




Scale 2:1

Attributes:

Size	11.680 x 25.400 MM (visible)
	12.700 x 25.400 MM (PlaceBound)
Height	5.08 MM
PitchX	10.160 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP20_6




Scale 2:1

Attributes:

Size	16.760 x 25.400 MM (visible)
	17.780 x 25.400 MM (PlaceBound)
Height	7.62 MM
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP22_3



Scale 2:1


Attributes:

Size	9.140 x 27.560 MM (visible)
	10.160 x 27.940 MM (PlaceBound)
Height	4.57 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	22
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DIP22_4




Scale 2:1

Attributes:

Size	11.680 x 27.940 MM (visible)
	12.650 x 28.020 MM (PlaceBound)
Height	5.33 MM
PitchX	10.160 MM
PitchY	2.540 MM
ConnPinCnt	22
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP22_6




Scale 2:1

Attributes:

Size	16.760 x 27.940 MM (visible)
	17.780 x 27.940 MM (PlaceBound)
Height	7.62 MM
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	22
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP24_3




Scale 2:1

Attributes:

Size	9.140 x 30.480 MM (visible)
	10.160 x 30.480 MM (PlaceBound)
Height	5.33 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	24
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP24_4




Scale 2:1

Attributes:

Size	11.680 x 30.480 MM (visible)
	12.700 x 30.480 MM (PlaceBound)
Height	5.33 MM
PitchX	10.160 MM
PitchY	2.540 MM
ConnPinCnt	24
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP24_6




Scale 2:1

Attributes:

Size	16.760 x 31.740 MM (visible)
	17.780 x 33.020 MM (PlaceBound)
Height	6.35 MM
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	24
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP26_3



Scale 2:1


Attributes:

Size	9.140 x 33.020 MM (visible)
	10.160 x 33.020 MM (PlaceBound)
Height	7.62 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	26
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 86

CB Distribution

DIP28




Scale 1:1

Attributes:

Size	16.760 x 38.100 MM (visible)
	17.780 x 39.380 MM (PlaceBound)
Height	0.53 MM
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP28_3




Scale 2:1

Attributes:

Size	9.140 x 35.560 MM (visible)
	10.160 x 35.560 MM (PlaceBound)
Height	5.33 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP28_4




Scale 2:1

Attributes:

Size	11.730 x 36.820 MM (visible)
	13.960 x 39.370 MM (PlaceBound)
Height	NA
PitchX	10.160 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	PAD62CIR32D
	PAD62SQ32D
MechPinCnt	0
MechPads	NA

DIP28_4_AMD




Scale 2:1

Attributes:

Size	11.680 x 37.080 MM (visible)
	12.070 x 37.080 MM (PlaceBound)
Height	5.72 MM
PitchX	10.160 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP28_6




Scale 1:1

Attributes:

Size	16.760 x 38.100 MM (visible)
	17.780 x 39.380 MM (PlaceBound)
Height	6.35 MM
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP32_3



Scale 1:1

Attributes:


Size	9.190 x 41.900 MM (visible)
	11.420 x 43.180 MM (PlaceBound)
Height	NA
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	32
ConnPads	PAD62CIR32D
	PAD62SQ32D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 87

CB Distribution

DIP32_6




Scale 1:1

Attributes:

Size	16.760 x 41.900 MM (visible)
	17.780 x 43.180 MM (PlaceBound)
Height	5.08 MM
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	32
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP36_6




Scale 1:1

Attributes:

Size	16.810 x 46.980 MM (visible)
	19.040 x 49.540 MM (PlaceBound)
Height	NA
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	36
ConnPads	PAD62CIR32D
	PAD62SQ32D
MechPinCnt	0
MechPads	NA

DIP40_6




Scale 1:1

Attributes:

Size	16.760 x 52.060 MM (visible)
	17.780 x 53.340 MM (PlaceBound)
Height	6.35 MM
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	40
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP42_6




Scale 1:1

Attributes:

Size	16.760 x 54.600 MM (visible)
	17.780 x 55.880 MM (PlaceBound)
Height	0.81 MM
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	42
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP48_6




Scale 1:1

Attributes:

Size	16.760 x 62.220 MM (visible)
	17.780 x 64.140 MM (PlaceBound)
Height	6.35 MM
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	48
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP4_3



Scale 5:1


Attributes:

Size	9.140 x 5.080 MM (visible)
	10.160 x 5.080 MM (PlaceBound)
Height	7.62 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	4
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 88

DIP52_6




Scale 1:1

Attributes:

Size	16.760 x 66.040 MM (visible)
	17.780 x 66.040 MM (PlaceBound)
Height	6.6 MM
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP52_9




Scale 1:1

Attributes:

Size	24.510 x 66.040 MM (visible)
	29.220 x 70.490 MM (PlaceBound)
Height	NA
PitchX	22.860 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	PAD65CIR35D
	PAD65SQ35D
MechPinCnt	0
MechPads	NA

DIP58_6



Scale 1:1

Attributes:

Size	16.810 x 74.920 MM (visible)
	19.040 x 78.740 MM (PlaceBound)
Height	NA
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	58
ConnPads	PAD62CIR32D
	PAD62SQ32D
MechPinCnt	0
MechPads	NA


DIP64_3

Scale 1:2

Attributes:

Size	9.190 x 82.540 MM (visible)
	11.420 x 86.360 MM (PlaceBound)
Height	NA
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	PAD62CIR32D
	PAD62SQ32D
MechPinCnt	0
MechPads	NA

DIP64_6



Scale 1:2

Attributes:

Size	16.760 x 81.280 MM (visible)
	17.780 x 82.540 MM (PlaceBound)
Height	7.62 MM
PitchX	15.240 MM
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP64_9



Scale 1:2


Attributes:

Size	24.380 x 81.540 MM (visible)
	24.770 x 81.540 MM (PlaceBound)
Height	5.59 MM
PitchX	22.860 MM
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 89

CB Distribution

DIP68_6




Scale 1:1

Attributes:

Size	16.510 x 60.960 MM (visible)
	18.410 x 62.230 MM (PlaceBound)
Height	5.08 MM
PitchX	15.240 MM
PitchY	1.770 MM
ConnPinCnt	68
ConnPads	PAD50CIR32D
	PAD50SQ32D
MechPinCnt	0
MechPads	NA

DIP6_3




Scale 5:1

Attributes:

Size	9.140 x 8.880 MM (visible)
	10.160 x 8.880 MM (PlaceBound)
Height	5.46 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	6
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIP8_3



Scale 5:1

Attributes:

Size	9.140 x 10.160 MM (visible)
	10.160 x 10.160 MM (PlaceBound)
Height	5.33 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	8
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DIPCAP




Scale 5:1

Attributes:

Size	9.140 x 2.540 MM (visible)
	8.890 x 2.540 MM (PlaceBound)
Height	7.62 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

DIPSWITCH




Scale 2:1

Attributes:

Size	9.660 x 22.360 MM (visible)
	9.660 x 22.100 MM (PlaceBound)
Height	10.16 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DISC200X100LS200X125034



Scale 5:1

Attributes:


Size	12.820 x 7.740 MM (visible)
	7.240 x 5.330 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 90

CB Distribution

DISC200X150LS200X175034




Scale 5:1

Attributes:

Size	12.820 x 9.010 MM (visible)
	7.240 x 6.600 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC200X175LS250X200034




Scale 5:1

Attributes:

Size	12.820 x 9.010 MM (visible)
	8.510 x 6.600 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC200X200LS250X225034




Scale 5:1

Attributes:

Size	12.820 x 10.280 MM (visible)
	8.510 x 7.870 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC275X175LS200X050034




Scale 5:1

Attributes:

Size	12.820 x 7.440 MM (visible)
	7.240 x 4.650 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC275X175LS200X075034




Scale 5:1

Attributes:

Size	12.820 x 7.440 MM (visible)
	7.240 x 4.650 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC275X175LS200X200034



Scale 5:1


Attributes:

Size	12.820 x 9.650 MM (visible)
	7.240 x 7.240 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

DISC275X200LS200X075034




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	7.240 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC275X200LS200X100034




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	7.240 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC275X200LS200X200034




Scale 5:1

Attributes:

Size	12.820 x 9.650 MM (visible)
	7.240 x 7.240 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC300X150LS200X175034




Scale 5:1

Attributes:

Size	12.820 x 9.010 MM (visible)
	7.820 x 6.600 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC300X150LS250X175034




Scale 5:1

Attributes:

Size	12.820 x 9.010 MM (visible)
	8.510 x 6.600 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC300X175LS250X200034




Scale 5:1

Attributes:

Size	12.820 x 9.650 MM (visible)
	8.510 x 7.240 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 92

DISC325X250LS250X275042




Scale 5:1

Attributes:

Size	12.820 x 11.760 MM (visible)
	8.710 x 9.350 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD2
MechPinCnt	0
MechPads	NA

DISC325X250LS375X275042




Scale 5:1

Attributes:

Size	12.820 x 11.760 MM (visible)
	11.890 x 9.350 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD2
MechPinCnt	0
MechPads	NA

DISC350X175LS200X050034




Scale 5:1

Attributes:

Size	12.820 x 7.440 MM (visible)
	9.100 x 4.650 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC350X175LS200X075034




Scale 5:1

Attributes:

Size	12.820 x 7.440 MM (visible)
	9.100 x 4.650 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC350X175LS200X100034




Scale 5:1

Attributes:

Size	12.820 x 7.460 MM (visible)
	9.100 x 4.700 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC350X200LS200X100034



Scale 5:1


Attributes:

Size	12.820 x 8.070 MM (visible)
	9.100 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 93

CB Distribution

DISC350X225LS200X125034




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	9.100 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC400X150LS200X175031




Scale 5:1

Attributes:

Size	12.820 x 8.940 MM (visible)
	10.360 x 6.530 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD3
MechPinCnt	0
MechPads	NA

DISC400X175LS250X200034




Scale 5:1

Attributes:

Size	12.820 x 9.650 MM (visible)
	10.370 x 7.240 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC400X200LS250X225034




Scale 5:1

Attributes:

Size	12.820 x 10.280 MM (visible)
	10.370 x 7.870 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC450X175LS300X075037




Scale 5:1

Attributes:

Size	12.820 x 7.440 MM (visible)
	11.640 x 4.650 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC450X200LS300X075037




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	11.640 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

DISC450X200LS300X100037




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	11.640 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC450X225LS300X100037




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	11.640 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC450X225LS300X125037




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	11.640 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC450X250LS250X275042




Scale 5:1

Attributes:

Size	12.820 x 11.760 MM (visible)
	11.630 x 9.350 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD2
MechPinCnt	0
MechPads	NA

DISC450X250LS300X125037




Scale 5:1

Attributes:

Size	12.820 x 9.340 MM (visible)
	11.640 x 6.550 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC450X250LS300X150037




Scale 5:1

Attributes:

Size	12.820 x 9.340 MM (visible)
	11.640 x 6.550 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 95

DISC450X250LS375X275042




Scale 5:1

Attributes:

Size	12.820 x 11.760 MM (visible)
	11.890 x 9.350 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD2
MechPinCnt	0
MechPads	NA

DISC475X175LS375X200034




Scale 5:1

Attributes:

Size	12.820 x 9.650 MM (visible)
	12.270 x 7.240 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC500X200LS300X075037




Scale 5:1

Attributes:

Size	12.900 x 8.070 MM (visible)
	12.900 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC500X225LS300X100037




Scale 5:1

Attributes:

Size	12.900 x 8.710 MM (visible)
	12.900 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC500X250LS300X125037



Scale 5:1


Attributes:

Size	12.900 x 9.340 MM (visible)
	12.900 x 6.550 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 96

DISC1000X250LS250X275042




Scale 2:1

Attributes:

Size	25.610 x 11.760 MM (visible)
	25.610 x 9.350 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD2
MechPinCnt	0
MechPads	NA

DISC1000X250LS375X275042




Scale 2:1

Attributes:

Size	25.600 x 11.760 MM (visible)
	25.600 x 9.350 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD2
MechPinCnt	0
MechPads	NA

DISC500X275LS300X150037




Scale 5:1

Attributes:

Size	12.900 x 9.980 MM (visible)
	12.900 x 7.190 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC550X250LS250X275042




Scale 5:1

Attributes:

Size	12.820 x 11.760 MM (visible)
	11.630 x 9.350 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD2
MechPinCnt	0
MechPads	NA

DISC550X250LS375X275042




Scale 5:1

Attributes:

Size	14.170 x 11.760 MM (visible)
	14.170 x 9.350 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD2
MechPinCnt	0
MechPads	NA

DISC600X175LS375X200034




Scale 5:1

Attributes:

Size	15.440 x 9.650 MM (visible)
	15.440 x 7.240 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 1

DISC625X175LS300X075037




Scale 5:1

Attributes:

Size	16.080 x 7.440 MM (visible)
	16.080 x 4.650 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC625X200LS300X100037




Scale 5:1

Attributes:

Size	16.080 x 8.070 MM (visible)
	16.080 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC625X225LS300X100037




Scale 5:1

Attributes:

Size	16.080 x 8.710 MM (visible)
	16.080 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC625X250LS300X125037




Scale 5:1

Attributes:

Size	16.080 x 9.340 MM (visible)
	16.080 x 6.550 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC625X275LS300X150037




Scale 5:1

Attributes:

Size	16.080 x 9.980 MM (visible)
	16.080 x 7.190 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

DISC675X250LS250X275042



Scale 5:1


Attributes:

Size	17.350 x 11.760 MM (visible)
	17.350 x 9.350 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 2

DISC675X250LS375X275042




Scale 5:1

Attributes:

Size 17.350 x 11.760 MM (visible)
17.350 x 9.350 MM (PlaceBound)
Height 0.03 MM
PitchX NA
PitchY NA
ConnPinCnt 2
ConnPads TM_DISC_LLB_PAD2
MechPinCnt 0
MechPads NA

DISC700X175LS375X200034




Scale 5:1

Attributes:

Size 17.980 x 9.650 MM (visible)
17.980 x 7.240 MM (PlaceBound)
Height 0.03 MM
PitchX NA
PitchY NA
ConnPinCnt 2
ConnPads TM_DISC_LLB_PAD1
MechPinCnt 0
MechPads NA

DISC750X250LS250X275042




Scale 5:1

Attributes:

Size 19.250 x 11.760 MM (visible)
19.250 x 9.350 MM (PlaceBound)
Height 0.03 MM
PitchX NA
PitchY NA
ConnPinCnt 2
ConnPads TM_DISC_LLB_PAD2
MechPinCnt 0
MechPads NA

DISC750X250LS375X275042




Scale 5:1

Attributes:

Size 19.250 x 11.760 MM (visible)
19.250 x 9.350 MM (PlaceBound)
Height 0.03 MM
PitchX NA
PitchY NA
ConnPinCnt 2
ConnPads TM_DISC_LLB_PAD2
MechPinCnt 0
MechPads NA

DISC800X250LS250X275042




Scale 2:1

Attributes:

Size 20.530 x 11.760 MM (visible)
20.530 x 9.350 MM (PlaceBound)
Height 0.03 MM
PitchX NA
PitchY NA
ConnPinCnt 2
ConnPads TM_DISC_LLB_PAD2
MechPinCnt 0
MechPads NA

DISC800X250LS275X275042




Scale 2:1

Attributes:

Size 20.520 x 11.760 MM (visible)
20.520 x 9.350 MM (PlaceBound)
Height 0.03 MM
PitchX NA
PitchY NA
ConnPinCnt 2
ConnPads TM_DISC_LLB_PAD2
MechPinCnt 0
MechPads NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 3

DISC825X175LS375X200034




Attributes:

Size	21.160 x 9.650 MM (visible)
	21.160 x 7.240 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

DISC850X175LS375X200034



Attributes:

Size	21.790 x 9.650 MM (visible)
	21.790 x 7.240 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

DISC850X200LS400X075040



Attributes:

Size	22.430 x 8.070 MM (visible)
	22.430 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

DISC850X200LS400X100040




Attributes:

Size	22.430 x 8.070 MM (visible)
	22.430 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

DISC850X225LS400X100040




Attributes:

Size	22.430 x 8.710 MM (visible)
	22.430 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

DISC850X250LS400X125040



Attributes:


Size	22.430 x 9.340 MM (visible)
	22.430 x 6.550 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 4

CB Distribution

DISC850X275LS400X150040




Scale 2:1

Attributes:

Size	22.430 x 9.980 MM (visible)
	22.430 x 7.190 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD5
MechPinCnt	0
MechPads	NA

DISC850X350LS400X225040




Scale 2:1

Attributes:

Size	22.430 x 11.880 MM (visible)
	22.430 x 9.090 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD5
MechPinCnt	0
MechPads	NA

DISC850X400LS400X275040




Scale 2:1

Attributes:

Size	22.430 x 13.150 MM (visible)
	22.430 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD5
MechPinCnt	0
MechPads	NA

DISC900X250LS250X275042




Scale 2:1

Attributes:

Size	23.060 x 11.760 MM (visible)
	23.070 x 9.350 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	TM_DISC_LLB_PAD2
MechPinCnt	0
MechPads	NA

DO13




Scale 2:1

Attributes:

Size	5.580 x 20.830 MM (visible)
	6.100 x 21.840 MM (PlaceBound)
Height	5.97 MM
PitchX	NA
PitchY	19.560 MM
ConnPinCnt	2
ConnPads	PAD50CIR30D
	PAD50SQ30D
MechPinCnt	0
MechPads	NA

DO14



Scale 5:1

Attributes:

Size	3.560 x 13.840 MM (visible)
	3.750 x 14.550 MM (PlaceBound)
Height	3.56 MM
PitchX	NA
PitchY	12.700 MM
ConnPinCnt	2
ConnPads	PAD45CIR22D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 5

DO15




Scale 5:1

Attributes:

Size	3.560 x 14.220 MM (visible)
	3.940 x 14.930 MM (PlaceBound)
Height	3.56 MM
PitchX	NA
PitchY	12.700 MM
ConnPinCnt	2
ConnPads	PAD60CIR35
	PAD60CIR35D
MechPinCnt	0
MechPads	NA

DO201AA




Scale 2:1

Attributes:

Size	5.340 x 16.120 MM (visible)
	5.740 x 16.870 MM (PlaceBound)
Height	5.33 MM
PitchX	NA
PitchY	14.600 MM
ConnPinCnt	2
ConnPads	PAD60CIR38D
MechPinCnt	0
MechPads	NA

DO201AB




Scale 2:1

Attributes:

Size	6.360 x 16.080 MM (visible)
	6.530 x 16.690 MM (PlaceBound)
Height	6.35 MM
PitchX	NA
PitchY	14.730 MM
ConnPinCnt	2
ConnPads	PAD43CIR33D
MechPinCnt	0
MechPads	NA

DO201AC




Scale 5:1

Attributes:

Size	3.810 x 10.640 MM (visible)
	4.040 x 11.230 MM (PlaceBound)
Height	3.81 MM
PitchX	NA
PitchY	9.120 MM
ConnPinCnt	2
ConnPads	PAD60CIR38D
MechPinCnt	0
MechPads	NA

DO201AD




Scale 2:1

Attributes:

Size	6.350 x 16.660 MM (visible)
	6.580 x 17.200 MM (PlaceBound)
Height	6.35 MM
PitchX	NA
PitchY	14.630 MM
ConnPinCnt	2
ConnPads	PAD70CIR60D
MechPinCnt	0
MechPads	NA

DO203AA



Scale 5:1


Attributes:

Size	11.050 x 12.800 MM (visible)
	13.060 x 13.030 MM (PlaceBound)
Height	20.32 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	HOLE230
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 6

CB Distribution

DO203AB




Attributes:

Size	17.570 x 20.190 MM (visible)
	20.400 x 20.370 MM (PlaceBound)
Height	25.4 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	HOLE280
MechPinCnt	0
MechPads	NA

Scale 2:1

DO204AA



Attributes:

Size	2.750 x 14.100 MM (visible)
	2.820 x 14.810 MM (PlaceBound)
Height	2.72 MM
PitchX	NA
PitchY	12.700 MM
ConnPinCnt	2
ConnPads	PAD55CIR25D
	PAD55SCIR25D
MechPinCnt	0
MechPads	NA

Scale 5:1

DO204AH




Attributes:

Size	2.310 x 11.560 MM (visible)
	2.380 x 12.300 MM (PlaceBound)
Height	2.29 MM
PitchX	NA
PitchY	10.160 MM
ConnPinCnt	2
ConnPads	PAD55CIR25D
	PAD55SCIR25D
MechPinCnt	0
MechPads	NA

Scale 5:1

DO204AP



Attributes:

Size	3.810 x 11.170 MM (visible)
	4.040 x 11.710 MM (PlaceBound)
Height	3.05 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	PAD60CIR35
	PAD60CIR35D
MechPinCnt	0
MechPads	NA

Scale 5:1

DO204AR



Attributes:

Size	6.400 x 24.580 MM (visible)
	6.680 x 25.120 MM (PlaceBound)
Height	6.35 MM
PitchX	NA
PitchY	22.220 MM
ConnPinCnt	2
ConnPads	PAD93CIR52D
MechPinCnt	0
MechPads	NA

Scale 2:1

DO27A



Attributes:

Size	5.080 x 16.910 MM (visible)
	5.140 x 17.320 MM (PlaceBound)
Height	5.08 MM
PitchX	NA
PitchY	14.880 MM
ConnPinCnt	2
ConnPads	PAD80CIR55D
MechPinCnt	0
MechPads	NA


Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

CB Distribution

Size | Cage Code | Page 7

DO34



Scale 5:1

Attributes:

Size	2.960 x 9.530 MM (visible)
	2.180 x 10.230 MM (PlaceBound)
Height	1.9 MM
PitchX	NA
PitchY	8.130 MM
ConnPinCnt	2
ConnPads	PAD55CIR25
	PAD55CIR25D
MechPinCnt	0
MechPads	NA

DO35




Scale 5:1

Attributes:

Size	2.040 x 10.540 MM (visible)
	2.540 x 11.680 MM (PlaceBound)
Height	2.29 MM
PitchX	NA
PitchY	9.140 MM
ConnPinCnt	2
ConnPads	PAD55CIR25D
	PAD55SQ25D
MechPinCnt	0
MechPads	NA

DO4



Scale 5:1

Attributes:

Size	12.600 x 10.920 MM (visible)
	12.700 x 12.730 MM (PlaceBound)
Height	20.32 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	HOLE170
MechPinCnt	0
MechPads	NA

DO41




Scale 5:1

Attributes:

Size	2.540 x 11.430 MM (visible)
	3.040 x 12.190 MM (PlaceBound)
Height	3.05 MM
PitchX	NA
PitchY	9.910 MM
ConnPinCnt	2
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

DO5




Scale 2:1

Attributes:

Size	19.840 x 17.230 MM (visible)
	19.860 x 19.910 MM (PlaceBound)
Height	25.4 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	HOLE230
MechPinCnt	0
MechPads	NA

DO7




Scale 5:1

Attributes:

Size	2.770 x 14.100 MM (visible)
	2.970 x 14.860 MM (PlaceBound)
Height	2.72 MM
PitchX	NA
PitchY	12.700 MM
ConnPinCnt	2
ConnPads	PAD55CIR25
	PAD55CIR25D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 8

DSUBHDRPTM15




Scale 2:1

Attributes:

Size	31.320 x 24.580 MM (visible)
	31.320 x 21.790 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	5.080 MM
ConnPinCnt	17
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD3
	DSUBT_HD_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBHDRPTM26




Scale 2:1

Attributes:

Size	39.570 x 24.580 MM (visible)
	39.570 x 21.790 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	5.080 MM
ConnPinCnt	28
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD3
	DSUBT_HD_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBHDRPTM44




Scale 1:1

Attributes:

Size	56.210 x 24.580 MM (visible)
	56.110 x 21.790 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	5.080 MM
ConnPinCnt	46
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD3
	DSUBT_HD_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBHDRPTM62




Scale 1:1

Attributes:

Size	70.050 x 24.580 MM (visible)
	70.050 x 21.790 MM (PlaceBound)
Height	0.03 MM
PitchX	2.410 MM
PitchY	5.080 MM
ConnPinCnt	64
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD3
	DSUBT_HD_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBHDRPTM78




Scale 1:1

Attributes:

Size	67.510 x 27.120 MM (visible)
	67.510 x 24.330 MM (PlaceBound)
Height	0.03 MM
PitchX	2.410 MM
PitchY	5.080 MM
ConnPinCnt	80
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD3
	DSUBT_HD_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBHDRSTM15



Scale 2:1

Attributes:


Size	31.320 x 24.580 MM (visible)
	31.320 x 21.790 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	5.080 MM
ConnPinCnt	17
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD1_1
	DSUBT_HD_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 9

CB Distribution

DSUBHDRSTM26




Scale 2:1

Attributes:

Size	39.570 x 24.580 MM (visible)
	39.570 x 21.790 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	5.080 MM
ConnPinCnt	28
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD1_1
	DSUBT_HD_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBHDRSTM44




Scale 1:1

Attributes:

Size	55.960 x 24.580 MM (visible)
	55.860 x 21.790 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	5.080 MM
ConnPinCnt	46
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD1_1
	DSUBT_HD_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBHDRSTM62




Scale 1:1

Attributes:

Size	70.050 x 24.580 MM (visible)
	70.050 x 21.790 MM (PlaceBound)
Height	0.03 MM
PitchX	2.410 MM
PitchY	5.080 MM
ConnPinCnt	64
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD1_1
	DSUBT_HD_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBHDRSTM78




Scale 1:1

Attributes:

Size	67.510 x 27.120 MM (visible)
	67.510 x 24.330 MM (PlaceBound)
Height	0.03 MM
PitchX	2.410 MM
PitchY	5.080 MM
ConnPinCnt	80
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD1_1
	DSUBT_HD_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBHDVPTM15




Scale 2:1

Attributes:

Size	31.320 x 15.690 MM (visible)
	31.320 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	5.080 MM
ConnPinCnt	17
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD3
	DSUBT_HD_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBHDVPTM26




Scale 2:1

Attributes:

Size	39.570 x 15.690 MM (visible)
	39.570 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	5.080 MM
ConnPinCnt	28
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD3
	DSUBT_HD_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 10

DSUBHDVPTM44




Scale 1:1

Attributes:

Size	56.210 x 15.690 MM (visible)
	56.110 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	5.080 MM
ConnPinCnt	46
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD3
	DSUBT_HD_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBHDVPTM62




Scale 1:1

Attributes:

Size	70.050 x 15.690 MM (visible)
	70.050 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.410 MM
PitchY	5.080 MM
ConnPinCnt	64
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD3
	DSUBT_HD_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBHDVPTM78




Scale 1:1

Attributes:

Size	67.510 x 18.870 MM (visible)
	67.510 x 16.080 MM (PlaceBound)
Height	0.03 MM
PitchX	2.410 MM
PitchY	5.080 MM
ConnPinCnt	80
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD3
	DSUBT_HD_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBHDVSTM15




Scale 2:1

Attributes:

Size	31.320 x 15.690 MM (visible)
	31.320 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	5.080 MM
ConnPinCnt	17
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD1_1
	DSUBT_HD_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBHDVSTM26




Scale 2:1

Attributes:

Size	39.570 x 15.690 MM (visible)
	39.570 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	5.080 MM
ConnPinCnt	28
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD1_1
	DSUBT_HD_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBHDVSTM44



Scale 1:1

Attributes:


Size	53.540 x 15.690 MM (visible)
	53.540 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	5.080 MM
ConnPinCnt	46
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD1_1
	DSUBT_HD_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 11

CB Distribution

DSUBHDVSTM62




Scale 1:1

Attributes:

Size	70.050 x 15.690 MM (visible)
	70.050 x 12.900 MM (PlaceBound)
Height	0.03 MM
PitchX	2.410 MM
PitchY	5.080 MM
ConnPinCnt	64
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD1_1
	DSUBT_HD_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBHDVSTM78




Scale 1:1

Attributes:

Size	67.510 x 18.230 MM (visible)
	67.510 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	2.410 MM
PitchY	5.080 MM
ConnPinCnt	80
ConnPads	DSUBT_HD_LLB_HOLE1
	DSUBT_HD_LLB_PAD1_1
	DSUBT_HD_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBRP318TM15




Scale 2:1

Attributes:

Size	40.200 x 21.730 MM (visible)
	40.200 x 18.940 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	17
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBRP318TM25




Scale 1:1

Attributes:

Size	54.180 x 21.730 MM (visible)
	54.180 x 18.940 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	27
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBRP318TM37




Scale 1:1

Attributes:

Size	70.050 x 21.730 MM (visible)
	70.050 x 18.940 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	39
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBRP318TM9



Scale 2:1


Attributes:

Size	31.310 x 21.730 MM (visible)
	31.320 x 18.940 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	11
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 12

DSUBRP584TM15




Scale 2:1

Attributes:

Size	40.200 x 28.390 MM (visible)
	40.200 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	17
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBRP584TM25




Scale 1:1

Attributes:

Size	54.180 x 28.390 MM (visible)
	54.180 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	27
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBRP584TM37




Scale 1:1

Attributes:

Size	70.050 x 28.390 MM (visible)
	70.050 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	39
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBRP584TM9




Scale 2:1

Attributes:

Size	31.310 x 28.390 MM (visible)
	31.320 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	11
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

DSUBRS318TM15




Scale 2:1

Attributes:

Size	40.200 x 21.720 MM (visible)
	40.200 x 18.940 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	17
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1_1
	DSUBT_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBRS318TM25



Scale 1:1


Attributes:

Size	54.180 x 21.720 MM (visible)
	54.180 x 18.940 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	27
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1_1
	DSUBT_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 13

DSUBRS318TM37




Scale 1:1

Attributes:

Size	70.050 x 21.720 MM (visible)
	70.050 x 18.940 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	39
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1_1
	DSUBT_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBRS318TM9




Scale 2:1

Attributes:

Size	31.310 x 21.720 MM (visible)
	31.320 x 18.940 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	11
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1_1
	DSUBT_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBRS584TM15




Scale 2:1

Attributes:

Size	40.200 x 28.390 MM (visible)
	40.200 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	17
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1_1
	DSUBT_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBRS584TM25




Scale 1:1

Attributes:

Size	54.180 x 28.390 MM (visible)
	54.180 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	27
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1_1
	DSUBT_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBRS584TM37




Scale 1:1

Attributes:

Size	70.050 x 28.390 MM (visible)
	70.050 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	39
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1_1
	DSUBT_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

DSUBRS584TM9



Scale 2:1

Attributes:


Size	31.310 x 28.390 MM (visible)
	31.320 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	11
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1_1
	DSUBT_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 14

CB Distribution

DSUBVPTM15




Attributes:

Size	40.200 x 16.330 MM (visible)
	40.200 x 13.540 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	17
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

DSUBVPTM25




Attributes:

Size	54.180 x 16.330 MM (visible)
	54.180 x 13.540 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	27
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

DSUBVPTM37




Attributes:

Size	70.050 x 16.330 MM (visible)
	70.050 x 13.540 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	39
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

DSUBVPTM50




Attributes:

Size	67.510 x 18.860 MM (visible)
	67.520 x 16.070 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	5.690 MM
ConnPinCnt	52
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

DSUBVPTM9




Attributes:

Size	29.990 x 16.330 MM (visible)
	31.950 x 13.540 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	11
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD3
	DSUBT_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

DSUBVSTM15



Attributes:


Size	40.200 x 16.330 MM (visible)
	40.200 x 13.540 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	17
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1_1
	DSUBT_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 15

DSUBVSTM25




Attributes:

Size	54.180 x 14.110 MM (visible)
	54.180 x 13.540 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	27
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1
	DSUBT_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DSUBVSTM37




Attributes:

Size	70.050 x 16.330 MM (visible)
	70.050 x 13.540 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	39
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1
	DSUBT_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DSUBVSTM50




Attributes:

Size	67.510 x 18.860 MM (visible)
	67.520 x 16.070 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	5.690 MM
ConnPinCnt	52
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1
	DSUBT_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

DSUBVSTM9




Attributes:

Size	31.950 x 16.330 MM (visible)
	31.950 x 13.540 MM (PlaceBound)
Height	0.03 MM
PitchX	2.760 MM
PitchY	NA
ConnPinCnt	11
ConnPads	DSUBT_LLB_HOLE1
	DSUBT_LLB_PAD1
	DSUBT_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

ECON100VSTM2ANW400100



Attributes:

Size	133.550 x 14.750 MM (visible)
	133.560 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	100
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

ECON100VSTM2ANW400104



Attributes:

Size	138.630 x 14.750 MM (visible)
	138.640 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	104
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 16

CB Distribution

ECON100VSTM2ANW400120




Scale 1:2

Attributes:

Size	158.950 x 14.750 MM (visible)
	158.960 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	120
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2ANW40024




Scale 2:1

Attributes:

Size	37.030 x 14.750 MM (visible)
	37.040 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	24
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2ANW40026




Scale 2:1

Attributes:

Size	39.570 x 14.750 MM (visible)
	39.580 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	26
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2ANW40036




Scale 1:1

Attributes:

Size	52.270 x 14.750 MM (visible)
	52.280 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	36
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2ANW40050




Scale 1:1

Attributes:

Size	70.050 x 14.750 MM (visible)
	70.060 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	50
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2ANW40060



Scale 1:1


Attributes:

Size	82.750 x 14.750 MM (visible)
	82.760 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	60
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 17

ECON100VSTM2ANW40062




Attributes:

Size	85.290 x 14.750 MM (visible)
	85.300 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	62
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

ECON100VSTM2ANW40070



Attributes:

Size	95.450 x 14.750 MM (visible)
	95.460 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	70
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

ECON100VSTM2ANW40080



Attributes:

Size	108.150 x 14.750 MM (visible)
	108.160 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	80
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

ECON100VSTM2OEW400100




Attributes:

Size	133.550 x 14.750 MM (visible)
	133.560 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	100
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

ECON100VSTM2OEW400104




Attributes:

Size	138.630 x 14.750 MM (visible)
	138.640 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	104
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

ECON100VSTM2OEW400120



Attributes:


Size	158.950 x 14.750 MM (visible)
	158.960 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	120
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 18

ECON100VSTM2OEW40024




Scale 2:1

Attributes:

Size	37.030 x 14.750 MM (visible)
	37.040 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	24
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2OEW40026




Scale 2:1

Attributes:

Size	39.570 x 14.750 MM (visible)
	39.580 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	26
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2OEW40036




Scale 1:1

Attributes:

Size	52.270 x 14.750 MM (visible)
	52.280 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	36
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2OEW40050




Scale 1:1

Attributes:

Size	70.050 x 14.750 MM (visible)
	70.060 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	50
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2OEW40060




Scale 1:1

Attributes:

Size	82.750 x 14.750 MM (visible)
	82.760 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	60
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2OEW40062



Scale 1:1


Attributes:

Size	85.290 x 14.750 MM (visible)
	85.300 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	62
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

ECON100VSTM2OEW40070



Scale 1:1

Attributes:

Size	95.450 x 14.750 MM (visible)
	95.460 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	70
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2OEW40080




Scale 1:2

Attributes:

Size	108.150 x 14.750 MM (visible)
	108.160 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	80
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2OEW400HELP




Scale 1:1

Attributes:

Size	70.680 x 26.170 MM (visible)
	101.800 x 70.050 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	24
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2SQW400100




Scale 1:2

Attributes:

Size	133.550 x 14.750 MM (visible)
	133.560 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	100
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2SQW400104




Scale 1:2

Attributes:

Size	138.630 x 14.750 MM (visible)
	138.640 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	104
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2SQW400120



Scale 1:2


Attributes:

Size	158.950 x 14.750 MM (visible)
	158.960 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	120
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 20

ECON100VSTM2SQW40024




Scale 2:1

Attributes:

Size	37.030 x 14.750 MM (visible)
	37.040 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	24
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2SQW40026




Scale 2:1

Attributes:

Size	39.570 x 14.750 MM (visible)
	39.580 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	26
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2SQW40036




Scale 1:1

Attributes:

Size	52.270 x 14.750 MM (visible)
	52.280 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	36
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2SQW40050




Scale 1:1

Attributes:

Size	70.050 x 14.750 MM (visible)
	70.060 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	50
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2SQW40060




Scale 1:1

Attributes:

Size	82.750 x 14.750 MM (visible)
	82.760 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	60
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2SQW40062



Scale 1:1


Attributes:

Size	85.290 x 14.750 MM (visible)
	85.300 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	62
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

ECON100VSTM2SQW40070



Scale 1:1

Attributes:

Size	95.450 x 14.750 MM (visible)
	95.460 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	70
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2SQW40080




Scale 1:2

Attributes:

Size	108.150 x 14.750 MM (visible)
	108.160 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	80
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

ECON100VSTM2SQW400HELP




Scale 1:1

Attributes:

Size	70.680 x 26.170 MM (visible)
	101.800 x 70.050 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	24
ConnPads	ECON100T_LLB_PAD1
	ECON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

EUROCON




Scale 1:2

Attributes:

Size	18.700 x 94.240 MM (visible)
	7.620 x 81.280 MM (PlaceBound)
Height	12.7 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	98
ConnPads	EUROA
	EUROE
MechPinCnt	0
MechPads	NA

FBUSRS120




Scale 1:1

Attributes:

Size	61.580 x 25.920 MM (visible)
	60.170 x 20.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	135
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_HOLE2
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSRS144



Scale 1:1


Attributes:

Size	73.570 x 25.920 MM (visible)
	72.160 x 20.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	162
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_HOLE2
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 22

FBUSRS168




Scale 1:1

Attributes:

Size	85.560 x 25.920 MM (visible)
	84.150 x 20.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	189
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_HOLE2
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSRS192




Scale 1:1

Attributes:

Size	97.550 x 25.920 MM (visible)
	96.140 x 20.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	216
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_HOLE2
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSRS216




Scale 1:2

Attributes:

Size	109.530 x 25.920 MM (visible)
	108.130 x 20.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	243
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_HOLE2
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSRS24




Scale 2:1

Attributes:

Size	13.600 x 24.480 MM (visible)
	12.190 x 20.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	27
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_HOLE2
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSRS240




Scale 1:2

Attributes:

Size	121.550 x 25.920 MM (visible)
	120.140 x 20.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	270
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_HOLE2
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSRS264



Scale 1:2


Attributes:

Size	133.540 x 25.920 MM (visible)
	132.130 x 20.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	297
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_HOLE2
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

FBUSRS48




Scale 2:1

Attributes:

Size	25.590 x 25.780 MM (visible)
	24.180 x 20.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	54
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_HOLE2
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSRS72




Scale 2:1

Attributes:

Size	37.580 x 25.780 MM (visible)
	36.170 x 20.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	81
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_HOLE2
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSRS96



Scale 1:1

Attributes:

Size	49.560 x 25.920 MM (visible)
	48.160 x 20.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	108
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_HOLE2
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA


FBUSVP120

Scale 1:1

Attributes:

Size	61.580 x 18.790 MM (visible)
	60.200 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	122
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSVP144




Scale 1:1

Attributes:

Size	73.570 x 18.790 MM (visible)
	72.190 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	146
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSVP168



Scale 1:1


Attributes:

Size	85.560 x 18.790 MM (visible)
	84.180 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	170
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 24

FBUSVP192




Scale 1:1

Attributes:

Size	97.570 x 18.790 MM (visible)
	96.190 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	194
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSVP216




Scale 1:2

Attributes:

Size	109.560 x 18.790 MM (visible)
	108.180 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	218
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSVP24




Scale 2:1

Attributes:

Size	13.600 x 18.790 MM (visible)
	12.220 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	26
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSVP240




Scale 1:2

Attributes:

Size	121.260 x 18.790 MM (visible)
	120.220 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	242
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSVP264




Scale 1:2

Attributes:

Size	133.560 x 18.790 MM (visible)
	132.180 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	266
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

FBUSVP48



Scale 2:1


Attributes:

Size	25.610 x 18.790 MM (visible)
	24.230 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	50
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 25

CB Distribution

FBUSVP72




Attributes:

Size	37.580 x 18.790 MM (visible)
	36.200 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	74
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

FBUSVP96



Attributes:

Size	49.560 x 18.790 MM (visible)
	48.190 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.990 MM
PitchY	2.000 MM
ConnPinCnt	98
ConnPads	FBUS_LLB_HOLE1
	FBUS_LLB_PAD1
	FBUS_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

FIDUCIAL




Attributes:

Size	12.820 x 5.700 MM (visible)
	3.310 x 3.310 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	50S0
MechPinCnt	0
MechPads	NA

Scale 5:1

FLAT14




Attributes:

Size	9.780 x 27.680 MM (visible)
	10.160 x 28.440 MM (PlaceBound)
Height	2.03 MM
PitchX	1.270 MM
PitchY	17.520 MM
ConnPinCnt	14
ConnPads	SMD25_400
MechPinCnt	0
MechPads	NA

Scale 2:1

FLAT16




Attributes:

Size	9.900 x 28.200 MM (visible)
	11.080 x 29.710 MM (PlaceBound)
Height	2.03 MM
PitchX	1.260 MM
PitchY	18.040 MM
ConnPinCnt	16
ConnPads	SMD25_400
MechPinCnt	0
MechPads	NA

Scale 2:1

FLAT18



Attributes:


Size	11.940 x 28.200 MM (visible)
	12.700 x 30.480 MM (PlaceBound)
Height	2.03 MM
PitchX	1.120 MM
PitchY	18.040 MM
ConnPinCnt	18
ConnPads	SMD25_400
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

FLAT20




Scale 2:1

Attributes:

Size	13.720 x 25.760 MM (visible)
	14.740 x 27.940 MM (PlaceBound)
Height	2.29 MM
PitchX	1.260 MM
PitchY	16.620 MM
ConnPinCnt	20
ConnPads	SMD25_360
MechPinCnt	0
MechPads	NA

FLAT24




Scale 2:1

Attributes:

Size	15.870 x 28.700 MM (visible)
	16.520 x 30.480 MM (PlaceBound)
Height	2.29 MM
PitchX	1.260 MM
PitchY	19.560 MM
ConnPinCnt	24
ConnPads	SMD25_360
MechPinCnt	0
MechPads	NA

FLAT28




Scale 2:1

Attributes:

Size	18.410 x 31.740 MM (visible)
	19.940 x 34.540 MM (PlaceBound)
Height	2.92 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	28
ConnPads	SMD25_360
MechPinCnt	0
MechPads	NA

FLAT48




Scale 2:1

Attributes:

Size	13.300 x 15.840 MM (visible)
	13.590 x 15.870 MM (PlaceBound)
Height	3.28 MM
PitchX	11.780 MM
PitchY	0.600 MM
ConnPinCnt	48
ConnPads	SMD60REC19
MechPinCnt	0
MechPads	NA

FLAT56




Scale 2:1

Attributes:

Size	13.300 x 18.380 MM (visible)
	13.590 x 18.380 MM (PlaceBound)
Height	3.28 MM
PitchX	11.780 MM
PitchY	0.600 MM
ConnPinCnt	56
ConnPads	SMD60REC19
MechPinCnt	0
MechPads	NA

FLAT64



Scale 2:1


Attributes:

Size	13.430 x 20.980 MM (visible)
	13.960 x 21.600 MM (PlaceBound)
Height	NA
PitchX	11.780 MM
PitchY	0.630 MM
ConnPinCnt	64
ConnPads	SMD65REC13
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 27

GI_AXIAL7B




Scale 5:1

Attributes:

Size	7.660 x 15.060 MM (visible)
	6.480 x 15.570 MM (PlaceBound)
Height	6.35 MM
PitchX	NA
PitchY	12.700 MM
ConnPinCnt	2
ConnPads	PAD93CIR53D
MechPinCnt	0
MechPads	NA

GI_AXIAL9




Scale 2:1

Attributes:

Size	9.140 x 16.580 MM (visible)
	9.370 x 17.100 MM (PlaceBound)
Height	9.14 MM
PitchX	NA
PitchY	14.220 MM
ConnPinCnt	2
ConnPads	PAD93CIR53D
MechPinCnt	0
MechPads	NA

GI_BR1W



Scale 5:1

Attributes:

Size	8.640 x 10.190 MM (visible)
	10.660 x 10.660 MM (PlaceBound)
Height	5.59 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	PAD60CIR35
	PAD60CIR35D
MechPinCnt	0
MechPads	NA

GNDSTRP




Scale 5:1

Attributes:

Size	12.820 x 4.640 MM (visible)
	12.320 x 2.350 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	55R36
MechPinCnt	0
MechPads	NA

HPAC_100




Scale 5:1

Attributes:

Size	11.580 x 11.570 MM (visible)
	13.080 x 12.960 MM (PlaceBound)
Height	1.32 MM
PitchX	7.010 MM
PitchY	7.000 MM
ConnPinCnt	4
ConnPads	SMD180REC40
	SMD80BY180
MechPinCnt	0
MechPads	NA

HS



Scale 2:1

Attributes:

Size	35.820 x 15.750 MM (visible)
	35.560 x 12.700 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	55R36
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 28

CB Distribution

IBMCON



Scale 1:1

Attributes:

Size	77.470 x 10.490 MM (visible)
	77.470 x 7.620 MM (PlaceBound)
Height	NA
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	31
ConnPads	IBM
MechPinCnt	0
MechPads	NA

ISAFINGERS



Scale 1:2

Attributes:

Size	139.790 x 13.230 MM (visible)
	136.140 x 11.610 MM (PlaceBound)
Height	0.03 MM
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	98
ConnPads	ISA_LLB_PAD3
	ISA_LLB_PAD4
	ISA_LLB_PAD5
	ISA_LLB_PAD6
MechPinCnt	0
MechPads	NA

ISASOCKET



Scale 1:2

Attributes:

Size	139.900 x 14.750 MM (visible)
	139.900 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	98
ConnPads	ISA_LLB_PAD1
	ISA_LLB_PAD2
MechPinCnt	0
MechPads	NA

JUMPER1



Scale 5:1

Attributes:

Size	2.590 x 2.540 MM (visible)
	2.540 x 2.540 MM (PlaceBound)
Height	12.7 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

JUMPER100




Scale 5:1

Attributes:

Size	12.820 x 5.210 MM (visible)
	5.080 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	J1
MechPinCnt	0
MechPads	NA

JUMPER1000



Scale 2:1


Attributes:

Size	27.450 x 5.210 MM (visible)
	27.940 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	25.400 MM
PitchY	NA
ConnPinCnt	2
ConnPads	J1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

JUMPER1100



Scale 2:1

Attributes:

Size	29.990 x 5.210 MM (visible)
	27.940 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	27.940 MM
PitchY	NA
ConnPinCnt	2
ConnPads	J1
MechPinCnt	0
MechPads	NA

JUMPER1200




Scale 2:1

Attributes:

Size	32.530 x 5.210 MM (visible)
	27.940 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	30.480 MM
PitchY	NA
ConnPinCnt	2
ConnPads	J1
MechPinCnt	0
MechPads	NA

JUMPER14




Scale 5:1

Attributes:

Size	17.780 x 5.080 MM (visible)
	17.780 x 5.080 MM (PlaceBound)
Height	12.7 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	14
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

JUMPER16




Scale 2:1

Attributes:

Size	20.320 x 5.080 MM (visible)
	20.320 x 5.080 MM (PlaceBound)
Height	12.7 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

JUMPER2




Scale 5:1

Attributes:

Size	5.150 x 2.600 MM (visible)
	5.080 x 2.540 MM (PlaceBound)
Height	12.7 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

JUMPER200



Scale 5:1

Attributes:


Size	12.820 x 5.210 MM (visible)
	7.620 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	J1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 30

CB Distribution

JUMPER3




Attributes:

Size	7.620 x 2.600 MM (visible)
	7.620 x 2.540 MM (PlaceBound)
Height	12.7 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

Scale 5:1

JUMPER300



Attributes:

Size	12.820 x 5.210 MM (visible)
	10.160 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	J1
MechPinCnt	0
MechPads	NA

Scale 5:1

JUMPER4



Attributes:

Size	10.160 x 2.680 MM (visible)
	10.160 x 2.790 MM (PlaceBound)
Height	12.7 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	4
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

Scale 5:1

JUMPER400




Attributes:

Size	12.820 x 5.210 MM (visible)
	12.700 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	J1
MechPinCnt	0
MechPads	NA

Scale 5:1

JUMPER5



Attributes:

Size	12.700 x 4.090 MM (visible)
	12.700 x 2.540 MM (PlaceBound)
Height	12.7 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	5
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

Scale 5:1

JUMPER500



Attributes:

Size	14.750 x 5.210 MM (visible)
	5.080 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	J1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 31

JUMPER600



Scale 5:1

Attributes:

Size	17.290 x 5.210 MM (visible)
	17.780 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	J1
MechPinCnt	0
MechPads	NA

JUMPER700




Scale 2:1

Attributes:

Size	19.830 x 5.210 MM (visible)
	20.320 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	2
ConnPads	J1
MechPinCnt	0
MechPads	NA

JUMPER8



Scale 5:1

Attributes:

Size	5.080 x 12.060 MM (visible)
	5.080 x 10.160 MM (PlaceBound)
Height	NA
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	8
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

JUMPER800



Scale 2:1

Attributes:

Size	22.370 x 5.210 MM (visible)
	22.860 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	20.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	J1
MechPinCnt	0
MechPads	NA

JUMPER900




Scale 2:1

Attributes:

Size	24.910 x 5.210 MM (visible)
	5.080 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	22.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	J1
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OESW110010



Scale 1:1


Attributes:

Size	61.100 x 30.930 MM (visible)
	61.100 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	12
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 32

LATCON100RHTM2OESW110014




Scale 1:1

Attributes:

Size	66.180 x 30.930 MM (visible)
	66.180 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OESW110016




Scale 1:1

Attributes:

Size	68.720 x 30.930 MM (visible)
	68.720 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	18
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OESW110020




Scale 1:1

Attributes:

Size	73.800 x 30.930 MM (visible)
	73.800 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	22
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OESW110024




Scale 1:1

Attributes:

Size	78.880 x 30.930 MM (visible)
	78.880 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	26
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OESW110026




Scale 1:1

Attributes:

Size	81.420 x 30.930 MM (visible)
	81.420 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OESW110030



Scale 1:1


Attributes:

Size	86.500 x 30.930 MM (visible)
	86.500 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	32
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

LATCON100RHTM2OESW110034




Scale 1:1

Attributes:

Size	91.580 x 30.930 MM (visible)
	91.580 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	36
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OESW110040




Scale 1:2

Attributes:

Size	99.200 x 30.930 MM (visible)
	99.200 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	42
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OESW110050




Scale 1:2

Attributes:

Size	111.900 x 30.930 MM (visible)
	111.900 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OESW110060




Scale 1:2

Attributes:

Size	124.600 x 30.930 MM (visible)
	124.600 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	62
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OESW110064



Scale 1:2

Attributes:

Size	129.680 x 30.930 MM (visible)
	129.680 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	66
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OESW1100HELP



Scale 1:2


Attributes:

Size	146.250 x 57.600 MM (visible)
	161.490 x 118.310 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	66
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

LATCON100RHTM2OEW110010




Scale 1:1

Attributes:

Size	61.100 x 30.930 MM (visible)
	61.100 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	12
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OEW110014




Scale 1:1

Attributes:

Size	66.180 x 30.930 MM (visible)
	66.180 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OEW110016




Scale 1:1

Attributes:

Size	68.720 x 30.930 MM (visible)
	68.720 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	18
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OEW110020




Scale 1:1

Attributes:

Size	73.800 x 30.930 MM (visible)
	73.800 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	22
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OEW110024




Scale 1:1

Attributes:

Size	78.880 x 30.930 MM (visible)
	78.880 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	26
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

LATCON100RHTM2OEW110026



Scale 1:1


Attributes:

Size	81.420 x 30.930 MM (visible)
	81.420 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

LATCON100RHTM2OEW110030




Attributes:

Size	86.500 x 30.930 MM (visible)
	86.500 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	32
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100RHTM2OEW110034




Attributes:

Size	91.580 x 30.930 MM (visible)
	91.580 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	36
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100RHTM2OEW110040




Attributes:

Size	99.200 x 30.930 MM (visible)
	99.200 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	42
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:2

LATCON100RHTM2OEW110050




Attributes:

Size	111.900 x 30.930 MM (visible)
	111.900 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:2

LATCON100RHTM2OEW110060




Attributes:

Size	124.600 x 30.930 MM (visible)
	124.600 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	62
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:2

LATCON100RHTM2OEW110064



Attributes:


Size	129.680 x 30.930 MM (visible)
	129.680 x 28.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	66
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 36

CB Distribution

LATCON100VHTM2OESW35010




Attributes:

Size	56.080 x 11.890 MM (visible) 56.080 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	12
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD1 LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100VHTM2OESW35014




Attributes:

Size	61.160 x 11.890 MM (visible) 61.160 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD1 LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100VHTM2OESW35016




Attributes:

Size	63.700 x 11.890 MM (visible) 63.700 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	18
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD1 LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100VHTM2OESW35020




Attributes:

Size	68.780 x 11.890 MM (visible) 68.780 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	22
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD1 LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100VHTM2OESW35024




Attributes:

Size	73.860 x 11.890 MM (visible) 73.860 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	26
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD1 LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100VHTM2OESW35026




Attributes:

Size	76.400 x 11.890 MM (visible) 76.400 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD1 LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

LATCON100VHTM2OESW35030




Attributes:

Size	81.480 x 11.890 MM (visible) 81.480 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	32
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD1 LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100VHTM2OESW35034




Attributes:

Size	86.560 x 11.890 MM (visible) 86.560 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	36
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD1 LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100VHTM2OESW35040




Attributes:

Size	94.180 x 11.890 MM (visible) 94.180 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	42
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD1 LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100VHTM2OESW35050




Attributes:

Size	106.880 x 11.890 MM (visible) 106.880 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD1 LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

LATCON100VHTM2OESW35060




Attributes:

Size	119.580 x 11.890 MM (visible) 119.580 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	62
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD1 LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

LATCON100VHTM2OESW35064



Attributes:

Size	124.660 x 11.890 MM (visible) 124.660 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	66
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD1 LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 38

LATCON100VHTM2OESW350HELP




Scale 1:2

Attributes:

Size	143.710 x 37.920 MM (visible)
	161.490 x 115.770 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	66
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD1
	LCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

LATCON100VHTM2OEW35010




Scale 1:1

Attributes:

Size	56.080 x 11.890 MM (visible)
	56.080 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	12
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

LATCON100VHTM2OEW35014




Scale 1:1

Attributes:

Size	61.160 x 11.890 MM (visible)
	61.160 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

LATCON100VHTM2OEW35016




Scale 1:1

Attributes:

Size	63.700 x 11.890 MM (visible)
	63.700 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	18
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

LATCON100VHTM2OEW35020




Scale 1:1

Attributes:

Size	68.780 x 11.890 MM (visible)
	68.780 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	22
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

LATCON100VHTM2OEW35024



Scale 1:1


Attributes:

Size	73.860 x 11.890 MM (visible)
	73.860 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	26
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 39

LATCON100VHTM2OEW35026




Attributes:

Size	76.400 x 11.890 MM (visible) 76.400 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD3 LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100VHTM2OEW35030




Attributes:

Size	81.480 x 11.890 MM (visible) 81.480 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	32
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD3 LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100VHTM2OEW35034




Attributes:

Size	86.560 x 11.890 MM (visible) 86.560 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	36
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD3 LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100VHTM2OEW35040




Attributes:

Size	94.180 x 11.890 MM (visible) 94.180 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	42
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD3 LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

LATCON100VHTM2OEW35050




Attributes:

Size	106.880 x 11.890 MM (visible) 106.880 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD3 LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:2

LATCON100VHTM2OEW35060




Attributes:

Size	119.580 x 11.890 MM (visible) 119.580 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	62
ConnPads	LCON100T_LLB_HOLE1 LCON100T_LLB_PAD3 LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date
symbols	NYE	09.11.17

LATCON100VHTM2OEW35064




Scale 1:2

Attributes:

Size	124.660 x 11.890 MM (visible)
	124.660 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	66
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

LATCON100VHTM2OEW350HELP




Scale 1:2

Attributes:

Size	143.710 x 37.920 MM (visible)
	161.490 x 115.770 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	66
ConnPads	LCON100T_LLB_HOLE1
	LCON100T_LLB_PAD3
	LCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

LCC20




Scale 5:1

Attributes:

Size	9.130 x 9.130 MM (visible)
	9.900 x 10.030 MM (PlaceBound)
Height	2.54 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	20
ConnPads	SMD30_55
	SMD30_94
MechPinCnt	0
MechPads	NA

LCC24




Scale 5:1

Attributes:

Size	10.450 x 10.450 MM (visible)
	11.410 x 11.380 MM (PlaceBound)
Height	2.54 MM
PitchX	1.260 MM
PitchY	1.260 MM
ConnPinCnt	24
ConnPads	SMD30_115
	SMD30_55
MechPinCnt	0
MechPads	NA

LCC28




Scale 5:1

Attributes:

Size	11.720 x 11.720 MM (visible)
	12.960 x 13.060 MM (PlaceBound)
Height	2.54 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	28
ConnPads	SMD30_55
	SMD30_94
MechPinCnt	0
MechPads	NA

LCC32




Scale 2:1

Attributes:

Size	12.590 x 15.130 MM (visible)
	13.200 x 15.740 MM (PlaceBound)
Height	0.76 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	32
ConnPads	SMD25_50
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

LCC44




Scale 2:1

Attributes:

Size	16.810 x 16.820 MM (visible)
	18.040 x 18.030 MM (PlaceBound)
Height	3.05 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	44
ConnPads	SMD30_55
	SMD30_94
MechPinCnt	0
MechPads	NA

LCC48




Scale 5:1

Attributes:

Size	14.850 x 14.580 MM (visible)
	16.260 x 16.260 MM (PlaceBound)
Height	3.05 MM
PitchX	1.010 MM
PitchY	1.010 MM
ConnPinCnt	48
ConnPads	SMD25_48
	SMD25_94
MechPinCnt	0
MechPads	NA

LCC52




Scale 2:1

Attributes:

Size	19.230 x 19.240 MM (visible)
	19.690 x 19.550 MM (PlaceBound)
Height	3.05 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	52
ConnPads	SMD30_57
	SMD30_96
MechPinCnt	0
MechPads	NA

LCC68




Scale 2:1

Attributes:

Size	24.320 x 24.310 MM (visible)
	24.610 x 24.610 MM (PlaceBound)
Height	3.05 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	68
ConnPads	SMD30_57
MechPinCnt	0
MechPads	NA

LCCS18




Scale 5:1

Attributes:

Size	7.750 x 11.200 MM (visible)
	8.380 x 12.200 MM (PlaceBound)
Height	3.05 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	18
ConnPads	SMD30_115
	SMD30_55
MechPinCnt	0
MechPads	NA

LCCS22



Scale 5:1


Attributes:

Size	7.540 x 12.620 MM (visible)
	8.380 x 13.420 MM (PlaceBound)
Height	3.05 MM
PitchX	1.260 MM
PitchY	1.270 MM
ConnPinCnt	22
ConnPads	SMD30_115
	SMD30_55
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 42

LCCS24




Scale 5:1

Attributes:

Size	7.860 x 12.840 MM (visible)
	8.880 x 13.720 MM (PlaceBound)
Height	3.05 MM
PitchX	1.270 MM
PitchY	1.240 MM
ConnPinCnt	24
ConnPads	SMD30_115
	SMD30_55
MechPinCnt	0
MechPads	NA

LCCS28




Scale 5:1

Attributes:

Size	9.120 x 14.260 MM (visible)
	10.160 x 15.240 MM (PlaceBound)
Height	3.05 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	28
ConnPads	SMD30_115
	SMD30_55
MechPinCnt	0
MechPads	NA

LCCS32




Scale 5:1

Attributes:

Size	11.660 x 14.260 MM (visible)
	12.440 x 14.980 MM (PlaceBound)
Height	3.05 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	32
ConnPads	SMD30_115
	SMD30_55
MechPinCnt	0
MechPads	NA

MOT145A



Scale 2:1

Attributes:

Size	28.470 x 28.440 MM (visible)
	29.390 x 29.390 MM (PlaceBound)
Height	7.21 MM
PitchX	9.750 MM
PitchY	NA
ConnPinCnt	5
ConnPads	HOLE210
	SMD335REC350
MechPinCnt	0
MechPads	NA

MOT17




Scale 2:1

Attributes:

Size	3.800 x 16.890 MM (visible)
	3.800 x 17.780 MM (PlaceBound)
Height	3.81 MM
PitchX	NA
PitchY	15.240 MM
ConnPinCnt	2
ConnPads	PAD65CIR43D
MechPinCnt	0
MechPads	NA

MOT193



Scale 5:1

Attributes:


Size	8.680 x 6.380 MM (visible)
	8.710 x 6.350 MM (PlaceBound)
Height	8.69 MM
PitchX	NA
PitchY	NA
ConnPinCnt	0
ConnPads	NA
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

CB Distribution

Size | Cage Code

MOT194_01




Scale 5:1

Attributes:

Size	10.290 x 13.360 MM (visible)
	10.420 x 13.790 MM (PlaceBound)
Height	8.69 MM
PitchX	NA
PitchY	11.330 MM
ConnPinCnt	2
ConnPads	PAD80CIR55D
MechPinCnt	0
MechPads	NA

MOT194_04




Scale 5:1

Attributes:

Size	8.780 x 13.360 MM (visible)
	8.970 x 13.920 MM (PlaceBound)
Height	NA
PitchX	NA
PitchY	11.330 MM
ConnPinCnt	2
ConnPads	PAD80CIR55D
MechPinCnt	0
MechPads	NA

MOT211




Scale 2:1

Attributes:

Size	24.830 x 19.260 MM (visible)
	24.960 x 19.760 MM (PlaceBound)
Height	6.98 MM
PitchX	18.520 MM
PitchY	NA
ConnPinCnt	2
ConnPads	HOLE135
MechPinCnt	0
MechPads	NA

MOT221A




Scale 5:1

Attributes:

Size	10.670 x 4.830 MM (visible)
	10.820 x 5.410 MM (PlaceBound)
Height	16.51 MM
PitchX	2.490 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PAD80CIR55D
MechPinCnt	0
MechPads	NA

MOT244




Scale 2:1

Attributes:

Size	28.440 x 28.470 MM (visible)
	30.480 x 30.480 MM (PlaceBound)
Height	5.21 MM
PitchX	9.650 MM
PitchY	9.650 MM
ConnPinCnt	5
ConnPads	HOLE180
	SMD360REC300
MechPinCnt	0
MechPads	NA

MOT303



Scale 2:1


Attributes:

Size	18.900 x 18.870 MM (visible)
	19.860 x 19.870 MM (PlaceBound)
Height	1.4 MM
PitchX	10.520 MM
PitchY	10.490 MM
ConnPinCnt	4
ConnPads	SMD330REC48
	SMD86REC330
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

MOT305A




Scale 2:1

Attributes:

Size	26.890 x 27.160 MM (visible)
	28.580 x 29.200 MM (PlaceBound)
Height	3.3 MM
PitchX	16.090 MM
PitchY	NA
ConnPinCnt	4
ConnPads	SMD425REC75
	SMD55REC425
MechPinCnt	0
MechPads	NA

MOT309A_02




Scale 2:1

Attributes:

Size	35.210 x 35.200 MM (visible)
	35.330 x 35.360 MM (PlaceBound)
Height	13.97 MM
PitchX	14.500 MM
PitchY	14.500 MM
ConnPinCnt	5
ConnPads	HOLE190
	PAD262REC35
MechPinCnt	0
MechPads	NA

MOT309A_03




Scale 2:1

Attributes:

Size	26.160 x 26.160 MM (visible)
	26.440 x 26.270 MM (PlaceBound)
Height	13.97 MM
PitchX	10.060 MM
PitchY	10.060 MM
ConnPinCnt	5
ConnPads	HOLE190
	PAD262REC35
MechPinCnt	0
MechPads	NA

MOT317




Scale 2:1

Attributes:

Size	20.470 x 23.720 MM (visible)
	21.600 x 24.770 MM (PlaceBound)
Height	2.54 MM
PitchX	12.340 MM
PitchY	NA
ConnPinCnt	4
ConnPads	SMD80REC317
	SMD80REC320
MechPinCnt	0
MechPads	NA

MOT317A




Scale 2:1

Attributes:

Size	12.850 x 23.720 MM (visible)
	13.210 x 24.490 MM (PlaceBound)
Height	2.54 MM
PitchX	NA
PitchY	NA
ConnPinCnt	3
ConnPads	SMD80REC317
	SMD80REC320
MechPinCnt	0
MechPads	NA

MOT332



Scale 2:1


Attributes:

Size	20.730 x 19.500 MM (visible)
	21.370 x 20.550 MM (PlaceBound)
Height	6.22 MM
PitchX	6.530 MM
PitchY	6.550 MM
ConnPinCnt	5
ConnPads	HOLE180
	SMD140REC250
	SMD300REC250
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

MOT332A




Scale 2:1

Attributes:

Size	20.370 x 19.500 MM (visible)
	21.130 x 20.480 MM (PlaceBound)
Height	3.81 MM
PitchX	12.750 MM
PitchY	13.150 MM
ConnPinCnt	4
ConnPads	SMD140REC250
	SMD300REC250
MechPinCnt	0
MechPads	NA

MOT339




Scale 5:1

Attributes:

Size	10.670 x 7.870 MM (visible)
	10.820 x 8.000 MM (PlaceBound)
Height	20.96 MM
PitchX	5.330 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD80CIR55D
MechPinCnt	0
MechPads	NA

MOT357C




Scale 1:1

Attributes:

Size	92.260 x 20.780 MM (visible)
	93.750 x 21.260 MM (PlaceBound)
Height	16 MM
PitchX	40.000 MM
PitchY	NA
ConnPinCnt	3
ConnPads	HOLE190
	HOLE285
MechPinCnt	0
MechPads	NA

MOT361A




Scale 2:1

Attributes:

Size	29.370 x 20.570 MM (visible)
	30.370 x 21.060 MM (PlaceBound)
Height	5.21 MM
PitchX	NA
PitchY	14.300 MM
ConnPinCnt	4
ConnPads	HOLE145
	SMD435REC220
MechPinCnt	0
MechPads	NA

MOT60




Scale 2:1

Attributes:

Size	11.440 x 16.330 MM (visible)
	11.680 x 17.060 MM (PlaceBound)
Height	11.43 MM
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	PAD93CIR56D
MechPinCnt	0
MechPads	NA

MPAK



Scale 5:1


Attributes:

Size	3.800 x 4.830 MM (visible)
	4.390 x 3.530 MM (PlaceBound)
Height	1.3 MM
PitchX	NA
PitchY	1.940 MM
ConnPinCnt	3
ConnPads	SMD60REC40
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

MPAK4




Attributes:

Size	3.500 x 4.800 MM (visible)
	4.110 x 3.510 MM (PlaceBound)
Height	1.19 MM
PitchX	2.180 MM
PitchY	1.930 MM
ConnPinCnt	4
ConnPads	SMD52REC32
	SMD52REC48
MechPinCnt	0
MechPads	NA

Scale 5:1

MQUAD28



Attributes:

Size	12.450 x 12.450 MM (visible)
	12.700 x 12.700 MM (PlaceBound)
Height	0.66 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	28
ConnPads	SMD25_50
	SMD50_25
MechPinCnt	0
MechPads	NA

Scale 5:1

MTG125




Attributes:

Size	3.180 x 3.180 MM (visible)
	3.880 x 3.880 MM (PlaceBound)
Height	NA
PitchX	NA
PitchY	NA
ConnPinCnt	0
ConnPads	NA
MechPinCnt	1
MechPads	PAD125

Scale 5:1

MTG250



Attributes:

Size	6.350 x 6.350 MM (visible)
	NA
Height	NA
PitchX	NA
PitchY	NA
ConnPinCnt	0
ConnPads	NA
MechPinCnt	1
MechPads	PAD250

Scale 5:1

MTHOLE1



Attributes:

Size	12.820 x 5.960 MM (visible)
	3.560 x 3.560 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	100R110
MechPinCnt	0
MechPads	NA

Scale 5:1

MTHOLE2



Attributes:

Size	12.820 x 5.960 MM (visible)
	3.560 x 3.560 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	100R110
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 47

MTHOLE3



Scale 5:1

Attributes:

Size	12.820 x 5.960 MM (visible)
	3.560 x 3.560 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	100R110
MechPinCnt	0
MechPads	NA

MULTIBUS




Scale 1:5

Attributes:

Size	297.180 x 150.500 MM (visible)
	NA
Height	NA
PitchX	NA
PitchY	NA
ConnPinCnt	0
ConnPads	NA
MechPinCnt	4
MechPads	HOLE109P

MULTICON30



Scale 1:1

Attributes:

Size	74.930 x 10.160 MM (visible)
	75.700 x 8.380 MM (PlaceBound)
Height	NA
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	60
ConnPads	MULTI30B
	MULTI30T
MechPinCnt	0
MechPads	NA

MULTICON43




Scale 1:2

Attributes:

Size	168.780 x 11.430 MM (visible)
	169.460 x 8.380 MM (PlaceBound)
Height	NA
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	86
ConnPads	MULTI43B
	MULTI43T
MechPinCnt	0
MechPads	NA

NATL_M




Scale 5:1

Attributes:

Size	7.010 x 4.040 MM (visible)
	7.190 x 2.640 MM (PlaceBound)
Height	6.6 MM
PitchX	2.690 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PAD50CIR30D
MechPinCnt	0
MechPads	NA

NEC_SP



Scale 5:1


Attributes:

Size	7.010 x 5.610 MM (visible)
	7.090 x 4.110 MM (PlaceBound)
Height	11.99 MM
PitchX	1.700 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PAD40CIR33D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

NS_H02A




Attributes:

Size	5.960 x 7.500 MM (visible)
	6.060 x 6.090 MM (PlaceBound)
Height	2.67 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD30CIR20D
MechPinCnt	0
MechPads	NA

Scale 5:1

OSC84P




Attributes:

Size	12.820 x 15.310 MM (visible)
	9.780 x 9.780 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	7.620 MM
ConnPinCnt	4
ConnPads	T3_1
	T4_1
MechPinCnt	0
MechPads	NA

Scale 2:1

PC104J1P1HEADER




Attributes:

Size	83.920 x 8.700 MM (visible)
	81.480 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	PC104_LLB_PAD3
	PC104_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

PC104J2P2HEADER



Attributes:

Size	54.070 x 8.700 MM (visible)
	49.100 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	40
ConnPads	PC104_LLB_PAD1
	PC104_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

PCI32BIT5VFINGERS




Attributes:

Size	115.740 x 12.910 MM (visible)
	82.110 x 9.850 MM (PlaceBound)
Height	0.03 MM
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	120
ConnPads	PCI_LLB_PAD3
	PCI_LLB_PAD4
	PCI_LLB_PAD5
	PCI_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 1:2

PCI32BIT5VSOCKET



Attributes:


Size	85.290 x 13.480 MM (visible)
	85.290 x 9.700 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	122
ConnPads	PCI_LLB_HOLE1
	PCI_LLB_PAD1
	PCI_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PGA100




Scale 2:1

Attributes:

Size	27.940 x 27.940 MM (visible)
	27.940 x 27.940 MM (PlaceBound)
Height	5.33 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	101
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA10050100D034W1100




Scale 2:1

Attributes:

Size	29.410 x 32.200 MM (visible)
	29.410 x 29.410 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	100
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1005064D034W1100




Scale 2:1

Attributes:

Size	29.410 x 32.200 MM (visible)
	29.410 x 29.410 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1005068D034W1100




Scale 2:1

Attributes:

Size	29.410 x 32.200 MM (visible)
	29.410 x 29.410 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	68
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1005084D034W1100




Scale 2:1

Attributes:

Size	29.410 x 32.200 MM (visible)
	29.410 x 29.410 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA101




Scale 2:1

Attributes:

Size	33.020 x 33.020 MM (visible)
	34.280 x 34.280 MM (PlaceBound)
Height	5.08 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	101
ConnPads	PGA
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

PGA108




Scale 2:1

Attributes:

Size	32.000 x 32.000 MM (visible)
	32.000 x 32.000 MM (PlaceBound)
Height	10.34 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	108
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA108_BIT




Scale 2:1

Attributes:

Size	32.000 x 32.000 MM (visible)
	32.000 x 32.000 MM (PlaceBound)
Height	10.34 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	108
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA11050108D034W1200




Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	108
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA11050112D034W1200




Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	112
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA11050116D034W1200




Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	116
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA11050121D034W1200




Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	121
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

PGA1105068D034W1200




Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	68
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1105069D034W1200




Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	69
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1105070D034W1200




Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	70
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1105072AD034W1200




Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	72
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1105072BD034W1200




Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	72
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1105073D034W1200




Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	73
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1105076D034W1200




Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	76
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1105084AD034W1200



Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1105084BD034W1200

Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1105085D034W1200

Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	85
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1105088D034W1200

Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	88
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1105096D034W1200


Scale 2:1

Attributes:

Size	31.950 x 34.740 MM (visible)
	31.950 x 31.950 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	96
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

PGA120




Scale 2:1

Attributes:

Size	34.280 x 34.280 MM (visible)
	35.560 x 35.560 MM (PlaceBound)
Height	4.06 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	120
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA12050108D034W1300




Scale 2:1

Attributes:

Size	34.490 x 37.280 MM (visible)
	34.490 x 34.490 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	108
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA12050109D034W1300




Scale 2:1

Attributes:

Size	34.490 x 37.280 MM (visible)
	34.490 x 34.490 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	109
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA12050144D034W1300




Scale 2:1

Attributes:

Size	34.490 x 37.280 MM (visible)
	34.490 x 34.490 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	144
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1205044D034W1300




Scale 1:1

Attributes:

Size	34.490 x 37.280 MM (visible)
	34.490 x 34.490 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	44
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1205084D034W1300



Scale 1:1


Attributes:

Size	34.490 x 37.280 MM (visible)
	34.490 x 34.490 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 54

CB Distribution

PGA1205089D034W1300




Scale 2:1

Attributes:

Size	34.490 x 37.280 MM (visible)
	34.490 x 34.490 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	89
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA124




Scale 2:1

Attributes:

Size	35.560 x 35.560 MM (visible)
	35.560 x 35.560 MM (PlaceBound)
Height	12.7 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	124
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA125




Scale 2:1

Attributes:

Size	37.080 x 37.080 MM (visible)
	37.080 x 37.080 MM (PlaceBound)
Height	5.46 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	125
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA13050100D034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	100
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA13050101D034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	101
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA13050114D034W1400



Scale 1:1


Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	114
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 55

CB Distribution

PGA13050120AD034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	120
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA13050120BD034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	120
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA13050121D034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	121
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA13050124AD034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	124
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA13050124BD034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	124
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA13050128AD034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	128
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

PGA13050128BD034W1400




Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	128
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 1:1

PGA13050132D034W1400




Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	132
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 1:1

PGA13050133AD034W1400




Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	133
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 1:1

PGA13050133BD034W1400




Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	133
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 1:1

PGA13050144D034W1400




Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	144
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 1:1

PGA13050169D034W1400




Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	169
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

PGA1305084D034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1305085D034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	85
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1305088AD034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	88
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1305088BD034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	88
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1305089D034W1400




Scale 1:1

Attributes:

Size	37.030 x 39.820 MM (visible)
	37.030 x 37.030 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	89
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA132



Scale 2:1


Attributes:

Size	37.080 x 37.080 MM (visible)
	37.080 x 37.080 MM (PlaceBound)
Height	5.46 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	132
ConnPads	PGA
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PGA132_CI




Scale 2:1

Attributes:

Size	34.280 x 34.280 MM (visible)
	35.560 x 35.560 MM (PlaceBound)
Height	3.81 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	132
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA132_X




Scale 2:1

Attributes:

Size	34.280 x 34.280 MM (visible)
	35.560 x 35.560 MM (PlaceBound)
Height	4.32 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	133
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA133




Scale 2:1

Attributes:

Size	34.280 x 34.280 MM (visible)
	35.560 x 35.560 MM (PlaceBound)
Height	6.35 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	133
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA14050101D034W1500




Scale 1:1

Attributes:

Size	39.570 x 42.360 MM (visible)
	39.570 x 39.570 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	101
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA14050132D034W1500




Scale 1:1

Attributes:

Size	39.570 x 42.360 MM (visible)
	39.570 x 39.570 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	132
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA14050133D034W1500



Scale 1:1


Attributes:

Size	39.570 x 42.360 MM (visible)
	39.570 x 39.570 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	133
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PGA14050160D034W1400




Scale 1:1

Attributes:

Size	39.570 x 42.360 MM (visible)
	39.570 x 39.570 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	160
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA14050179D034W1500




Scale 1:1

Attributes:

Size	39.570 x 42.360 MM (visible)
	39.570 x 39.570 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	179
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA14050180D034W1500




Scale 1:1

Attributes:

Size	39.570 x 42.360 MM (visible)
	39.570 x 39.570 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	180
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA14050184D034W1500




Scale 1:1

Attributes:

Size	39.570 x 42.360 MM (visible)
	39.570 x 39.570 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	184
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA14050196D034W1500




Scale 1:1

Attributes:

Size	39.570 x 42.360 MM (visible)
	39.570 x 39.570 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	196
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA1405095D034W1500



Scale 1:1


Attributes:

Size	39.570 x 42.360 MM (visible)
	39.570 x 39.570 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	96
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PGA144




Scale 1:1

Attributes:

Size	39.620 x 39.620 MM (visible)
	39.620 x 39.620 MM (PlaceBound)
Height	5.46 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	145
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA145_AMD




Scale 1:1

Attributes:

Size	39.620 x 39.620 MM (visible)
	39.620 x 39.620 MM (PlaceBound)
Height	10.41 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	145
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA15050100D034W1600




Scale 1:1

Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	100
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA15050104D034W1600




Scale 1:1

Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	104
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA15050144D034W1600




Scale 1:1

Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	144
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA15050145D034W1600



Scale 1:1


Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	145
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 61

CB Distribution

PGA15050149AD034W1600




Scale 1:1

Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	149
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA15050149BD034W1600




Scale 1:1

Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	149
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA15050156D034W1600




Scale 1:1

Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	156
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA15050176D034W1600




Scale 1:1

Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	176
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA15050179D034W1600




Scale 1:1

Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	179
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA15050180D034W1600



Scale 1:1


Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	180
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 62

CB Distribution

PGA15050181D034W1600




Scale 1:1

Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	181
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA15050212D034W1600




Scale 1:1

Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	212
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA15050223D034W1600




Scale 1:1

Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	223
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA15050225D034W1600




Scale 1:1

Attributes:

Size	42.110 x 44.900 MM (visible)
	42.110 x 42.110 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	225
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA156




Scale 1:1

Attributes:

Size	41.900 x 41.900 MM (visible)
	43.180 x 43.180 MM (PlaceBound)
Height	3.81 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	156
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA156_X



Scale 1:1


Attributes:

Size	39.360 x 39.360 MM (visible)
	40.640 x 40.640 MM (PlaceBound)
Height	5.08 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	156
ConnPads	PGA
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PGA156_X_TI




Scale 1:1

Attributes:

Size	39.360 x 39.360 MM (visible)
	39.340 x 39.340 MM (PlaceBound)
Height	5.08 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	156
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA16050155D034W1700




Scale 1:1

Attributes:

Size	44.650 x 47.440 MM (visible)
	44.650 x 44.650 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	155
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA16050156D034W1700




Scale 1:1

Attributes:

Size	44.650 x 47.440 MM (visible)
	44.650 x 44.650 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	156
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA16050160D034W1700




Scale 1:1

Attributes:

Size	44.650 x 47.440 MM (visible)
	44.650 x 44.650 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	160
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA16050172D034W1700




Scale 1:1

Attributes:

Size	44.650 x 47.440 MM (visible)
	44.650 x 44.650 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	172
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA16050256D034W1700



Scale 1:1


Attributes:

Size	44.650 x 47.440 MM (visible)
	44.650 x 44.650 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	256
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PGA168




Scale 1:1

Attributes:

Size	44.700 x 44.700 MM (visible)
	44.700 x 44.700 MM (PlaceBound)
Height	7.24 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	168
ConnPads	PGA
	PGA_SQ
MechPinCnt	0
MechPads	NA

PGA169




Scale 1:1

Attributes:

Size	44.700 x 44.700 MM (visible)
	44.700 x 44.700 MM (PlaceBound)
Height	7.24 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	169
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA17050168D034W1800




Scale 1:1

Attributes:

Size	47.190 x 49.980 MM (visible)
	47.190 x 47.190 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	168
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA17050169D034W1800




Scale 1:1

Attributes:

Size	47.190 x 49.980 MM (visible)
	47.190 x 47.190 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	169
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA17050188D034W1800




Scale 1:1

Attributes:

Size	47.190 x 49.980 MM (visible)
	47.190 x 47.190 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	188
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA17050208D034W1800




Scale 1:1

Attributes:

Size	47.190 x 49.980 MM (visible)
	47.190 x 47.190 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	208
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

PGA17050209D034W1800




Scale 1:1

Attributes:

Size	47.190 x 49.980 MM (visible)
	47.190 x 47.190 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	209
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA17050225D034W1800




Scale 1:1

Attributes:

Size	47.190 x 49.980 MM (visible)
	47.190 x 47.190 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	225
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA17050240D034W1800




Scale 1:1

Attributes:

Size	47.190 x 49.980 MM (visible)
	47.190 x 47.190 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	240
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA17050289D034W1800




Scale 1:1

Attributes:

Size	47.190 x 49.980 MM (visible)
	47.190 x 47.190 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	289
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA172




Scale 1:1

Attributes:

Size	43.180 x 43.180 MM (visible)
	43.180 x 43.180 MM (PlaceBound)
Height	19.05 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	172
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA175



Scale 1:1


Attributes:

Size	42.160 x 42.160 MM (visible)
	42.160 x 42.160 MM (PlaceBound)
Height	5.46 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	175
ConnPads	PGA
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PGA176




Scale 1:1

Attributes:

Size	39.360 x 39.360 MM (visible)
	40.640 x 40.640 MM (PlaceBound)
Height	5.08 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	176
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA179




Scale 1:1

Attributes:

Size	47.240 x 47.240 MM (visible)
	47.240 x 47.240 MM (PlaceBound)
Height	7.24 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	179
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA18050179AD034W1900




Scale 1:1

Attributes:

Size	49.730 x 52.520 MM (visible)
	49.730 x 49.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	179
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA18050179BD034W1900




Scale 1:1

Attributes:

Size	49.730 x 52.520 MM (visible)
	49.730 x 49.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	179
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA18050191D034W1900




Scale 1:1

Attributes:

Size	49.730 x 52.520 MM (visible)
	49.730 x 49.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	191
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA18050324D034W1900




Scale 1:1

Attributes:

Size	49.730 x 52.520 MM (visible)
	49.730 x 49.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	324
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

PGA19050240D034W2000




Scale 1:1

Attributes:

Size	52.270 x 55.060 MM (visible)
	52.270 x 52.270 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	240
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA19050280D034W2000




Scale 1:1

Attributes:

Size	52.270 x 55.060 MM (visible)
	52.270 x 52.270 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	280
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA19050361D034W2000




Scale 1:1

Attributes:

Size	52.270 x 55.060 MM (visible)
	52.270 x 52.270 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	361
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA20050400D034W2100




Scale 1:1

Attributes:

Size	54.810 x 57.600 MM (visible)
	54.810 x 54.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	400
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA21050273D034W2200




Scale 1:1

Attributes:

Size	57.350 x 60.140 MM (visible)
	57.350 x 57.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	273
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA21050441D034W2200



Scale 1:1


Attributes:

Size	57.350 x 60.140 MM (visible)
	57.350 x 57.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	441
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PGA35050325D028W1900




Scale 1:1

Attributes:

Size	49.730 x 52.520 MM (visible)
	49.730 x 49.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	325
ConnPads	PGA_LLB_PAD3_1
	PGA_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

PGA68




Scale 2:1

Attributes:

Size	27.940 x 27.940 MM (visible)
	27.940 x 27.940 MM (PlaceBound)
Height	12.7 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	68
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA68_SQ




Scale 2:1

Attributes:

Size	29.460 x 29.460 MM (visible)
	29.460 x 29.460 MM (PlaceBound)
Height	5.46 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	68
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA69




Scale 2:1

Attributes:

Size	29.460 x 29.460 MM (visible)
	29.460 x 29.460 MM (PlaceBound)
Height	5.46 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	69
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA805044D034W900




Scale 2:1

Attributes:

Size	24.330 x 27.120 MM (visible)
	24.330 x 24.330 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	44
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA805064D034W900



Scale 2:1


Attributes:

Size	24.330 x 27.120 MM (visible)
	24.330 x 24.330 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 69

PGA84




Scale 2:1

Attributes:

Size	27.940 x 27.940 MM (visible)
	27.940 x 27.940 MM (PlaceBound)
Height	5.08 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	PGA
MechPinCnt	0
MechPads	NA

PGA84_SQ




Scale 2:1

Attributes:

Size	27.980 x 27.980 MM (visible)
	27.960 x 27.960 MM (PlaceBound)
Height	NA
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	PGA
	PGA_SQ
MechPinCnt	0
MechPads	NA

PGA905052D034W1000




Scale 2:1

Attributes:

Size	26.870 x 29.660 MM (visible)
	26.870 x 26.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA905056D034W1000




Scale 2:1

Attributes:

Size	26.870 x 29.660 MM (visible)
	26.870 x 26.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	56
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA905072D034W1000




Scale 2:1

Attributes:

Size	26.870 x 29.660 MM (visible)
	26.870 x 26.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	72
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PGA905076D034W1000



Scale 2:1


Attributes:

Size	26.870 x 29.660 MM (visible)
	26.870 x 26.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	76
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PGA905081D034W1000




Scale 2:1

Attributes:

Size	26.870 x 29.660 MM (visible)
	26.870 x 26.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	81
ConnPads	PGA_LLB_PAD1_1
	PGA_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

PLCC100




Scale 1:1

Attributes:

Size	36.450 x 39.230 MM (visible)
	36.830 x 36.840 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	100
ConnPads	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC100SMS1600




Scale 1:1

Attributes:

Size	40.870 x 43.630 MM (visible)
	40.890 x 40.840 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	102
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC100SMS1625




Scale 1:1

Attributes:

Size	41.480 x 44.270 MM (visible)
	41.480 x 41.480 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	102
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC100SMS1650




Scale 1:1

Attributes:

Size	42.110 x 44.910 MM (visible)
	42.110 x 42.120 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	102
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC100TMS1625



Scale 1:1


Attributes:

Size	41.480 x 44.270 MM (visible)
	41.480 x 41.480 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	100
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PLCC100TMS1650




Scale 1:1

Attributes:

Size	42.120 x 44.910 MM (visible)
	42.120 x 42.120 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	100
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC100TMS1675




Scale 1:1

Attributes:

Size	42.740 x 45.530 MM (visible)
	42.740 x 42.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	100
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC124




Scale 1:1

Attributes:

Size	44.070 x 46.850 MM (visible)
	44.450 x 44.440 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	124
ConnPads	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC18




Scale 5:1

Attributes:

Size	8.630 x 13.880 MM (visible)
	9.400 x 14.480 MM (PlaceBound)
Height	3.56 MM
PitchX	1.260 MM
PitchY	1.270 MM
ConnPinCnt	18
ConnPads	SMD25_50
MechPinCnt	0
MechPads	NA

PLCC18244X384




Scale 5:1

Attributes:

Size	12.820 x 12.050 MM (visible)
	13.210 x 9.650 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	18
ConnPads	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

PLCC18244X444



Scale 5:1


Attributes:

Size	14.600 x 12.310 MM (visible)
	14.990 x 9.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	18
ConnPads	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PLCC20




Scale 5:1

Attributes:

Size	9.910 x 9.910 MM (visible)
	10.160 x 10.160 MM (PlaceBound)
Height	4.57 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	20
ConnPads	SMD25_50
	SMD50_25
MechPinCnt	0
MechPads	NA

PLCC20SMS575




Scale 2:1

Attributes:

Size	15.150 x 17.590 MM (visible)
	15.490 x 14.800 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	22
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

PLCC20SMS600




Scale 2:1

Attributes:

Size	15.470 x 18.230 MM (visible)
	15.490 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	22
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

PLCC20TMS625




Scale 2:1

Attributes:

Size	16.080 x 18.870 MM (visible)
	16.080 x 16.080 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC20TMS650




Scale 2:1

Attributes:

Size	16.720 x 19.510 MM (visible)
	16.720 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC20TMS675



Scale 2:1


Attributes:

Size	17.340 x 20.130 MM (visible)
	17.340 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PLCC22244X444




Scale 5:1

Attributes:

Size	14.600 x 12.310 MM (visible)
	14.990 x 9.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	22
ConnPads	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

PLCC28




Scale 2:1

Attributes:

Size	13.590 x 16.370 MM (visible)
	13.970 x 13.960 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	28
ConnPads	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC28310X510




Scale 5:1

Attributes:

Size	16.130 x 13.830 MM (visible)
	16.510 x 11.440 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	28
ConnPads	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC28SMS675




Scale 2:1

Attributes:

Size	17.690 x 20.130 MM (visible)
	18.030 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	30
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC28SMS700




Scale 2:1

Attributes:

Size	18.010 x 20.770 MM (visible)
	18.030 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	30
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC28TMS725



Scale 2:1


Attributes:

Size	18.620 x 21.410 MM (visible)
	18.620 x 18.620 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PLCC28TMS750




Attributes:

Size	19.260 x 22.050 MM (visible)
	19.260 x 19.260 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

PLCC28TMS775




Attributes:

Size	19.880 x 22.670 MM (visible)
	19.880 x 19.880 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 2:1

PLCC32




Attributes:

Size	16.130 x 16.370 MM (visible)
	16.510 x 13.960 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	32
ConnPads	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 2:1

PLCC32SMS650X750




Attributes:

Size	20.030 x 19.620 MM (visible)
	20.570 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	34
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 2:1

PLCC32SMS675X775




Attributes:

Size	20.230 x 20.130 MM (visible)
	20.570 x 17.340 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	34
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 2:1

PLCC32SMS700X800




Attributes:

Size	20.550 x 20.770 MM (visible)
	20.570 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	34
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

PLCC32TMS700X800




Scale 2:1

Attributes:

Size	20.520 x 20.770 MM (visible)
	20.520 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	32
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC32TMS725X825




Scale 2:1

Attributes:

Size	21.160 x 21.410 MM (visible)
	21.160 x 18.620 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	32
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC32TMS750X850




Scale 2:1

Attributes:

Size	21.800 x 22.050 MM (visible)
	21.800 x 19.260 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	32
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC44




Scale 2:1

Attributes:

Size	18.400 x 18.400 MM (visible)
	18.540 x 18.540 MM (PlaceBound)
Height	3.05 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	44
ConnPads	SMD75REC25
MechPinCnt	0
MechPads	NA

PLCC44SMS875




Scale 2:1

Attributes:

Size	22.770 x 25.210 MM (visible)
	23.110 x 22.420 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	46
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC44SMS900



Scale 2:1


Attributes:

Size	23.090 x 25.850 MM (visible)
	23.110 x 23.060 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	46
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 76

PLCC44SMS925




Scale 2:1

Attributes:

Size	23.700 x 26.490 MM (visible)
	23.700 x 23.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	46
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC44TMS925




Scale 2:1

Attributes:

Size	23.700 x 26.490 MM (visible)
	23.700 x 23.700 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	44
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC44TMS950




Scale 2:1

Attributes:

Size	24.340 x 27.120 MM (visible)
	24.340 x 24.340 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	44
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC44TMS975




Scale 2:1

Attributes:

Size	24.960 x 27.750 MM (visible)
	24.960 x 24.960 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	44
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC52




Scale 2:1

Attributes:

Size	21.210 x 23.990 MM (visible)
	21.590 x 21.580 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	52
ConnPads	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC52SMS1000



Scale 2:1


Attributes:

Size	25.630 x 28.390 MM (visible)
	25.650 x 25.600 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	54
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 77

PLCC52SMS1025




Scale 2:1

Attributes:

Size	26.240 x 29.030 MM (visible)
	26.240 x 26.240 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	54
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC52SMS1050




Scale 2:1

Attributes:

Size	26.870 x 29.670 MM (visible)
	26.870 x 26.880 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	54
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC52TMS1025




Scale 2:1

Attributes:

Size	26.240 x 29.030 MM (visible)
	26.240 x 26.240 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC52TMS1050




Scale 2:1

Attributes:

Size	26.880 x 29.670 MM (visible)
	26.880 x 26.880 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC52TMS1075




Scale 2:1

Attributes:

Size	27.500 x 30.290 MM (visible)
	27.500 x 27.500 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	52
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC68



Scale 2:1


Attributes:

Size	26.290 x 29.070 MM (visible)
	26.670 x 26.680 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	68
ConnPads	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PLCC68SMS1200




Scale 2:1

Attributes:

Size	30.710 x 33.470 MM (visible)
	30.730 x 30.680 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	70
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC68SMS1225




Scale 2:1

Attributes:

Size	31.320 x 34.110 MM (visible)
	31.320 x 31.320 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	70
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC68SMS1250




Scale 2:1

Attributes:

Size	31.950 x 34.750 MM (visible)
	31.950 x 31.960 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	70
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC68TMS1225




Scale 2:1

Attributes:

Size	31.320 x 34.110 MM (visible)
	31.320 x 31.320 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	68
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC68TMS1250




Scale 2:1

Attributes:

Size	31.960 x 34.750 MM (visible)
	31.960 x 31.960 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	68
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC68TMS1275




Scale 2:1

Attributes:

Size	32.580 x 35.370 MM (visible)
	32.580 x 32.580 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	68
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

PLCC84




Scale 2:1

Attributes:

Size	29.970 x 29.970 MM (visible)
	30.480 x 30.480 MM (PlaceBound)
Height	5.08 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	84
ConnPads	SMD25_50
	SMD50_25
MechPinCnt	0
MechPads	NA

PLCC84SMS1400




Scale 1:1

Attributes:

Size	35.790 x 38.550 MM (visible)
	35.810 x 35.760 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	86
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC84SMS1425




Scale 1:1

Attributes:

Size	36.400 x 39.190 MM (visible)
	36.400 x 36.400 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	86
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC84SMS1450




Scale 1:1

Attributes:

Size	37.030 x 39.830 MM (visible)
	37.030 x 37.040 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	86
ConnPads	PLCC_LLB_HOLE1
	PLCC_LLB_PAD10_1
	PLCC_LLB_PAD11_1
	PLCC_LLB_PAD12_1
	PLCC_LLB_PAD13_1
	PLCC_LLB_PAD6
	PLCC_LLB_PAD7
	PLCC_LLB_PAD8_1
	PLCC_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

PLCC84TMS1425




Scale 1:1

Attributes:

Size	36.400 x 39.190 MM (visible)
	36.400 x 36.400 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

PLCC84TMS1450




Scale 1:1

Attributes:

Size	37.040 x 39.830 MM (visible)
	37.040 x 37.040 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 80

PLCC84TMS1475




Scale 1:1

Attributes:

Size	37.660 x 40.450 MM (visible)
	37.660 x 37.660 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	84
ConnPads	PLCC_LLB_PAD1
	PLCC_LLB_PAD2
	PLCC_LLB_PAD3_1
	PLCC_LLB_PAD4_1
	PLCC_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44010




Scale 2:1

Attributes:

Size	26.410 x 15.240 MM (visible)
	25.860 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	10
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44011




Scale 2:1

Attributes:

Size	28.950 x 15.240 MM (visible)
	28.400 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	11
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44012




Scale 2:1

Attributes:

Size	31.490 x 15.240 MM (visible)
	30.940 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	12
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44013




Scale 2:1

Attributes:

Size	34.030 x 15.240 MM (visible)
	33.480 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	13
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44014




Scale 2:1

Attributes:

Size	36.570 x 15.240 MM (visible)
	36.020 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	14
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 1

POLCON100RHTM1SQSW44015



Scale 2:1

Attributes:

Size	39.110 x 15.240 MM (visible)
	38.560 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	15
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44016




Scale 2:1

Attributes:

Size	41.650 x 15.240 MM (visible)
	41.100 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	16
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44017



Scale 2:1

Attributes:

Size	44.190 x 15.240 MM (visible)
	43.640 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	17
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44018




Scale 2:1

Attributes:

Size	46.730 x 15.240 MM (visible)
	46.180 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	18
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44019




Scale 2:1

Attributes:

Size	49.270 x 15.240 MM (visible)
	48.720 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	19
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW4402



Scale 2:1

Attributes:

Size	12.820 x 15.240 MM (visible)
	5.540 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 2

POLCON100RHTM1SQSW44020



Scale 1:1

Attributes:

Size	51.810 x 15.240 MM (visible)
	51.260 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	20
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44021



Scale 1:1

Attributes:

Size	54.350 x 15.240 MM (visible)
	53.800 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	21
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44022




Scale 1:1

Attributes:

Size	56.890 x 15.240 MM (visible)
	56.340 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	22
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44023




Scale 1:1

Attributes:

Size	59.430 x 15.240 MM (visible)
	58.880 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	23
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44024



Scale 1:1

Attributes:

Size	61.970 x 15.240 MM (visible)
	61.420 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	24
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44025



Scale 1:1

Attributes:

Size	64.510 x 15.240 MM (visible)
	63.960 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	25
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 3

POLCON100RHTM1SQSW44026



Scale 1:1

Attributes:

Size	67.050 x 15.240 MM (visible)
	66.500 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	26
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44027



Scale 1:1

Attributes:

Size	69.590 x 15.240 MM (visible)
	69.040 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	27
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44028



Scale 1:1

Attributes:

Size	72.130 x 15.240 MM (visible)
	71.580 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	28
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44029




Scale 1:1

Attributes:

Size	74.670 x 15.240 MM (visible)
	74.120 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	29
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW4403



Scale 2:1

Attributes:

Size	12.820 x 15.240 MM (visible)
	8.080 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44030



Scale 1:1

Attributes:

Size	77.210 x 15.240 MM (visible)
	76.660 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	30
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 4

POLCON100RHTM1SQSW44031



Scale 1:1

Attributes:

Size	79.750 x 15.240 MM (visible)
	79.200 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	31
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44032



Scale 1:1

Attributes:

Size	82.290 x 15.240 MM (visible)
	81.740 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	32
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44033



Scale 1:1

Attributes:

Size	84.830 x 15.240 MM (visible)
	84.280 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	33
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44034



Scale 1:1

Attributes:

Size	87.370 x 15.240 MM (visible)
	86.820 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	34
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44035



Scale 1:1

Attributes:

Size	89.910 x 15.240 MM (visible)
	89.360 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	35
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW44036



Scale 1:1


Attributes:

Size	92.450 x 15.240 MM (visible)
	91.900 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	36
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 5

POLCON100RHTM1SQSW4404




Scale 2:1

Attributes:

Size	12.820 x 15.240 MM (visible)
	10.620 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	4
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW4405




Scale 2:1

Attributes:

Size	13.710 x 15.240 MM (visible)
	13.160 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	5
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW4406




Scale 2:1

Attributes:

Size	16.250 x 15.240 MM (visible)
	15.700 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	6
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW4407




Scale 2:1

Attributes:

Size	18.790 x 15.240 MM (visible)
	18.240 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	7
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW4408




Scale 2:1

Attributes:

Size	21.330 x 15.240 MM (visible)
	20.780 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100RHTM1SQSW4409




Scale 2:1

Attributes:

Size	23.870 x 15.240 MM (visible)
	23.320 x 12.450 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	9
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 6

POLCON100VHTM1SQSHELP




Scale 1:2

Attributes:

Size	128.160 x 36.010 MM (visible)
	162.130 x 114.500 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	36
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30010




Scale 2:1

Attributes:

Size	27.230 x 10.770 MM (visible)
	26.400 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	10
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30011




Scale 2:1

Attributes:

Size	29.770 x 10.770 MM (visible)
	28.940 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	11
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30012




Scale 2:1

Attributes:

Size	32.310 x 10.770 MM (visible)
	31.480 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	12
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30013




Scale 2:1

Attributes:

Size	34.850 x 10.770 MM (visible)
	34.020 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	13
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30014



Scale 2:1


Attributes:

Size	37.390 x 10.770 MM (visible)
	36.560 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	14
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 7

POLCON100VHTM1SQSW30015




Scale 2:1

Attributes:

Size	39.930 x 10.770 MM (visible)
	39.100 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	15
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30016




Scale 2:1

Attributes:

Size	42.470 x 10.770 MM (visible)
	41.640 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	16
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30017



Scale 2:1

Attributes:

Size	45.010 x 10.770 MM (visible)
	44.180 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	17
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30018




Scale 2:1

Attributes:

Size	47.550 x 10.770 MM (visible)
	46.720 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	18
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30019




Scale 1:1

Attributes:

Size	50.090 x 10.770 MM (visible)
	49.260 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	19
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW3002



Scale 5:1

Attributes:

Size	12.820 x 10.770 MM (visible)
	6.080 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 8

POLCON100VHTM1SQSW30020



Attributes:

Size	52.630 x 10.770 MM (visible)
	51.800 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	20
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON100VHTM1SQSW30021



Attributes:

Size	55.170 x 10.770 MM (visible)
	54.340 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	21
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON100VHTM1SQSW30022



Attributes:

Size	57.710 x 10.770 MM (visible)
	56.880 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	22
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON100VHTM1SQSW30023



Attributes:

Size	60.250 x 10.770 MM (visible)
	59.420 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	23
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON100VHTM1SQSW30024



Attributes:

Size	62.790 x 10.770 MM (visible)
	61.960 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	24
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON100VHTM1SQSW30025



Attributes:

Size	65.330 x 10.770 MM (visible)
	64.500 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	25
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

POLCON100VHTM1SQSW30026



Attributes:

Size	67.870 x 10.770 MM (visible)
	67.040 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	26
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON100VHTM1SQSW30027



Attributes:

Size	70.410 x 10.770 MM (visible)
	69.580 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	27
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON100VHTM1SQSW30028



Attributes:

Size	72.950 x 10.770 MM (visible)
	72.120 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	28
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON100VHTM1SQSW30029




Attributes:

Size	75.490 x 10.770 MM (visible)
	74.660 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	29
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON100VHTM1SQSW3003



Attributes:

Size	12.820 x 10.770 MM (visible)
	8.620 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

POLCON100VHTM1SQSW30030



Attributes:

Size	78.030 x 10.770 MM (visible)
	77.200 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	30
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 10

POLCON100VHTM1SQSW30031



Scale 1:1

Attributes:

Size	80.570 x 10.770 MM (visible)
	79.740 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	31
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30032



Scale 1:1

Attributes:

Size	83.110 x 10.770 MM (visible)
	82.280 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	32
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30033



Scale 1:1

Attributes:

Size	85.650 x 10.770 MM (visible)
	84.820 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	33
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30034



Scale 1:1

Attributes:

Size	88.190 x 10.770 MM (visible)
	87.360 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	34
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30035



Scale 1:1

Attributes:

Size	90.730 x 10.770 MM (visible)
	89.900 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	35
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW30036



Scale 1:1


Attributes:

Size	93.270 x 10.770 MM (visible)
	92.440 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	36
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 11

POLCON100VHTM1SQSW3004




Scale 5:1

Attributes:

Size	12.820 x 10.770 MM (visible)
	11.160 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	4
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW3005




Scale 5:1

Attributes:

Size	14.530 x 10.770 MM (visible)
	13.700 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	5
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW3006




Scale 5:1

Attributes:

Size	17.070 x 10.770 MM (visible)
	16.240 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	6
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW3007




Scale 5:1

Attributes:

Size	19.610 x 10.770 MM (visible)
	18.780 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	7
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW3008




Scale 2:1

Attributes:

Size	22.150 x 10.770 MM (visible)
	21.320 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON100VHTM1SQSW3009



Scale 2:1


Attributes:

Size	24.690 x 10.770 MM (visible)
	23.860 x 7.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	9
ConnPads	PCON100T_LLB_PAD1
	PCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

POLCON156RHTM1SQSW80010




Scale 2:1

Attributes:

Size	40.630 x 24.880 MM (visible)
	39.820 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	10
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW80011




Scale 2:1

Attributes:

Size	44.740 x 24.880 MM (visible)
	43.790 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	11
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW80012




Scale 2:1

Attributes:

Size	48.540 x 24.880 MM (visible)
	47.750 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	12
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW80013




Scale 1:1

Attributes:

Size	52.500 x 24.880 MM (visible)
	51.710 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	13
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW80014




Scale 1:1

Attributes:

Size	56.670 x 24.880 MM (visible)
	55.670 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	14
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW80015



Scale 1:1


Attributes:

Size	60.690 x 24.880 MM (visible)
	59.640 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	15
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 13

CB Distribution

POLCON156RHTM1SQSW80016




Scale 1:1

Attributes:

Size	64.440 x 24.880 MM (visible)
	63.600 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	16
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW80017




Scale 1:1

Attributes:

Size	68.190 x 24.880 MM (visible)
	67.560 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	17
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW80018




Scale 1:1

Attributes:

Size	72.350 x 24.880 MM (visible)
	71.520 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	18
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW80019




Scale 1:1

Attributes:

Size	76.090 x 24.880 MM (visible)
	75.490 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	19
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW8002




Scale 2:1

Attributes:

Size	12.820 x 24.880 MM (visible)
	8.130 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW80020



Scale 1:1


Attributes:

Size	79.800 x 24.880 MM (visible)
	79.450 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	20
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 14

POLCON156RHTM1SQSW80021




Scale 1:1

Attributes:

Size	83.890 x 24.880 MM (visible)
	83.410 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	21
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW80022




Scale 1:1

Attributes:

Size	87.850 x 24.880 MM (visible)
	87.370 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	22
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW80023




Scale 1:1

Attributes:

Size	91.810 x 24.880 MM (visible)
	91.340 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	23
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW80024




Scale 1:1

Attributes:

Size	95.780 x 24.880 MM (visible)
	95.300 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	24
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW8003




Scale 2:1

Attributes:

Size	12.820 x 24.880 MM (visible)
	12.090 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW8004



Scale 2:1


Attributes:

Size	16.540 x 24.880 MM (visible)
	16.050 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	4
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 15

POLCON156RHTM1SQSW8005




Scale 2:1

Attributes:

Size	20.620 x 24.880 MM (visible)
	20.010 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	5
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW8006




Scale 2:1

Attributes:

Size	24.660 x 24.880 MM (visible)
	23.970 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	6
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW8007




Scale 2:1

Attributes:

Size	28.550 x 24.880 MM (visible)
	27.940 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	7
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW8008




Scale 2:1

Attributes:

Size	32.860 x 24.880 MM (visible)
	31.900 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	8
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156RHTM1SQSW8009




Scale 2:1

Attributes:

Size	36.320 x 24.880 MM (visible)
	35.860 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	9
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156VHTM1SQSW42510



Scale 2:1


Attributes:

Size	41.120 x 14.140 MM (visible)
	40.070 x 11.350 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	10
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 16

POLCON156VHTM1SQSW42511




Scale 2:1

Attributes:

Size	44.870 x 14.110 MM (visible)
	44.040 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	11
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156VHTM1SQSW42512




Scale 2:1

Attributes:

Size	48.560 x 14.110 MM (visible)
	48.000 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	12
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156VHTM1SQSW42513




Scale 1:1

Attributes:

Size	53.060 x 14.110 MM (visible)
	51.960 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	13
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156VHTM1SQSW42514




Scale 1:1

Attributes:

Size	56.390 x 14.110 MM (visible)
	55.920 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	14
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156VHTM1SQSW42515



Scale 1:1

Attributes:

Size	60.470 x 14.110 MM (visible)
	59.890 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	15
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156VHTM1SQSW42516



Scale 1:1


Attributes:

Size	64.300 x 14.110 MM (visible)
	63.850 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	16
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

POLCON156VHTM1SQSW42517




Attributes:

Size	68.470 x 14.110 MM (visible)
	67.810 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	17
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON156VHTM1SQSW42518




Attributes:

Size	72.430 x 14.110 MM (visible)
	71.770 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	18
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON156VHTM1SQSW42519




Attributes:

Size	76.450 x 14.110 MM (visible)
	75.740 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	19
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON156VHTM1SQSW4252




Attributes:

Size	12.820 x 14.110 MM (visible)
	8.380 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

POLCON156VHTM1SQSW42520




Attributes:

Size	80.560 x 14.110 MM (visible)
	79.700 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	20
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON156VHTM1SQSW42521



Attributes:

Size	84.520 x 14.110 MM (visible)
	83.660 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	21
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

POLCON156VHTM1SQSW42522




Attributes:

Size	88.480 x 14.110 MM (visible)
	87.620 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	22
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON156VHTM1SQSW42523




Attributes:

Size	92.440 x 14.110 MM (visible)
	91.590 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	23
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON156VHTM1SQSW42524




Attributes:

Size	96.410 x 14.110 MM (visible)
	95.550 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	24
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

POLCON156VHTM1SQSW4253




Attributes:

Size	12.820 x 14.110 MM (visible)
	12.340 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

POLCON156VHTM1SQSW4254




Attributes:

Size	16.540 x 14.110 MM (visible)
	16.300 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	4
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

POLCON156VHTM1SQSW4255



Attributes:


Size	20.490 x 14.110 MM (visible)
	20.260 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	5
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 19

POLCON156VHTM1SQSW4256




Scale 2:1

Attributes:

Size	24.860 x 14.110 MM (visible)
	24.220 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	6
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156VHTM1SQSW4257




Scale 2:1

Attributes:

Size	28.970 x 14.110 MM (visible)
	28.190 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	7
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156VHTM1SQSW4258




Scale 2:1

Attributes:

Size	33.210 x 14.110 MM (visible)
	32.150 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	8
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156VHTM1SQSW4259



Scale 2:1

Attributes:

Size	36.600 x 14.110 MM (visible)
	36.110 x 11.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	9
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POLCON156VHTM1SQSW425HELP




Scale 1:2

Attributes:

Size	130.020 x 32.370 MM (visible)
	162.120 x 114.500 MM (PlaceBound)
Height	0.03 MM
PitchX	3.960 MM
PitchY	NA
ConnPinCnt	24
ConnPads	PCON156T_LLB_PAD1
	PCON156T_LLB_PAD2
MechPinCnt	0
MechPads	NA

POT



Scale 5:1


Attributes:

Size	10.160 x 7.620 MM (visible)
	10.160 x 7.620 MM (PlaceBound)
Height	6.35 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PAD60CIR42D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

PQFP100




Scale 2:1

Attributes:

Size	19.170 x 25.170 MM (visible)
	20.120 x 26.120 MM (PlaceBound)
Height	3.3 MM
PitchX	0.660 MM
PitchY	0.660 MM
ConnPinCnt	100
ConnPads	SMD65REC13
MechPinCnt	0
MechPads	NA

PQFP100R




Scale 2:1

Attributes:

Size	19.810 x 25.810 MM (visible)
	20.120 x 26.120 MM (PlaceBound)
Height	3.3 MM
PitchX	0.660 MM
PitchY	0.660 MM
ConnPinCnt	100
ConnPads	SMD90REC19
MechPinCnt	0
MechPads	NA

PQFP120




Scale 2:1

Attributes:

Size	33.070 x 33.070 MM (visible)
	33.380 x 33.380 MM (PlaceBound)
Height	3.91 MM
PitchX	0.810 MM
PitchY	0.810 MM
ConnPinCnt	120
ConnPads	SMD90REC19
MechPinCnt	0
MechPads	NA

PQFP132




Scale 2:1

Attributes:

Size	29.310 x 29.310 MM (visible)
	29.620 x 29.620 MM (PlaceBound)
Height	4.57 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	132
ConnPads	SMD90REC19
MechPinCnt	0
MechPads	NA

PQFP160




Scale 2:1

Attributes:

Size	30.990 x 30.990 MM (visible)
	31.300 x 31.300 MM (PlaceBound)
Height	3.91 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	160
ConnPads	SMD50REC19
MechPinCnt	0
MechPads	NA

PQFP164



Scale 2:1


Attributes:

Size	34.390 x 34.390 MM (visible)
	34.720 x 34.720 MM (PlaceBound)
Height	4.57 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	164
ConnPads	SMD90REC19
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 21

PQFP196




Scale 1:1

Attributes:

Size	39.470 x 39.470 MM (visible)
	39.800 x 39.800 MM (PlaceBound)
Height	4.57 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	196
ConnPads	SMD90REC19
MechPinCnt	0
MechPads	NA

PQFP208_CYP




Scale 2:1

Attributes:

Size	31.810 x 31.810 MM (visible)
	32.100 x 32.100 MM (PlaceBound)
Height	3.94 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	208
ConnPads	SMD50REC12
MechPinCnt	0
MechPads	NA

PQFP44




Scale 5:1

Attributes:

Size	13.770 x 13.770 MM (visible)
	14.080 x 14.080 MM (PlaceBound)
Height	2.44 MM
PitchX	0.810 MM
PitchY	0.810 MM
ConnPinCnt	44
ConnPads	SMD50REC19
MechPinCnt	0
MechPads	NA

PQFP52




Scale 5:1

Attributes:

Size	16.720 x 13.480 MM (visible)
	14.120 x 14.940 MM (PlaceBound)
Height	1.02 MM
PitchX	0.660 MM
PitchY	0.660 MM
ConnPinCnt	52
ConnPads	SMD60REC19
MechPinCnt	0
MechPads	NA

PQFP64_TI




Scale 5:1

Attributes:

Size	12.590 x 12.590 MM (visible)
	12.860 x 12.860 MM (PlaceBound)
Height	1.52 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	64
ConnPads	SMD36REC12
MechPinCnt	0
MechPads	NA

PQFP74_NEC



Scale 2:1

Attributes:


Size	24.400 x 24.400 MM (visible)
	24.580 x 24.580 MM (PlaceBound)
Height	4.01 MM
PitchX	0.990 MM
PitchY	0.990 MM
ConnPinCnt	74
ConnPads	SMD25_75
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 22

CB Distribution

PQFP80




Scale 5:1

Attributes:

Size	14.630 x 14.630 MM (visible)
	14.880 x 14.880 MM (PlaceBound)
Height	1.65 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	80
ConnPads	SMD36REC12
MechPinCnt	0
MechPads	NA

PQFP80_TI




Scale 5:1

Attributes:

Size	14.630 x 14.630 MM (visible)
	14.880 x 14.880 MM (PlaceBound)
Height	1.52 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	80
ConnPads	SMD36REC12
MechPinCnt	0
MechPads	NA

QUAD025100WG885




Scale 2:1

Attributes:

Size	24.000 x 26.790 MM (visible)
	24.380 x 24.390 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD73_1
	QUAD_LLB_PAD74_1
	QUAD_LLB_PAD75_1
	QUAD_LLB_PAD76_1
	QUAD_LLB_PAD77_1
	QUAD_LLB_PAD78_1
	QUAD_LLB_PAD79
	QUAD_LLB_PAD80
MechPinCnt	0
MechPads	NA

QUAD025100WG885CTX




Scale 2:1

Attributes:

Size	24.320 x 26.780 MM (visible)
	24.700 x 24.380 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD73_1
	QUAD_LLB_PAD74_1
	QUAD_LLB_PAD75_1
	QUAD_LLB_PAD76_1
	QUAD_LLB_PAD77_1
	QUAD_LLB_PAD78_1
	QUAD_LLB_PAD79
	QUAD_LLB_PAD80
MechPinCnt	0
MechPads	NA

QUAD025132WG1085




Scale 2:1

Attributes:

Size	29.090 x 31.880 MM (visible)
	29.460 x 29.470 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	132
ConnPads	QUAD_LLB_PAD73
	QUAD_LLB_PAD74
	QUAD_LLB_PAD75
	QUAD_LLB_PAD76
	QUAD_LLB_PAD77
	QUAD_LLB_PAD78
	QUAD_LLB_PAD79
	QUAD_LLB_PAD80
MechPinCnt	0
MechPads	NA

QUAD025132WG1085CTX



Scale 2:1


Attributes:

Size	29.400 x 31.870 MM (visible)
	29.780 x 29.460 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	132
ConnPads	QUAD_LLB_PAD73_1
	QUAD_LLB_PAD74_1
	QUAD_LLB_PAD75_1
	QUAD_LLB_PAD76_1
	QUAD_LLB_PAD77_1
	QUAD_LLB_PAD78_1
	QUAD_LLB_PAD79
	QUAD_LLB_PAD80
MechPinCnt	0
MechPads	NA

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 23

CB Distribution

QUAD025132WG1085TMS1




Scale 2:1

Attributes:

Size	30.740 x 34.160 MM (visible)
	30.740 x 31.370 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD1_1
	QUAD_LLB_PAD2_1
	QUAD_LLB_PAD3_1
MechPinCnt	0
MechPads	NA

QUAD025132WG1085TMS2




Scale 2:1

Attributes:

Size	30.740 x 34.160 MM (visible)
	30.740 x 31.370 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD2_1
	QUAD_LLB_PAD3_1
	QUAD_LLB_PAD81
	QUAD_LLB_PAD82
	QUAD_LLB_PAD83_1
MechPinCnt	0
MechPads	NA

QUAD025132WG1085TMS3CTX




Scale 2:1

Attributes:

Size	31.370 x 33.530 MM (visible)
	31.370 x 30.740 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD2_1
	QUAD_LLB_PAD82
	QUAD_LLB_PAD83_1
	QUAD_LLB_PAD84_1
MechPinCnt	0
MechPads	NA

QUAD025132WG1085TMS4CTX




Scale 2:1

Attributes:

Size	31.370 x 33.530 MM (visible)
	31.370 x 30.740 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD2_1
	QUAD_LLB_PAD82
	QUAD_LLB_PAD83_1
	QUAD_LLB_PAD84_1
MechPinCnt	0
MechPads	NA

QUAD025164WG1285




Scale 2:1

Attributes:

Size	34.160 x 36.950 MM (visible)
	34.540 x 34.550 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	164
ConnPads	QUAD_LLB_PAD73_1
	QUAD_LLB_PAD74_1
	QUAD_LLB_PAD75_1
	QUAD_LLB_PAD76_1
	QUAD_LLB_PAD77_1
	QUAD_LLB_PAD78_1
	QUAD_LLB_PAD79
	QUAD_LLB_PAD80
MechPinCnt	0
MechPads	NA

QUAD025164WG1285CTX



Scale 2:1


Attributes:

Size	34.480 x 36.950 MM (visible)
	34.860 x 34.540 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	164
ConnPads	QUAD_LLB_PAD73_1
	QUAD_LLB_PAD74_1
	QUAD_LLB_PAD75_1
	QUAD_LLB_PAD76_1
	QUAD_LLB_PAD77_1
	QUAD_LLB_PAD78_1
	QUAD_LLB_PAD79
	QUAD_LLB_PAD80
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 24

QUAD025196WG1480TMS1




Scale 1:1

Attributes:

Size	45.980 x 49.400 MM (visible)
	45.980 x 46.610 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	196
ConnPads	QUAD_LLB_PAD1_1
	QUAD_LLB_PAD2_1
	QUAD_LLB_PAD3_1
MechPinCnt	0
MechPads	NA

QUAD025196WG1485




Scale 1:1

Attributes:

Size	39.240 x 42.030 MM (visible)
	39.620 x 39.630 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	196
ConnPads	QUAD_LLB_PAD73_1
	QUAD_LLB_PAD74_1
	QUAD_LLB_PAD75_1
	QUAD_LLB_PAD76_1
	QUAD_LLB_PAD77_1
	QUAD_LLB_PAD78_1
	QUAD_LLB_PAD79
	QUAD_LLB_PAD80
MechPinCnt	0
MechPads	NA

QUAD025196WG1485CTX




Scale 1:1

Attributes:

Size	39.560 x 42.030 MM (visible)
	39.940 x 39.620 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	196
ConnPads	QUAD_LLB_PAD73_1
	QUAD_LLB_PAD74_1
	QUAD_LLB_PAD75_1
	QUAD_LLB_PAD76_1
	QUAD_LLB_PAD77_1
	QUAD_LLB_PAD78_1
	QUAD_LLB_PAD79
	QUAD_LLB_PAD80
MechPinCnt	0
MechPads	NA

QUAD02568WG685




Scale 2:1

Attributes:

Size	18.920 x 21.710 MM (visible)
	19.300 x 19.310 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	68
ConnPads	QUAD_LLB_PAD73_1
	QUAD_LLB_PAD74_1
	QUAD_LLB_PAD75_1
	QUAD_LLB_PAD76_1
	QUAD_LLB_PAD77_1
	QUAD_LLB_PAD78_1
	QUAD_LLB_PAD79
	QUAD_LLB_PAD80
MechPinCnt	0
MechPads	NA

QUAD02568WG685CTX




Scale 2:1

Attributes:

Size	19.240 x 21.710 MM (visible)
	19.620 x 19.300 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	68
ConnPads	QUAD_LLB_PAD73_1
	QUAD_LLB_PAD74_1
	QUAD_LLB_PAD75_1
	QUAD_LLB_PAD76_1
	QUAD_LLB_PAD77_1
	QUAD_LLB_PAD78_1
	QUAD_LLB_PAD79
	QUAD_LLB_PAD80
MechPinCnt	0
MechPads	NA

QUAD02584WG785



Scale 2:1


Attributes:

Size	21.460 x 24.250 MM (visible)
	21.840 x 21.850 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	84
ConnPads	QUAD_LLB_PAD73_1
	QUAD_LLB_PAD74_1
	QUAD_LLB_PAD75_1
	QUAD_LLB_PAD76_1
	QUAD_LLB_PAD77_1
	QUAD_LLB_PAD78_1
	QUAD_LLB_PAD79
	QUAD_LLB_PAD80
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 25

QUAD02584WG785CTX




Scale 2:1

Attributes:

Size	21.780 x 24.240 MM (visible)
	22.160 x 21.840 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	84
ConnPads	QUAD_LLB_PAD73_1
	QUAD_LLB_PAD74_1
	QUAD_LLB_PAD75_1
	QUAD_LLB_PAD76_1
	QUAD_LLB_PAD77_1
	QUAD_LLB_PAD78_1
	QUAD_LLB_PAD79
	QUAD_LLB_PAD80
MechPinCnt	0
MechPads	NA

QUAD050100WG1485




Scale 1:1

Attributes:

Size	39.340 x 42.130 MM (visible)
	39.720 x 39.720 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD65_1
	QUAD_LLB_PAD66_1
	QUAD_LLB_PAD67_1
	QUAD_LLB_PAD68_1
	QUAD_LLB_PAD69_1
	QUAD_LLB_PAD70_1
	QUAD_LLB_PAD71
	QUAD_LLB_PAD72
MechPinCnt	0
MechPads	NA

QUAD050100WG1485CTX




Scale 1:1

Attributes:

Size	39.930 x 42.130 MM (visible)
	40.310 x 39.720 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD65_1
	QUAD_LLB_PAD66_1
	QUAD_LLB_PAD67_1
	QUAD_LLB_PAD68_1
	QUAD_LLB_PAD69_1
	QUAD_LLB_PAD70_1
	QUAD_LLB_PAD71
	QUAD_LLB_PAD72
MechPinCnt	0
MechPads	NA

QUAD05036WG685




Scale 2:1

Attributes:

Size	19.020 x 21.810 MM (visible)
	19.400 x 19.400 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	36
ConnPads	QUAD_LLB_PAD65_1
	QUAD_LLB_PAD66_1
	QUAD_LLB_PAD67_1
	QUAD_LLB_PAD69_1
	QUAD_LLB_PAD70_1
	QUAD_LLB_PAD71
	QUAD_LLB_PAD72
MechPinCnt	0
MechPads	NA

QUAD05036WG685CTX




Scale 2:1

Attributes:

Size	19.610 x 21.810 MM (visible)
	19.990 x 19.400 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	36
ConnPads	QUAD_LLB_PAD65_1
	QUAD_LLB_PAD66_1
	QUAD_LLB_PAD67_1
	QUAD_LLB_PAD68_1
	QUAD_LLB_PAD69_1
	QUAD_LLB_PAD70_1
	QUAD_LLB_PAD71
	QUAD_LLB_PAD72
MechPinCnt	0
MechPads	NA

QUAD05044WG785



Scale 2:1

Attributes:


Size	21.560 x 24.350 MM (visible)
	21.940 x 21.940 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	44
ConnPads	QUAD_LLB_PAD65_1
	QUAD_LLB_PAD66_1
	QUAD_LLB_PAD67_1
	QUAD_LLB_PAD68_1
	QUAD_LLB_PAD69_1
	QUAD_LLB_PAD70_1
	QUAD_LLB_PAD71
	QUAD_LLB_PAD72
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 26

CB Distribution

QUAD05044WG785CTX




Scale 2:1

Attributes:

Size	22.150 x 24.350 MM (visible) 22.530 x 21.940 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	44
ConnPads	QUAD_LLB_PAD65_1 QUAD_LLB_PAD66_1 QUAD_LLB_PAD67_1 QUAD_LLB_PAD68_1 QUAD_LLB_PAD69_1 QUAD_LLB_PAD70_1 QUAD_LLB_PAD71 QUAD_LLB_PAD72
MechPinCnt	0
MechPads	NA

QUAD05052WG885



Scale 2:1

Attributes:

Size	24.100 x 26.890 MM (visible) 24.480 x 24.480 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	52
ConnPads	QUAD_LLB_PAD65_1 QUAD_LLB_PAD66_1 QUAD_LLB_PAD67_1 QUAD_LLB_PAD68_1 QUAD_LLB_PAD69_1 QUAD_LLB_PAD70_1 QUAD_LLB_PAD71 QUAD_LLB_PAD72
MechPinCnt	0
MechPads	NA

QUAD05052WG885CTX

Scale 2:1

Attributes:

Size	24.690 x 26.890 MM (visible) 25.070 x 24.480 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	52
ConnPads	QUAD_LLB_PAD65_1 QUAD_LLB_PAD66_1 QUAD_LLB_PAD67_1 QUAD_LLB_PAD68_1 QUAD_LLB_PAD69_1 QUAD_LLB_PAD70_1 QUAD_LLB_PAD71 QUAD_LLB_PAD72
MechPinCnt	0
MechPads	NA


QUAD05068WG1085

Scale 2:1

Attributes:

Size	29.180 x 31.970 MM (visible) 29.560 x 29.560 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	68
ConnPads	QUAD_LLB_PAD65_1 QUAD_LLB_PAD66_1 QUAD_LLB_PAD67_1 QUAD_LLB_PAD68_1 QUAD_LLB_PAD69_1 QUAD_LLB_PAD70_1 QUAD_LLB_PAD71 QUAD_LLB_PAD72
MechPinCnt	0
MechPads	NA

QUAD05068WG1085CTX




Scale 2:1

Attributes:

Size	30.090 x 31.970 MM (visible) 30.460 x 29.560 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	68
ConnPads	QUAD_LLB_PAD65_1 QUAD_LLB_PAD66_1 QUAD_LLB_PAD67_1 QUAD_LLB_PAD68_1 QUAD_LLB_PAD69_1 QUAD_LLB_PAD70_1 QUAD_LLB_PAD71 QUAD_LLB_PAD72
MechPinCnt	0
MechPads	NA

QUAD05084WG1285



Scale 2:1


Attributes:

Size	34.260 x 37.050 MM (visible) 34.640 x 34.640 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	84
ConnPads	QUAD_LLB_PAD65_1 QUAD_LLB_PAD66_1 QUAD_LLB_PAD67_1 QUAD_LLB_PAD68_1 QUAD_LLB_PAD69_1 QUAD_LLB_PAD70_1 QUAD_LLB_PAD71 QUAD_LLB_PAD72
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

QUAD05084WG1285CTX




Scale 2:1

Attributes:

Size	34.850 x 37.050 MM (visible)
	35.230 x 34.640 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.270 MM
ConnPinCnt	84
ConnPads	QUAD_LLB_PAD65_1
	QUAD_LLB_PAD66_1
	QUAD_LLB_PAD67_1
	QUAD_LLB_PAD68_1
	QUAD_LLB_PAD69_1
	QUAD_LLB_PAD70_1
	QUAD_LLB_PAD71
	QUAD_LLB_PAD72
MechPinCnt	0
MechPads	NA

QUAD10M36WG1200




Scale 2:1

Attributes:

Size	13.620 x 16.410 MM (visible)
	14.000 x 14.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	36
ConnPads	QUAD_LLB_PAD106_1
	QUAD_LLB_PAD107_1
	QUAD_LLB_PAD108_1
	QUAD_LLB_PAD109_1
	QUAD_LLB_PAD110_1
	QUAD_LLB_PAD111
	QUAD_LLB_PAD112
MechPinCnt	0
MechPads	NA

QUAD10M44WG1400




Scale 2:1

Attributes:

Size	15.620 x 18.410 MM (visible)
	16.000 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	44
ConnPads	QUAD_LLB_PAD106_1
	QUAD_LLB_PAD107_1
	QUAD_LLB_PAD108_1
	QUAD_LLB_PAD109_1
	QUAD_LLB_PAD110_1
	QUAD_LLB_PAD111
	QUAD_LLB_PAD112
	QUAD_LLB_PAD116_1
MechPinCnt	0
MechPads	NA

QUAD10M52WG1600




Scale 2:1

Attributes:

Size	17.630 x 20.410 MM (visible)
	18.010 x 18.000 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	52
ConnPads	QUAD_LLB_PAD106_1
	QUAD_LLB_PAD107_1
	QUAD_LLB_PAD108_1
	QUAD_LLB_PAD109_1
	QUAD_LLB_PAD110_1
	QUAD_LLB_PAD111
	QUAD_LLB_PAD112
	QUAD_LLB_PAD116_1
MechPinCnt	0
MechPads	NA

QUAD10M52WG1745




Scale 2:1

Attributes:

Size	19.510 x 22.290 MM (visible)
	19.890 x 19.880 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	52
ConnPads	QUAD_LLB_PAD12_1
	QUAD_LLB_PAD13_1
	QUAD_LLB_PAD14_1
	QUAD_LLB_PAD15_1
	QUAD_LLB_PAD16_1
	QUAD_LLB_PAD17_1
	QUAD_LLB_PAD18
	QUAD_LLB_PAD19
MechPinCnt	0
MechPads	NA

QUAD10M52WG1815



Scale 2:1


Attributes:

Size	19.510 x 22.290 MM (visible)
	19.890 x 19.880 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	52
ConnPads	QUAD_LLB_PAD12_1
	QUAD_LLB_PAD13_1
	QUAD_LLB_PAD14_1
	QUAD_LLB_PAD15_1
	QUAD_LLB_PAD16_1
	QUAD_LLB_PAD17_1
	QUAD_LLB_PAD18
	QUAD_LLB_PAD19
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 28

QUAD10M64WG1745X2345




Scale 2:1

Attributes:

Size	25.510 x 22.290 MM (visible)
	25.890 x 19.880 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	64
ConnPads	QUAD_LLB_PAD12_1
	QUAD_LLB_PAD13_1
	QUAD_LLB_PAD14_1
	QUAD_LLB_PAD15_1
	QUAD_LLB_PAD16_1
	QUAD_LLB_PAD17_1
	QUAD_LLB_PAD18
	QUAD_LLB_PAD19
MechPinCnt	0
MechPads	NA

QUAD10M64WG1815X2415




Scale 2:1

Attributes:

Size	25.510 x 22.290 MM (visible)
	25.890 x 19.880 MM (PlaceBound)
Height	0.03 MM
PitchX	1.000 MM
PitchY	1.000 MM
ConnPinCnt	64
ConnPads	QUAD_LLB_PAD12_1
	QUAD_LLB_PAD13_1
	QUAD_LLB_PAD14_1
	QUAD_LLB_PAD15_1
	QUAD_LLB_PAD16_1
	QUAD_LLB_PAD17_1
	QUAD_LLB_PAD18
	QUAD_LLB_PAD19
MechPinCnt	0
MechPads	NA

QUAD40M100WG1400




Scale 2:1

Attributes:

Size	15.590 x 18.380 MM (visible)
	15.970 x 15.970 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD40M100WG1460




Scale 2:1

Attributes:

Size	16.210 x 18.990 MM (visible)
	16.590 x 16.580 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD40M120WG1600




Scale 2:1

Attributes:

Size	17.590 x 20.380 MM (visible)
	17.970 x 17.970 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	120
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD40M120WG1660



Scale 2:1

Attributes:


Size	18.200 x 20.990 MM (visible)
	18.580 x 18.580 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	120
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CB Distribution

QUAD40M176WG2200




Scale 2:1

Attributes:

Size	23.570 x 26.360 MM (visible)
	23.950 x 23.950 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	176
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD40M176WG2260




Scale 2:1

Attributes:

Size	24.190 x 26.970 MM (visible)
	24.570 x 24.560 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	176
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD40M216WG2600




Scale 2:1

Attributes:

Size	27.560 x 30.350 MM (visible)
	27.940 x 27.940 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	216
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD40M216WG2660




Scale 2:1

Attributes:

Size	28.170 x 30.960 MM (visible)
	28.550 x 28.550 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	216
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD40M256WG3000




Scale 2:1

Attributes:

Size	31.550 x 34.340 MM (visible)
	31.930 x 31.930 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	256
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD40M256WG3060



Scale 2:1

Attributes:


Size	32.160 x 34.950 MM (visible)
	32.540 x 32.540 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	256
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CB Distribution

QUAD40M296WG3460




Scale 1:1

Attributes:

Size	36.150 x 38.940 MM (visible)
	36.530 x 36.530 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	296
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD40M336WG3860




Scale 1:1

Attributes:

Size	40.140 x 42.930 MM (visible)
	40.520 x 40.520 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	336
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD40M376WG4260




Scale 1:1

Attributes:

Size	44.120 x 46.910 MM (visible)
	44.500 x 44.500 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	376
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD40M40WG700




Scale 5:1

Attributes:

Size	12.820 x 11.460 MM (visible)
	9.050 x 9.050 MM (PlaceBound)
Height	0.03 MM
PitchX	0.400 MM
PitchY	0.400 MM
ConnPinCnt	40
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD91
MechPinCnt	0
MechPads	NA

QUAD40M64WG900




Scale 5:1

Attributes:

Size	12.820 x 13.460 MM (visible)
	11.040 x 11.050 MM (PlaceBound)
Height	0.03 MM
PitchX	0.400 MM
PitchY	0.400 MM
ConnPinCnt	64
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD40M80WG1200



Scale 2:1


Attributes:

Size	13.600 x 16.390 MM (visible)
	13.980 x 13.980 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	80
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

QUAD40M80WG1260




Scale 2:1

Attributes:

Size	14.210 x 17.000 MM (visible)
	14.590 x 14.590 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	0.390 MM
ConnPinCnt	80
ConnPads	QUAD_LLB_PAD85_1
	QUAD_LLB_PAD86_1
	QUAD_LLB_PAD87_1
	QUAD_LLB_PAD88_1
	QUAD_LLB_PAD89_1
	QUAD_LLB_PAD90_1
	QUAD_LLB_PAD91
	QUAD_LLB_PAD92
MechPinCnt	0
MechPads	NA

QUAD50M100WG1600




Scale 2:1

Attributes:

Size	17.630 x 20.410 MM (visible)
	18.010 x 18.000 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M100WG1610




Scale 2:1

Attributes:

Size	17.470 x 20.260 MM (visible)
	17.850 x 17.850 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M100WG1660




Scale 2:1

Attributes:

Size	18.230 x 21.020 MM (visible)
	18.610 x 18.610 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M128WG1600X2200




Scale 2:1

Attributes:

Size	23.620 x 20.410 MM (visible)
	24.000 x 18.000 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	128
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M128WG2260



Scale 2:1


Attributes:

Size	24.230 x 27.010 MM (visible)
	24.610 x 24.600 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	128
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

QUAD50M144WG2200




Scale 2:1

Attributes:

Size	23.630 x 26.430 MM (visible)
	24.010 x 24.020 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	144
ConnPads	QUAD_LLB_PAD33
	QUAD_LLB_PAD34
	QUAD_LLB_PAD35
	QUAD_LLB_PAD36
	QUAD_LLB_PAD37
	QUAD_LLB_PAD38
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M144WG2260




Scale 2:1

Attributes:

Size	24.250 x 27.040 MM (visible)
	24.630 x 24.630 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	144
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M176WG2600




Scale 2:1

Attributes:

Size	27.640 x 30.430 MM (visible)
	28.020 x 28.020 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	176
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M176WG2660




Scale 2:1

Attributes:

Size	28.250 x 31.040 MM (visible)
	28.630 x 28.630 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	176
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M208WG3000




Scale 2:1

Attributes:

Size	31.640 x 34.430 MM (visible)
	32.020 x 32.020 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	208
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M208WG3060



Scale 2:1

Attributes:


Size	32.260 x 35.040 MM (visible)
	32.640 x 32.630 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	208
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 33

CB Distribution

QUAD50M208WG3070




Scale 2:1

Attributes:

Size	32.150 x 34.940 MM (visible)
	32.530 x 32.530 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	208
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M208WG3070SMS1




Scale 1:1

Attributes:

Size	35.350 x 38.130 MM (visible)
	35.730 x 35.730 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	208
ConnPads	QUAD_LLB_PAD49_1
	QUAD_LLB_PAD50_1
	QUAD_LLB_PAD51_1
	QUAD_LLB_PAD52_1
	QUAD_LLB_PAD53_1
	QUAD_LLB_PAD54_1
	QUAD_LLB_PAD55
	QUAD_LLB_PAD56
MechPinCnt	0
MechPads	NA

QUAD50M216WG3010




Scale 2:1

Attributes:

Size	31.620 x 34.420 MM (visible)
	32.000 x 32.010 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	216
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M240WG3460




Scale 1:1

Attributes:

Size	36.260 x 39.040 MM (visible)
	36.640 x 36.630 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	240
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M272WG3860




Scale 1:1

Attributes:

Size	40.260 x 43.050 MM (visible)
	40.640 x 40.640 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	272
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M304WG4260



Scale 1:1

Attributes:


Size	44.260 x 47.050 MM (visible)
	44.640 x 44.640 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	304
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CB Distribution

QUAD50M304WG4280




Scale 1:1

Attributes:

Size	44.090 x 46.890 MM (visible)
	44.470 x 44.480 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	304
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M304WG4280SMS1




Scale 1:1

Attributes:

Size	47.850 x 50.650 MM (visible)
	48.230 x 48.240 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	304
ConnPads	QUAD_LLB_PAD57_1
	QUAD_LLB_PAD58_1
	QUAD_LLB_PAD59_1
	QUAD_LLB_PAD60_1
	QUAD_LLB_PAD61_1
	QUAD_LLB_PAD62_1
	QUAD_LLB_PAD63
	QUAD_LLB_PAD64
MechPinCnt	0
MechPads	NA

QUAD50M32WG700




Scale 5:1

Attributes:

Size	12.820 x 11.450 MM (visible)
	9.040 x 9.040 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	32
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M48WG900




Scale 5:1

Attributes:

Size	12.820 x 13.450 MM (visible)
	11.040 x 11.040 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	48
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M64WG1200




Scale 2:1

Attributes:

Size	13.630 x 16.420 MM (visible)
	14.010 x 14.010 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	64
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M64WG1260



Scale 2:1


Attributes:

Size	14.240 x 17.030 MM (visible)
	14.620 x 14.620 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	64
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

QUAD50M80WG1400




Scale 2:1

Attributes:

Size	15.630 x 18.420 MM (visible)
	16.010 x 16.010 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	80
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD50M80WG1460




Scale 2:1

Attributes:

Size	16.240 x 19.030 MM (visible)
	16.620 x 16.620 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	80
ConnPads	QUAD_LLB_PAD33_1
	QUAD_LLB_PAD34_1
	QUAD_LLB_PAD35_1
	QUAD_LLB_PAD36_1
	QUAD_LLB_PAD37_1
	QUAD_LLB_PAD38_1
	QUAD_LLB_PAD39
	QUAD_LLB_PAD40
MechPinCnt	0
MechPads	NA

QUAD65M100WG1600X2200




Scale 2:1

Attributes:

Size	23.660 x 20.450 MM (visible)
	24.040 x 18.040 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD101_1
	QUAD_LLB_PAD102_1
	QUAD_LLB_PAD103_1
	QUAD_LLB_PAD104_1
	QUAD_LLB_PAD105
	QUAD_LLB_PAD113_1
	QUAD_LLB_PAD114_1
	QUAD_LLB_PAD115
MechPinCnt	0
MechPads	NA

QUAD65M100WG1745X2345




Scale 2:1

Attributes:

Size	25.540 x 22.280 MM (visible)
	25.920 x 19.870 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M100WG1815X2415




Scale 2:1

Attributes:

Size	25.540 x 22.280 MM (visible)
	25.920 x 19.870 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	100
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M112WG2200



Scale 2:1


Attributes:

Size	23.630 x 26.420 MM (visible)
	24.010 x 24.010 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	112
ConnPads	QUAD_LLB_PAD101_1
	QUAD_LLB_PAD102_1
	QUAD_LLB_PAD103_1
	QUAD_LLB_PAD104_1
	QUAD_LLB_PAD105
	QUAD_LLB_PAD113_1
	QUAD_LLB_PAD114_1
	QUAD_LLB_PAD115
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

QUAD65M112WG2345




Scale 2:1

Attributes:

Size	25.100 x 27.890 MM (visible)
	25.480 x 25.480 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	112
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M136WG2745




Scale 2:1

Attributes:

Size	29.140 x 31.890 MM (visible)
	29.520 x 29.480 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	136
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M144WG3145




Scale 2:1

Attributes:

Size	33.500 x 36.290 MM (visible)
	33.880 x 33.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	144
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M144WG3145TMS1




Scale 1:1

Attributes:

Size	39.630 x 43.050 MM (visible)
	39.620 x 40.260 MM (PlaceBound)
Height	0.03 MM
PitchX	1.950 MM
PitchY	1.950 MM
ConnPinCnt	144
ConnPads	QUAD_LLB_PAD28_1
	QUAD_LLB_PAD29_1
	QUAD_LLB_PAD30_1
	QUAD_LLB_PAD31_1
	QUAD_LLB_PAD32
MechPinCnt	0
MechPads	NA

QUAD65M144WG3215




Scale 2:1

Attributes:

Size	33.500 x 36.290 MM (visible)
	33.880 x 33.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	144
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M160WG3000



Scale 2:1

Attributes:


Size	31.640 x 34.420 MM (visible)
	32.020 x 32.010 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	160
ConnPads	QUAD_LIB_PAD101
	QUAD_LIB_PAD102
	QUAD_LIB_PAD103
	QUAD_LIB_PAD104
	QUAD_LIB_PAD105
	QUAD_LIB_PAD113
	QUAD_LIB_PAD114
	QUAD_LIB_PAD115
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 37

CB Distribution

QUAD65M160WG3145




Scale 2:1

Attributes:

Size	33.520 x 36.300 MM (visible)
	33.900 x 33.890 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	160
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M160WG3145SMS1




Scale 2:1

Attributes:

Size	34.910 x 37.700 MM (visible)
	35.300 x 35.290 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	160
ConnPads	QUAD_LLB_PAD41_1
	QUAD_LLB_PAD42_1
	QUAD_LLB_PAD43_1
	QUAD_LLB_PAD44_1
	QUAD_LLB_PAD45_1
	QUAD_LLB_PAD46_1
	QUAD_LLB_PAD47
	QUAD_LLB_PAD48
MechPinCnt	0
MechPads	NA

QUAD65M160WG3145TMS1




Scale 1:1

Attributes:

Size	39.620 x 43.050 MM (visible)
	39.620 x 40.260 MM (PlaceBound)
Height	0.03 MM
PitchX	1.950 MM
PitchY	1.950 MM
ConnPinCnt	160
ConnPads	QUAD_LLB_PAD28_1
	QUAD_LLB_PAD29_1
	QUAD_LLB_PAD30_1
	QUAD_LLB_PAD31_1
	QUAD_LLB_PAD32
MechPinCnt	0
MechPads	NA

QUAD65M160WG3215




Scale 2:1

Attributes:

Size	33.520 x 36.300 MM (visible)
	33.900 x 33.890 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	160
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M184WG3545




Scale 1:1

Attributes:

Size	37.520 x 40.300 MM (visible)
	37.900 x 37.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	184
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M184WG3615



Scale 1:1


Attributes:

Size	37.520 x 40.300 MM (visible)
	37.900 x 37.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	184
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 38

QUAD65M232WG4345




Scale 1:1

Attributes:

Size	45.500 x 48.290 MM (visible)
	45.880 x 45.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	232
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M232WG4415




Scale 1:1

Attributes:

Size	45.500 x 48.290 MM (visible)
	45.880 x 45.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	232
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M40WG900




Scale 5:1

Attributes:

Size	12.820 x 13.440 MM (visible)
	11.030 x 11.030 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	40
ConnPads	QUAD_LLB_PAD101_1
	QUAD_LLB_PAD102_1
	QUAD_LLB_PAD103_1
	QUAD_LLB_PAD104_1
	QUAD_LLB_PAD105
MechPinCnt	0
MechPads	NA

QUAD65M52WG1200




Scale 2:1

Attributes:

Size	13.670 x 16.460 MM (visible)
	14.050 x 14.050 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	52
ConnPads	QUAD_LLB_PAD101_1
	QUAD_LLB_PAD102_1
	QUAD_LLB_PAD103_1
	QUAD_LLB_PAD104_1
	QUAD_LLB_PAD105
	QUAD_LLB_PAD113_1
	QUAD_LLB_PAD114_1
	QUAD_LLB_PAD115
MechPinCnt	0
MechPads	NA

QUAD65M52WG1345




Scale 2:1

Attributes:

Size	15.500 x 18.290 MM (visible)
	15.880 x 15.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	52
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M52WG1415



Scale 2:1

Attributes:


Size	15.500 x 18.290 MM (visible)
	15.880 x 15.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	52
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CB Distribution

QUAD65M64WG1400




Scale 2:1

Attributes:

Size	15.620 x 18.410 MM (visible)
	16.000 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	64
ConnPads	QUAD_LLB_PAD101_1
	QUAD_LLB_PAD102_1
	QUAD_LLB_PAD103_1
	QUAD_LLB_PAD104_1
	QUAD_LLB_PAD105
	QUAD_LLB_PAD113_1
	QUAD_LLB_PAD114_1
	QUAD_LLB_PAD115
MechPinCnt	0
MechPads	NA

QUAD65M80WG1600




Scale 2:1

Attributes:

Size	17.660 x 20.450 MM (visible)
	18.040 x 18.040 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	80
ConnPads	QUAD_LLB_PAD101_1
	QUAD_LLB_PAD102_1
	QUAD_LLB_PAD103_1
	QUAD_LLB_PAD104_1
	QUAD_LLB_PAD105
	QUAD_LLB_PAD113_1
	QUAD_LLB_PAD114_1
	QUAD_LLB_PAD115
MechPinCnt	0
MechPads	NA

QUAD65M80WG1745




Scale 2:1

Attributes:

Size	19.490 x 22.280 MM (visible)
	19.870 x 19.870 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	80
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M80WG1745SMS1




Scale 2:1

Attributes:

Size	21.420 x 24.210 MM (visible)
	21.800 x 21.800 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	80
ConnPads	QUAD_LLB_PAD57_1
	QUAD_LLB_PAD58_1
	QUAD_LLB_PAD59_1
	QUAD_LLB_PAD60_1
	QUAD_LLB_PAD61_1
	QUAD_LLB_PAD62_1
	QUAD_LLB_PAD63
	QUAD_LLB_PAD64
MechPinCnt	0
MechPads	NA

QUAD65M80WG1815




Scale 2:1

Attributes:

Size	19.490 x 22.280 MM (visible)
	19.870 x 19.870 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	80
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

QUAD65M88WG1945



Scale 2:1


Attributes:

Size	21.150 x 23.940 MM (visible)
	21.530 x 21.530 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	0.650 MM
ConnPinCnt	88
ConnPads	QUAD_LLB_PAD10
	QUAD_LLB_PAD11
	QUAD_LLB_PAD4_1
	QUAD_LLB_PAD5_1
	QUAD_LLB_PAD6_1
	QUAD_LLB_PAD7_1
	QUAD_LLB_PAD8_1
	QUAD_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

QUAD80M120WG3145




Scale 2:1

Attributes:

Size	33.080 x 35.870 MM (visible)
	33.460 x 33.460 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	120
ConnPads	QUAD_LLB_PAD20_1
	QUAD_LLB_PAD21_1
	QUAD_LLB_PAD22_1
	QUAD_LLB_PAD23_1
	QUAD_LLB_PAD24_1
	QUAD_LLB_PAD25_1
	QUAD_LLB_PAD26
	QUAD_LLB_PAD27
MechPinCnt	0
MechPads	NA

QUAD80M120WG3215




Scale 2:1

Attributes:

Size	33.080 x 35.870 MM (visible)
	33.460 x 33.460 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	120
ConnPads	QUAD_LLB_PAD20_1
	QUAD_LLB_PAD21_1
	QUAD_LLB_PAD22_1
	QUAD_LLB_PAD23_1
	QUAD_LLB_PAD24_1
	QUAD_LLB_PAD25_1
	QUAD_LLB_PAD26
	QUAD_LLB_PAD27
MechPinCnt	0
MechPads	NA

QUAD80M128WG3145




Scale 2:1

Attributes:

Size	33.110 x 35.900 MM (visible)
	33.490 x 33.490 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	128
ConnPads	QUAD_LLB_PAD20_1
	QUAD_LLB_PAD21_1
	QUAD_LLB_PAD22_1
	QUAD_LLB_PAD23_1
	QUAD_LLB_PAD24_1
	QUAD_LLB_PAD25_1
	QUAD_LLB_PAD26
	QUAD_LLB_PAD27
MechPinCnt	0
MechPads	NA

QUAD80M128WG3215




Scale 2:1

Attributes:

Size	33.110 x 35.900 MM (visible)
	33.490 x 33.490 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	128
ConnPads	QUAD_LLB_PAD20_1
	QUAD_LLB_PAD21_1
	QUAD_LLB_PAD22_1
	QUAD_LLB_PAD23_1
	QUAD_LLB_PAD24_1
	QUAD_LLB_PAD25_1
	QUAD_LLB_PAD26
	QUAD_LLB_PAD27
MechPinCnt	0
MechPads	NA

QUAD80M32WG900




Scale 5:1

Attributes:

Size	12.820 x 13.450 MM (visible)
	11.040 x 11.040 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	32
ConnPads	QUAD_LLB_PAD100
	QUAD_LLB_PAD93_1
	QUAD_LLB_PAD94_1
	QUAD_LLB_PAD95_1
	QUAD_LLB_PAD96_1
	QUAD_LLB_PAD97_1
	QUAD_LLB_PAD98_1
	QUAD_LLB_PAD99
MechPinCnt	0
MechPads	NA

QUAD80M44WG1200



Scale 2:1


Attributes:

Size	13.660 x 16.460 MM (visible)
	14.040 x 14.050 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	44
ConnPads	QUAD_LLB_PAD100
	QUAD_LLB_PAD93_1
	QUAD_LLB_PAD94_1
	QUAD_LLB_PAD95_1
	QUAD_LLB_PAD96_1
	QUAD_LLB_PAD97_1
	QUAD_LLB_PAD98_1
	QUAD_LLB_PAD99
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

QUAD80M44WG1345




Scale 2:1

Attributes:

Size	15.500 x 18.280 MM (visible)
	15.880 x 15.870 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	44
ConnPads	QUAD_LLB_PAD20_1
	QUAD_LLB_PAD21_1
	QUAD_LLB_PAD22_1
	QUAD_LLB_PAD23_1
	QUAD_LLB_PAD24_1
	QUAD_LLB_PAD25_1
	QUAD_LLB_PAD26
	QUAD_LLB_PAD27
MechPinCnt	0
MechPads	NA

QUAD80M44WG1415




Scale 2:1

Attributes:

Size	15.500 x 18.280 MM (visible)
	15.880 x 15.870 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	44
ConnPads	QUAD_LLB_PAD20_1
	QUAD_LLB_PAD21_1
	QUAD_LLB_PAD22_1
	QUAD_LLB_PAD23_1
	QUAD_LLB_PAD24_1
	QUAD_LLB_PAD25_1
	QUAD_LLB_PAD26
	QUAD_LLB_PAD27
MechPinCnt	0
MechPads	NA

QUAD80M52WG1400




Scale 2:1

Attributes:

Size	15.620 x 18.410 MM (visible)
	16.000 x 16.000 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	52
ConnPads	QUAD_LLB_PAD100
	QUAD_LLB_PAD93_1
	QUAD_LLB_PAD94_1
	QUAD_LLB_PAD95_1
	QUAD_LLB_PAD96_1
	QUAD_LLB_PAD97_1
	QUAD_LLB_PAD98_1
	QUAD_LLB_PAD99
MechPinCnt	0
MechPads	NA

QUAD80M64WG1600




Scale 2:1

Attributes:

Size	17.620 x 20.410 MM (visible)
	18.000 x 18.000 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	64
ConnPads	QUAD_LLB_PAD100
	QUAD_LLB_PAD93_1
	QUAD_LLB_PAD94_1
	QUAD_LLB_PAD95_1
	QUAD_LLB_PAD96_1
	QUAD_LLB_PAD97_1
	QUAD_LLB_PAD98_1
	QUAD_LLB_PAD99
MechPinCnt	0
MechPads	NA

QUAD80M64WG1745




Scale 2:1

Attributes:

Size	19.500 x 22.280 MM (visible)
	19.880 x 19.870 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	64
ConnPads	QUAD_LLB_PAD20_1
	QUAD_LLB_PAD21_1
	QUAD_LLB_PAD22_1
	QUAD_LLB_PAD23_1
	QUAD_LLB_PAD24_1
	QUAD_LLB_PAD25_1
	QUAD_LLB_PAD26
	QUAD_LLB_PAD27
MechPinCnt	0
MechPads	NA

QUAD80M64WG1815



Scale 2:1


Attributes:

Size	19.500 x 22.280 MM (visible)
	19.880 x 19.870 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	64
ConnPads	QUAD_LLB_PAD20_1
	QUAD_LLB_PAD21_1
	QUAD_LLB_PAD22_1
	QUAD_LLB_PAD23_1
	QUAD_LLB_PAD24_1
	QUAD_LLB_PAD25_1
	QUAD_LLB_PAD26
	QUAD_LLB_PAD27
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

QUAD80M80WG1745X2345




Scale 2:1

Attributes:

Size	25.540 x 22.280 MM (visible)
	25.920 x 19.870 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	80
ConnPads	QUAD_LLB_PAD20_1
	QUAD_LLB_PAD21_1
	QUAD_LLB_PAD22_1
	QUAD_LLB_PAD23_1
	QUAD_LLB_PAD24_1
	QUAD_LLB_PAD25_1
	QUAD_LLB_PAD26
	QUAD_LLB_PAD27
MechPinCnt	0
MechPads	NA

QUAD80M80WG1815X2415




Scale 2:1

Attributes:

Size	25.540 x 22.280 MM (visible)
	25.920 x 19.870 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	80
ConnPads	QUAD_LLB_PAD20_1
	QUAD_LLB_PAD21_1
	QUAD_LLB_PAD22_1
	QUAD_LLB_PAD23_1
	QUAD_LLB_PAD24_1
	QUAD_LLB_PAD25_1
	QUAD_LLB_PAD26
	QUAD_LLB_PAD27
MechPinCnt	0
MechPads	NA

QUADB025100WG880




Scale 2:1

Attributes:

Size	24.520 x 27.300 MM (visible)
	24.900 x 24.890 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	100
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB025100WG880CTX




Scale 2:1

Attributes:

Size	25.210 x 27.290 MM (visible)
	25.590 x 24.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	100
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB025100WG880TMS1CTX




Scale 2:1

Attributes:

Size	31.370 x 33.530 MM (visible)
	31.370 x 30.740 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	100
ConnPads	QUADB_LLB_PAD18_1
	QUADB_LLB_PAD19_1
	QUADB_LLB_PAD20
	QUADB_LLB_PAD21_1
MechPinCnt	0
MechPads	NA

QUADB025100WG880TMS2CTX



Scale 2:1


Attributes:

Size	31.370 x 33.530 MM (visible)
	31.370 x 30.740 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	100
ConnPads	QUADB_LLB_PAD18_1
	QUADB_LLB_PAD19_1
	QUADB_LLB_PAD20
	QUADB_LLB_PAD21_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

QUADB025100WG880TMS3




Scale 2:1

Attributes:

Size	30.740 x 34.160 MM (visible)
	30.740 x 31.370 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	100
ConnPads	QUADB_LLB_PAD17_1
	QUADB_LLB_PAD18_1
	QUADB_LLB_PAD22_1
MechPinCnt	0
MechPads	NA

QUADB025100WG880TMS4



Scale 2:1

Attributes:

Size	30.740 x 34.160 MM (visible)
	30.740 x 31.370 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	100
ConnPads	QUADB_LLB_PAD18_1
	QUADB_LLB_PAD19_1
	QUADB_LLB_PAD20
	QUADB_LLB_PAD22_1
	QUADB_LLB_PAD23
MechPinCnt	0
MechPads	NA

QUADB025100WG885

Scale 2:1

Attributes:

Size	24.260 x 27.040 MM (visible)
	24.640 x 24.630 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	100
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA


QUADB025100WG885CTX

Scale 2:1

Attributes:

Size	25.080 x 27.040 MM (visible)
	25.460 x 24.640 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	100
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB025100WG890




Scale 2:1

Attributes:

Size	24.260 x 27.040 MM (visible)
	24.640 x 24.630 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	100
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB025100WG890CTX



Scale 2:1


Attributes:

Size	25.080 x 27.040 MM (visible)
	25.460 x 24.640 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	100
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 44

QUADB025132WG1080




Scale 2:1

Attributes:

Size	29.600 x 32.380 MM (visible)
	29.980 x 29.970 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	132
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB025132WG1080CTX




Scale 2:1

Attributes:

Size	30.610 x 32.380 MM (visible)
	30.990 x 29.980 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	132
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB025132WG1080TMS1CTX




Scale 1:1

Attributes:

Size	36.450 x 38.610 MM (visible)
	36.450 x 35.820 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	132
ConnPads	QUADB_LLB_PAD18_1
	QUADB_LLB_PAD19_1
	QUADB_LLB_PAD21_1
MechPinCnt	0
MechPads	NA

QUADB025132WG1080TMS2CTX




Scale 1:1

Attributes:

Size	36.450 x 38.610 MM (visible)
	36.450 x 35.820 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	132
ConnPads	QUADB_LLB_PAD18_1
	QUADB_LLB_PAD19_1
	QUADB_LLB_PAD21_1
MechPinCnt	0
MechPads	NA

QUADB025132WG1080TMS3




Scale 1:1

Attributes:

Size	35.820 x 39.240 MM (visible)
	35.820 x 36.450 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	132
ConnPads	QUADB_LLB_PAD18_1
	QUADB_LLB_PAD20
	QUADB_LLB_PAD22_1
	QUADB_LLB_PAD23
MechPinCnt	0
MechPads	NA

QUADB025132WG1080TMS4



Scale 1:1


Attributes:

Size	35.820 x 39.240 MM (visible)
	35.820 x 36.450 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	132
ConnPads	QUADB_LLB_PAD17_1
	QUADB_LLB_PAD18_1
	QUADB_LLB_PAD19_1
	QUADB_LLB_PAD20
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

QUADB025132WG1085




Scale 2:1

Attributes:

Size	29.340 x 32.120 MM (visible)
	29.720 x 29.710 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	132
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB025132WG1085CTX




Scale 2:1

Attributes:

Size	30.160 x 32.130 MM (visible)
	30.540 x 29.720 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	132
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB025132WG1090




Scale 2:1

Attributes:

Size	29.340 x 32.120 MM (visible)
	29.720 x 29.710 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	132
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB025132WG1090CTX




Scale 2:1

Attributes:

Size	30.160 x 32.130 MM (visible)
	30.540 x 29.720 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	132
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB025148WG1185




Scale 2:1

Attributes:

Size	31.870 x 34.660 MM (visible)
	32.260 x 32.250 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	148
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB025148WG1185CTX



Scale 2:1


Attributes:

Size	32.700 x 34.660 MM (visible)
	33.080 x 32.260 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	148
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

QUADB025164WG1280




Scale 2:1

Attributes:

Size	34.680 x 37.460 MM (visible)
	35.060 x 35.050 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	164
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB025164WG1280CTX




Scale 2:1

Attributes:

Size	35.370 x 37.460 MM (visible)
	35.750 x 35.060 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	164
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB025164WG1280TMS1




Scale 1:1

Attributes:

Size	40.900 x 44.320 MM (visible)
	40.900 x 41.530 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	164
ConnPads	QUADB_LLB_PAD20
	QUADB_LLB_PAD22_1
	QUADB_LLB_PAD23
MechPinCnt	0
MechPads	NA

QUADB025164WG1280TMS2CTX




Scale 1:1

Attributes:

Size	41.530 x 43.690 MM (visible)
	41.530 x 40.900 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	164
ConnPads	QUADB_LLB_PAD19_1
	QUADB_LLB_PAD20
	QUADB_LLB_PAD21_1
	QUADB_LLB_PAD22_1
MechPinCnt	0
MechPads	NA

QUADB025164WG1285




Scale 1:1

Attributes:

Size	34.420 x 37.200 MM (visible)
	34.800 x 34.790 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	164
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB025164WG1285CTX



Scale 1:1

Attributes:


Size	35.240 x 37.210 MM (visible)
	35.620 x 34.800 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	164
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CB Distribution

QUADB025164WG1290




Scale 2:1

Attributes:

Size	34.420 x 37.200 MM (visible)
	34.800 x 34.790 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	164
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB025164WG1290CTX




Scale 2:1

Attributes:

Size	35.240 x 37.210 MM (visible)
	35.620 x 34.800 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	164
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB025196WG1480




Scale 1:1

Attributes:

Size	39.760 x 42.540 MM (visible)
	40.140 x 40.130 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	196
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB025196WG1480CTX




Scale 1:1

Attributes:

Size	40.450 x 42.540 MM (visible)
	40.830 x 40.140 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	196
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB025196WG1480SMS1CTX




Scale 1:1

Attributes:

Size	42.420 x 44.570 MM (visible)
	42.800 x 42.160 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	196
ConnPads	QUADB_LLB_PAD24
	QUADB_LLB_PAD25
	QUADB_LLB_PAD26_1
	QUADB_LLB_PAD27_1
	QUADB_LLB_PAD28_1
	QUADB_LLB_PAD29_1
	QUADB_LLB_PAD30_1
	QUADB_LLB_PAD31_1
MechPinCnt	0
MechPads	NA

QUADB025196WG1480SMS2



Scale 1:1


Attributes:

Size	41.780 x 44.570 MM (visible)
	42.160 x 42.160 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	196
ConnPads	QUADB_LLB_PAD24
	QUADB_LLB_PAD25
	QUADB_LLB_PAD26_1
	QUADB_LLB_PAD27_1
	QUADB_LLB_PAD28_1
	QUADB_LLB_PAD29_1
	QUADB_LLB_PAD30_1
	QUADB_LLB_PAD31_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

QUADB025244WG1780




Scale 1:1

Attributes:

Size	47.380 x 50.160 MM (visible)
	47.760 x 47.750 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	244
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB025244WG1780CTX




Scale 1:1

Attributes:

Size	48.390 x 50.150 MM (visible)
	48.770 x 47.760 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	244
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB02544WG535




Scale 2:1

Attributes:

Size	15.360 x 18.150 MM (visible)
	15.750 x 15.740 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	44
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB02544WG535CTX




Scale 2:1

Attributes:

Size	16.190 x 18.150 MM (visible)
	16.570 x 15.740 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	44
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB02552WG580




Scale 2:1

Attributes:

Size	16.890 x 19.680 MM (visible)
	17.280 x 17.270 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	52
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB02552WG580CTX




Scale 2:1

Attributes:

Size	17.910 x 19.670 MM (visible)
	18.290 x 17.280 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	52
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

QUADB02552WG585




Scale 2:1

Attributes:

Size	16.630 x 19.420 MM (visible)
	17.020 x 17.010 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	52
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB02552WG585CTX




Scale 2:1

Attributes:

Size	17.460 x 19.420 MM (visible)
	17.840 x 17.020 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	52
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB02568WG680




Scale 2:1

Attributes:

Size	19.440 x 22.220 MM (visible)
	19.820 x 19.810 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	68
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB02568WG680CTX




Scale 2:1

Attributes:

Size	20.450 x 22.220 MM (visible)
	20.830 x 19.820 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	68
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB02568WG685




Scale 2:1

Attributes:

Size	19.180 x 21.960 MM (visible)
	19.560 x 19.550 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	68
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB02568WG685CTX



Scale 2:1


Attributes:

Size	20.000 x 21.970 MM (visible)
	20.380 x 19.560 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	68
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

QUADB02584WG780




Scale 2:1

Attributes:

Size	21.980 x 24.760 MM (visible)
	22.360 x 22.350 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	84
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB02584WG780CTX




Scale 2:1

Attributes:

Size	22.990 x 24.760 MM (visible)
	23.370 x 22.360 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	84
ConnPads	QUADB_LLB_PAD1
	QUADB_LLB_PAD2
	QUADB_LLB_PAD3_1
	QUADB_LLB_PAD4_1
	QUADB_LLB_PAD5_1
	QUADB_LLB_PAD6_1
	QUADB_LLB_PAD7_1
	QUADB_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

QUADB02584WG780TMS1




Scale 2:1

Attributes:

Size	28.200 x 31.620 MM (visible)
	28.200 x 28.830 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	84
ConnPads	QUADB_LLB_PAD17_1
	QUADB_LLB_PAD18_1
	QUADB_LLB_PAD19_1
	QUADB_LLB_PAD22_1
MechPinCnt	0
MechPads	NA

QUADB02584WG785




Scale 2:1

Attributes:

Size	21.720 x 24.500 MM (visible)
	22.100 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	84
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB02584WG785CTX




Scale 2:1

Attributes:

Size	22.540 x 24.500 MM (visible)
	22.920 x 22.100 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	84
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADB02584WG790



Scale 2:1


Attributes:

Size	21.720 x 24.500 MM (visible)
	22.100 x 22.090 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	84
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

QUADB02584WG790CTX




Scale 2:1

Attributes:

Size	22.540 x 24.500 MM (visible)
	22.920 x 22.100 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	0.630 MM
ConnPinCnt	84
ConnPads	QUADB_LLB_PAD10
	QUADB_LLB_PAD11_1
	QUADB_LLB_PAD12_1
	QUADB_LLB_PAD13_1
	QUADB_LLB_PAD14_1
	QUADB_LLB_PAD15_1
	QUADB_LLB_PAD16_1
	QUADB_LLB_PAD9
MechPinCnt	0
MechPads	NA

QUADFLAT24




Scale 2:1

Attributes:

Size	29.300 x 29.300 MM (visible)
	30.610 x 30.610 MM (PlaceBound)
Height	2.16 MM
PitchX	1.260 MM
PitchY	1.260 MM
ConnPinCnt	24
ConnPads	SMD25_360
MechPinCnt	0
MechPads	NA

R70



Scale 1:1

Attributes:

Size	51.340 x 46.360 MM (visible)
	51.920 x 52.250 MM (PlaceBound)
Height	254 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	HOLE800
MechPinCnt	0
MechPads	NA

RAD100X050LS100031




Scale 5:1

Attributes:

Size	12.820 x 4.570 MM (visible)
	4.620 x 2.080 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD100X100LS100031




Scale 5:1

Attributes:

Size	12.820 x 5.530 MM (visible)
	4.620 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD150X100LS100031




Scale 5:1

Attributes:

Size	12.820 x 5.530 MM (visible)
	4.620 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

RAD200X100LS100031




Attributes:

Size	12.820 x 5.530 MM (visible) 5.280 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD200X125LS100031




Attributes:

Size	12.820 x 6.170 MM (visible) 5.280 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD250X125LS200031




Attributes:

Size	12.820 x 6.170 MM (visible) 7.160 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD250X125LS200034




Attributes:

Size	12.820 x 6.170 MM (visible) 7.240 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD300X100LS200031




Attributes:

Size	12.820 x 5.530 MM (visible) 7.820 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD300X125LS200031



Attributes:

Size	12.820 x 6.170 MM (visible) 7.820 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA


Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

CB Distribution

Size | Cage Code |

RAD300X150LS200031




Scale 5:1

Attributes:

Size	12.820 x 6.800 MM (visible)
	7.820 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD300X175LS200031




Scale 5:1

Attributes:

Size	12.820 x 7.430 MM (visible)
	7.820 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD300X200LS200031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	7.820 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD300X225LS200031




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	7.820 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD300X250LS200031




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	7.820 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD300X275LS200031



Scale 5:1

Attributes:


Size	12.820 x 9.970 MM (visible)
	7.820 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 54

CB Distribution

RAD300X300LS200031




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD300X325LS200031




Scale 5:1

Attributes:

Size	12.820 x 11.250 MM (visible)
	7.820 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD325X175LS200031




Scale 5:1

Attributes:

Size	12.820 x 7.430 MM (visible)
	8.460 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD325X200LS200031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	8.460 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD350X175LS200031




Scale 5:1

Attributes:

Size	12.820 x 7.430 MM (visible)
	9.100 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD350X200LS200031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	9.100 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

RAD400X150LS200031




Attributes:

Size	12.820 x 6.800 MM (visible)
	10.360 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD400X150LS200034




Attributes:

Size	12.820 x 6.800 MM (visible)
	10.360 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD400X150LS300031




Attributes:

Size	12.820 x 6.800 MM (visible)
	10.360 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD400X150LS300034




Attributes:

Size	12.820 x 6.800 MM (visible)
	10.360 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD400X175LS300031




Attributes:

Size	12.820 x 7.430 MM (visible)
	10.360 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD400X175LS300034




Attributes:

Size	12.820 x 7.430 MM (visible)
	10.360 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

RAD400X200LS300031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	10.360 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD400X200LS300034




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	10.360 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD400X225LS300031




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	10.360 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD400X225LS300034




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	10.360 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD400X250LS300031




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	10.360 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD400X250LS300034




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	10.360 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

RAD400X275LS300031




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	10.360 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD400X275LS300034




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	10.360 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD400X300LS300031




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	10.360 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD400X300LS300034




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	10.360 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD400X325LS300031




Scale 5:1

Attributes:

Size	12.820 x 11.250 MM (visible)
	10.360 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD400X325LS300034



Scale 5:1


Attributes:

Size	12.820 x 11.250 MM (visible)
	10.360 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 58

RAD425X175LS300031




Attributes:

Size	12.820 x 7.430 MM (visible)
	11.000 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD425X200LS300034




Attributes:

Size	12.820 x 8.070 MM (visible)
	11.000 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD425X225LS300034




Attributes:

Size	12.820 x 8.710 MM (visible)
	11.000 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD425X250LS300034




Attributes:

Size	12.820 x 9.350 MM (visible)
	11.000 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD450X150LS300031




Attributes:

Size	12.820 x 6.800 MM (visible)
	11.640 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

RAD450X150LS300034



Attributes:


Size	12.820 x 6.800 MM (visible)
	11.640 x 4.020 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 59

RAD450X175LS300031




Scale 5:1

Attributes:

Size	12.820 x 7.430 MM (visible)
	11.640 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD450X175LS300034




Scale 5:1

Attributes:

Size	12.820 x 7.430 MM (visible)
	11.640 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD450X200LS300031




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	11.640 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD450X200LS300034




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	11.640 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD450X225LS300031




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	11.640 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD450X225LS300034



Scale 5:1


Attributes:

Size	12.820 x 8.710 MM (visible)
	11.640 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 60

RAD450X250LS300031




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	11.640 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD450X250LS300034




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	11.640 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD450X275LS300031




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	11.640 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD450X275LS300034




Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	11.640 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD450X300LS300031




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	11.640 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD450X300LS300034



Scale 5:1


Attributes:

Size	12.820 x 10.610 MM (visible)
	11.640 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 61

RAD450X325LS300031




Scale 5:1

Attributes:

Size	12.820 x 11.250 MM (visible)
	11.640 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD2
MechPinCnt	0
MechPads	NA

RAD450X325LS300034



Scale 5:1

Attributes:

Size	12.820 x 11.250 MM (visible)
	11.640 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD475X175LS400034




Scale 5:1

Attributes:

Size	12.820 x 7.430 MM (visible)
	12.320 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD475X200LS300034



Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	12.260 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD475X200LS400034




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	12.320 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD475X225LS300034



Scale 5:1


Attributes:

Size	12.820 x 8.710 MM (visible)
	12.260 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

RAD475X225LS400034




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	12.320 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD475X250LS300034




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	12.260 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD475X250LS400034




Scale 5:1

Attributes:

Size	12.820 x 9.350 MM (visible)
	12.320 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD475X275LS400034



Scale 5:1

Attributes:

Size	12.820 x 9.970 MM (visible)
	12.320 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD525X175LS400040



Scale 5:1

Attributes:

Size	13.540 x 7.430 MM (visible)
	13.540 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

RAD525X200LS400040



Scale 5:1


Attributes:

Size	13.540 x 8.070 MM (visible)
	13.540 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

RAD575X225LS400034




Scale 5:1

Attributes:

Size	14.800 x 8.710 MM (visible)
	14.800 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD575X250LS400034




Scale 5:1

Attributes:

Size	14.800 x 9.350 MM (visible)
	14.800 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD575X275LS400034




Scale 5:1

Attributes:

Size	14.800 x 9.970 MM (visible)
	14.800 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD575X300LS400034



Scale 5:1

Attributes:

Size	14.800 x 10.610 MM (visible)
	14.800 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD675X175LS600034



Scale 5:1

Attributes:

Size	17.370 x 7.430 MM (visible)
	17.400 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD675X200LS600034



Scale 5:1

Attributes:

Size	17.370 x 8.070 MM (visible)
	17.400 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

RAD675X225LS600034



Scale 5:1

Attributes:

Size	17.370 x 8.710 MM (visible)
	17.400 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD675X250LS600034



Scale 5:1

Attributes:

Size	17.370 x 9.350 MM (visible)
	17.400 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD675X275LS500034



Scale 5:1

Attributes:

Size	17.340 x 9.970 MM (visible)
	17.340 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD675X275LS600040



Scale 5:1

Attributes:

Size	17.450 x 9.970 MM (visible)
	17.560 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

RAD675X300LS500034



Scale 5:1

Attributes:

Size	17.340 x 10.610 MM (visible)
	17.340 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD675X300LS600040



Scale 5:1

Attributes:

Size	17.450 x 10.610 MM (visible)
	17.560 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

RAD675X325LS600040




Scale 5:1

Attributes:

Size	17.450 x 11.250 MM (visible)
	17.560 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

RAD675X350LS500034



Scale 5:1

Attributes:

Size	17.340 x 11.880 MM (visible)
	17.340 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD675X350LS600040



Scale 5:1

Attributes:

Size	17.450 x 11.880 MM (visible)
	17.560 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

RAD700X200LS600040



Scale 5:1

Attributes:

Size	17.980 x 8.070 MM (visible)
	17.980 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

RAD725X225LS600040



Scale 5:1

Attributes:

Size	17.980 x 8.710 MM (visible)
	17.980 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

RAD725X250LS600040



Scale 5:1

Attributes:

Size	17.980 x 9.350 MM (visible)
	17.980 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

RAD725X275LS600040



Scale 5:1

Attributes:

Size	17.980 x 9.970 MM (visible)
	17.980 x 7.180 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

RAD725X300LS600040



Scale 5:1

Attributes:

Size	17.980 x 10.610 MM (visible)
	17.980 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

RAD725X325LS600040



Scale 5:1

Attributes:

Size	17.980 x 11.250 MM (visible)
	17.980 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

RAD725X350LS600040



Scale 5:1

Attributes:

Size	17.980 x 11.880 MM (visible)
	17.980 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD3
MechPinCnt	0
MechPads	NA

RAD800X325LS600034



Scale 2:1

Attributes:

Size	20.520 x 11.250 MM (visible)
	20.520 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

RAD800X350LS600034



Scale 2:1

Attributes:

Size	20.520 x 11.880 MM (visible)
	20.520 x 9.100 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

RAD800X375LS600034




Attributes:

Size	20.520 x 12.510 MM (visible)
	20.520 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	15.240 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 2:1

RADCK05




Attributes:

Size	12.820 x 5.530 MM (visible)
	7.240 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

RADCK06




Attributes:

Size	12.820 x 5.530 MM (visible)
	7.240 x 2.740 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TM_RAD_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

RELAY1




Attributes:

Size	16.710 x 13.150 MM (visible)
	16.720 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	8
ConnPads	RELAY_LLB_PAD1_1
	RELAY_LLB_PAD4_1
	RELAY_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 5:1

RELAY10




Attributes:

Size	27.830 x 23.950 MM (visible)
	27.830 x 21.160 MM (PlaceBound)
Height	0.03 MM
PitchX	4.060 MM
PitchY	4.440 MM
ConnPinCnt	14
ConnPads	RELAY_LLB_PAD24_1
	RELAY_LLB_PAD25_1
MechPinCnt	0
MechPads	NA

Scale 2:1

RELAY11




Attributes:

Size	12.900 x 10.610 MM (visible)
	12.900 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	6
ConnPads	RELAY_LLB_PAD11_1
	RELAY_LLB_PAD4_1
	RELAY_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

RELAY2




Scale 2:1

Attributes:

Size	20.520 x 14.420 MM (visible)
	20.520 x 11.640 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	9
ConnPads	RELAY_LLB_PAD11_1
	RELAY_LLB_PAD4_1
	RELAY_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

RELAY3




Scale 5:1

Attributes:

Size	12.820 x 13.330 MM (visible)
	9.100 x 10.920 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	8.260 MM
ConnPinCnt	6
ConnPads	RELAY_LLB_PAD26_1
	RELAY_LLB_PAD27_1
MechPinCnt	0
MechPads	NA

RELAY4




Scale 2:1

Attributes:

Size	24.340 x 18.230 MM (visible)
	24.340 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	5
ConnPads	RELAY_LLB_PAD10_1
	RELAY_LLB_PAD12_1
	RELAY_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

RELAY5




Scale 2:1

Attributes:

Size	20.520 x 14.420 MM (visible)
	20.520 x 11.640 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	8
ConnPads	RELAY_LLB_PAD10_1
	RELAY_LLB_PAD8_1
	RELAY_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

RELAY6




Scale 2:1

Attributes:

Size	29.410 x 16.320 MM (visible)
	29.410 x 13.540 MM (PlaceBound)
Height	0.03 MM
PitchX	4.550 MM
PitchY	7.470 MM
ConnPinCnt	6
ConnPads	RELAY_LLB_PAD11_1
	RELAY_LLB_PAD19_1
	RELAY_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

RELAY7



Scale 5:1

Attributes:


Size	15.440 x 10.610 MM (visible)
	15.440 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	8
ConnPads	RELAY_LLB_PAD1_1
	RELAY_LLB_PAD4_1
	RELAY_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

CB Distribution

RELAY8




Scale 5:1

Attributes:

Size	15.440 x 10.610 MM (visible)
	15.440 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	10
ConnPads	RELAY_LLB_PAD1_1
	RELAY_LLB_PAD4_1
	RELAY_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

RELAY9




Scale 2:1

Attributes:

Size	20.520 x 14.420 MM (visible)
	20.520 x 11.640 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	7.620 MM
ConnPinCnt	6
ConnPads	RELAY_LLB_PAD10_1
	RELAY_LLB_PAD8_1
	RELAY_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

RES1000



Scale 2:1

Attributes:

Size	8.120 x 28.450 MM (visible)
	8.120 x 29.460 MM (PlaceBound)
Height	8.89 MM
PitchX	NA
PitchY	25.400 MM
ConnPinCnt	2
ConnPads	PAD120CIR62D
MechPinCnt	0
MechPads	NA

RES400



Scale 5:1

Attributes:

Size	2.540 x 11.810 MM (visible)
	2.540 x 12.200 MM (PlaceBound)
Height	2.54 MM
PitchX	NA
PitchY	10.160 MM
ConnPinCnt	2
ConnPads	PAD65CIR42D
MechPinCnt	0
MechPads	NA

RES500



Scale 5:1

Attributes:

Size	2.540 x 14.220 MM (visible)
	2.540 x 15.240 MM (PlaceBound)
Height	3.18 MM
PitchX	NA
PitchY	12.700 MM
ConnPinCnt	2
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

RES600



Scale 2:1


Attributes:

Size	2.540 x 16.760 MM (visible)
	2.540 x 17.780 MM (PlaceBound)
Height	NA
PitchX	NA
PitchY	15.240 MM
ConnPinCnt	2
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

RES800




Scale 2:1

Attributes:

Size	6.350 x 22.860 MM (visible)
	6.350 x 23.360 MM (PlaceBound)
Height	6.35 MM
PitchX	NA
PitchY	20.320 MM
ConnPinCnt	2
ConnPads	PAD100CIR62D
MechPinCnt	0
MechPads	NA

RESADJ




Scale 5:1

Attributes:

Size	5.080 x 6.600 MM (visible)
	5.080 x 7.120 MM (PlaceBound)
Height	8.89 MM
PitchX	NA
PitchY	5.080 MM
ConnPinCnt	3
ConnPads	PAD60CIR36D
MechPinCnt	0
MechPads	NA

RFBNCR1350




Scale 1:1

Attributes:

Size	16.080 x 38.280 MM (visible)
	16.080 x 35.490 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	4
ConnPads	RF_LLB_HOLE1
	RF_LLB_PAD4
MechPinCnt	0
MechPads	NA

RFSMAR425




Scale 2:1

Attributes:

Size	12.820 x 18.820 MM (visible)
	9.340 x 16.040 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	5
ConnPads	RF_LLB_PAD1
MechPinCnt	0
MechPads	NA

RFSMAR725




Scale 2:1

Attributes:

Size	13.540 x 25.180 MM (visible)
	13.540 x 22.390 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	5
ConnPads	RF_LLB_PAD1
MechPinCnt	0
MechPads	NA

RFSMAV



Scale 5:1


Attributes:

Size	12.820 x 10.150 MM (visible)
	7.740 x 7.740 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	5
ConnPads	RF_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 71

RFSMBR475




Attributes:

Size	12.820 x 19.180 MM (visible)
	8.460 x 16.400 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	5
ConnPads	RF_LLB_PAD2
	RF_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 2:1

RFSMBV




Attributes:

Size	12.820 x 12.510 MM (visible)
	9.720 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	5
ConnPads	RF_LLB_PAD2
	RF_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

RFSSMBR325



Attributes:

Size	12.820 x 13.600 MM (visible)
	4.900 x 10.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	5
ConnPads	RF_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

RFSSMBV




Attributes:

Size	12.820 x 7.230 MM (visible)
	4.740 x 4.740 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	5
ConnPads	RF_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

RFTNCR1350




Attributes:

Size	16.080 x 38.280 MM (visible)
	16.080 x 35.490 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	4
ConnPads	RF_LLB_HOLE1
	RF_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

RFTNCV



Attributes:


Size	16.080 x 18.870 MM (visible)
	16.080 x 16.080 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	4
ConnPads	RF_LLB_HOLE1
	RF_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SBUSVPTM96




Scale 1:1

Attributes:

Size	71.320 x 10.630 MM (visible) 71.330 x 7.840 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	97
ConnPads	SBUS_LLB_HOLE1 SBUS_LLB_PAD1 SBUS_LLB_PAD2 SBUS_LLB_PAD3
MechPinCnt	0
MechPads	NA

SBUSVSTM96




Scale 1:1

Attributes:

Size	71.320 x 10.610 MM (visible) 71.330 x 7.840 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	3.810 MM
ConnPinCnt	97
ConnPads	SBUS_LLB_HOLE1 SBUS_LLB_PAD4_1 SBUS_LLB_PAD5_1 SBUS_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SC59




Scale 5:1

Attributes:

Size	3.810 x 4.690 MM (visible) 4.390 x 3.530 MM (PlaceBound)
Height	1.4 MM
PitchX	NA
PitchY	1.930 MM
ConnPinCnt	3
ConnPads	SMD50REC40
MechPinCnt	0
MechPads	NA

SC70



Scale 5:1

Attributes:

Size	2.750 x 3.900 MM (visible) 3.330 x 2.720 MM (PlaceBound)
Height	1.02 MM
PitchX	NA
PitchY	1.320 MM
ConnPinCnt	3
ConnPads	SMD38REC32
MechPinCnt	0
MechPads	NA

SIMM050FINGERSLP100



Scale 1:2

Attributes:

Size	139.930 x 13.300 MM (visible) 138.530 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	102
ConnPads	SIMM050F_LLB_HOLE1 SIMM050F_LLB_PAD1 SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM050FINGERSLP38



Scale 1:1

Attributes:

Size	61.190 x 13.300 MM (visible) 59.790 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	40
ConnPads	SIMM050F_LLB_HOLE1 SIMM050F_LLB_PAD1 SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 73

SIMM050FINGERSLP40



Scale 1:1

Attributes:

Size	63.730 x 13.300 MM (visible)
	62.330 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	42
ConnPads	SIMM050F_LLB_HOLE1
	SIMM050F_LLB_PAD1
	SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM050FINGERSLP64



Scale 1:1

Attributes:

Size	94.210 x 13.300 MM (visible)
	92.810 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	66
ConnPads	SIMM050F_LLB_HOLE1
	SIMM050F_LLB_PAD1
	SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM050FINGERSLP68



Scale 1:2

Attributes:

Size	99.290 x 13.300 MM (visible)
	97.890 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	70
ConnPads	SIMM050F_LLB_HOLE1
	SIMM050F_LLB_PAD1
	SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM050FINGERSLP72



Scale 1:2

Attributes:

Size	104.370 x 13.300 MM (visible)
	102.970 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	74
ConnPads	SIMM050F_LLB_HOLE1
	SIMM050F_LLB_PAD1
	SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM050FINGERSLP80



Scale 1:2

Attributes:

Size	114.530 x 13.300 MM (visible)
	113.130 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	82
ConnPads	SIMM050F_LLB_HOLE1
	SIMM050F_LLB_PAD1
	SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM050FINGERSRP100



Scale 1:2

Attributes:

Size	139.930 x 13.300 MM (visible)
	138.530 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	102
ConnPads	SIMM050F_LLB_HOLE1
	SIMM050F_LLB_PAD1
	SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SIMM050FINGERSRP38



Scale 1:1

Attributes:

Size	61.190 x 13.300 MM (visible)
	59.790 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	40
ConnPads	SIMM050F_LLB_HOLE1
	SIMM050F_LLB_PAD1
	SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM050FINGERSRP40



Scale 1:1

Attributes:

Size	63.730 x 13.300 MM (visible)
	62.330 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	42
ConnPads	SIMM050F_LLB_HOLE1
	SIMM050F_LLB_PAD1
	SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM050FINGERSRP64



Scale 1:1

Attributes:

Size	94.210 x 13.300 MM (visible)
	92.810 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	66
ConnPads	SIMM050F_LLB_HOLE1
	SIMM050F_LLB_PAD1
	SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM050FINGERSRP68



Scale 1:2

Attributes:

Size	99.290 x 13.300 MM (visible)
	97.890 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	70
ConnPads	SIMM050F_LLB_HOLE1
	SIMM050F_LLB_PAD1
	SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM050FINGERSRP72



Scale 1:2

Attributes:

Size	104.370 x 13.300 MM (visible)
	102.970 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	74
ConnPads	SIMM050F_LLB_HOLE1
	SIMM050F_LLB_PAD1
	SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM050FINGERSRP80



Scale 1:2


Attributes:

Size	114.530 x 13.300 MM (visible)
	113.130 x 10.700 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	82
ConnPads	SIMM050F_LLB_HOLE1
	SIMM050F_LLB_PAD1
	SIMM050F_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SIMM050LPS2LPTM40X2




Attributes:

Size	75.130 x 30.300 MM (visible)
	75.130 x 27.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	12.700 MM
ConnPinCnt	86
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE4
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM050LPS2LPTM56X2




Attributes:

Size	95.450 x 30.300 MM (visible)
	95.450 x 27.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	12.700 MM
ConnPinCnt	118
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE4
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM050LPS2LPTM60X2




Attributes:

Size	100.530 x 30.300 MM (visible)
	100.530 x 27.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	12.700 MM
ConnPinCnt	126
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE4
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050LPS2LPTM64X2




Attributes:

Size	105.610 x 30.300 MM (visible)
	105.610 x 27.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	12.700 MM
ConnPinCnt	134
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE4
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050LPS2LPTM68X2




Attributes:

Size	110.690 x 30.300 MM (visible)
	110.690 x 27.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	12.700 MM
ConnPinCnt	142
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE4
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050LPS2LPTM72X2



Attributes:


Size	115.770 x 30.300 MM (visible)
	115.770 x 27.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	12.700 MM
ConnPinCnt	150
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE4
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 76

SIMM050LPS2LPTM80X2




Attributes:

Size	125.930 x 30.300 MM (visible)
	125.930 x 27.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	12.700 MM
ConnPinCnt	166
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE4
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050LPSLPTM40




Attributes:

Size	75.130 x 17.600 MM (visible)
	75.130 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	43
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE4
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM050LPSLPTM56




Attributes:

Size	95.450 x 17.600 MM (visible)
	95.450 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	59
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE4
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM050LPSLPTM60



Attributes:

Size	100.530 x 17.600 MM (visible)
	100.530 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	63
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE4
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050LPSLPTM64



Attributes:

Size	105.610 x 17.600 MM (visible)
	105.610 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	67
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE4
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050LPSLPTM68



Attributes:

Size	110.690 x 17.600 MM (visible)
	110.690 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	71
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE4
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 77

CB Distribution

SIMM050LPSLPTM72



Attributes:

Size	115.770 x 17.600 MM (visible) 115.770 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	75
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050LPSLPTM80




Attributes:

Size	125.930 x 17.600 MM (visible) 125.930 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	83
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050RSLPTM40




Attributes:

Size	75.130 x 20.780 MM (visible) 75.130 x 16.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	43
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE2 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM050RSLPTM64




Attributes:

Size	105.610 x 20.780 MM (visible) 105.610 x 16.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	67
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE2 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050RSLPTM68




Attributes:

Size	110.690 x 20.780 MM (visible) 110.690 x 16.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	71
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE2 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050RSLPTM72



Attributes:


Size	115.770 x 20.780 MM (visible) 115.770 x 16.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	75
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE2 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 78

SIMM050RSLPTM80




Attributes:

Size	125.930 x 20.780 MM (visible)
	125.930 x 16.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	83
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE2
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050RSLPTM84




Attributes:

Size	131.010 x 20.780 MM (visible)
	131.010 x 16.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	87
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE2
	SIMM050T_LLB_PAD1
	SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050RSRPTM64




Attributes:

Size	105.610 x 18.910 MM (visible)
	105.610 x 16.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	67
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE2
	SIMM050T_LLB_PAD3_1
	SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050RSRPTM68




Attributes:

Size	110.690 x 18.910 MM (visible)
	110.690 x 16.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	71
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE2
	SIMM050T_LLB_PAD3_1
	SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050RSRPTM72




Attributes:

Size	115.770 x 18.910 MM (visible)
	115.770 x 16.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	75
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE2
	SIMM050T_LLB_PAD3_1
	SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050RSRPTM80




Attributes:

Size	125.930 x 18.910 MM (visible)
	125.930 x 16.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	83
ConnPads	SIMM050T_LLB_HOLE1
	SIMM050T_LLB_HOLE2
	SIMM050T_LLB_PAD3_1
	SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

SIMM050VS2LPTM100X2




Attributes:

Size	151.330 x 22.680 MM (visible) 151.330 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	206
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VS2LPTM38X2




Attributes:

Size	72.590 x 22.680 MM (visible) 72.590 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	82
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM050VS2LPTM40X2




Attributes:

Size	75.130 x 22.680 MM (visible) 75.130 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	86
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM050VS2LPTM64X2




Attributes:

Size	105.610 x 22.680 MM (visible) 105.610 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	134
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VS2LPTM68X2




Attributes:

Size	110.690 x 22.680 MM (visible) 110.690 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	142
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VS2LPTM72X2



Attributes:


Size	115.770 x 22.680 MM (visible) 115.770 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	150
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 80

SIMM050VS2LPTM80X2




Attributes:

Size	125.930 x 22.680 MM (visible) 125.930 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	166
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VS2RPTM100X2




Attributes:

Size	151.330 x 22.680 MM (visible) 151.330 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	206
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VS2RPTM38X2




Attributes:

Size	72.590 x 22.680 MM (visible) 72.590 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	82
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM050VS2RPTM40X2



Attributes:

Size	75.130 x 22.680 MM (visible) 75.130 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	86
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM050VS2RPTM64X2




Attributes:

Size	105.610 x 22.680 MM (visible) 105.610 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	134
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VS2RPTM68X2



Attributes:

Size	110.690 x 22.680 MM (visible) 110.690 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	142
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 81

SIMM050VS2RPTM72X2



Attributes:

Size	115.770 x 22.680 MM (visible) 115.770 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	150
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VS2RPTM80X2



Attributes:

Size	125.930 x 22.680 MM (visible) 125.930 x 19.890 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	166
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VSLPTM100




Attributes:

Size	151.330 x 12.520 MM (visible) 151.330 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	103
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VSLPTM38




Attributes:

Size	72.590 x 12.520 MM (visible) 72.590 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	41
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM050VSLPTM40



Attributes:

Size	75.130 x 12.520 MM (visible) 75.130 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	43
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM050VSLPTM64



Attributes:


Size	105.610 x 12.520 MM (visible) 105.610 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	67
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SIMM050VSLPTM68



Attributes:

Size	110.690 x 12.520 MM (visible) 110.690 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	71
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VSLPTM72




Attributes:

Size	115.770 x 12.520 MM (visible) 115.770 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	75
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VSLPTM80



Attributes:

Size	125.930 x 12.520 MM (visible) 125.930 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	83
ConnPads	SIMM050T_LLB_HOLE1 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD1 SIMM050T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VSRPTM100




Attributes:

Size	151.330 x 12.520 MM (visible) 151.330 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	103
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM050VSRPTM38




Attributes:

Size	72.590 x 12.520 MM (visible) 72.590 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	41
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM050VSRPTM40



Attributes:

Size	75.130 x 12.520 MM (visible) 75.130 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	43
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

SIMM050VSRPTM64



Scale 1:2

Attributes:

Size	105.610 x 12.520 MM (visible) 105.610 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	67
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

SIMM050VSRPTM68



Scale 1:2

Attributes:

Size	110.690 x 12.520 MM (visible) 110.690 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	71
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

SIMM050VSRPTM72



Scale 1:2

Attributes:

Size	115.770 x 12.520 MM (visible) 115.770 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	75
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3 SIMM050T_LLB_PAD4
MechPinCnt	0
MechPads	NA

SIMM050VSRPTM80



Scale 1:2

Attributes:

Size	125.930 x 12.520 MM (visible) 125.930 x 9.730 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	83
ConnPads	SIMM050T_LLB_HOLE3 SIMM050T_LLB_HOLE4 SIMM050T_LLB_PAD3_1 SIMM050T_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

SIMM100FINGERSLP22



Scale 1:1

Attributes:

Size	65.380 x 13.410 MM (visible) 65.060 x 11.000 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	24
ConnPads	SIMM100F_LLB_HOLE1 SIMM100F_LLB_PAD1 SIMM100F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM100FINGERSLP30



Scale 1:1

Attributes:

Size	85.320 x 13.430 MM (visible) 84.680 x 10.710 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	32
ConnPads	SIMM100F_LLB_HOLE1 SIMM100F_LLB_PAD1 SIMM100F_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SIMM100FINGERSLP35



Scale 1:1

Attributes:

Size	98.020 x 13.410 MM (visible)
	97.380 x 10.680 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	37
ConnPads	SIMM100F_LLB_HOLE1
	SIMM100F_LLB_PAD1
	SIMM100F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM100FINGERSLP42



Scale 1:2

Attributes:

Size	115.800 x 13.410 MM (visible)
	115.160 x 10.680 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	44
ConnPads	SIMM100F_LLB_HOLE1
	SIMM100F_LLB_PAD1
	SIMM100F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM100FINGERSRP22



Scale 1:1

Attributes:

Size	65.000 x 13.380 MM (visible)
	64.360 x 10.650 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	24
ConnPads	SIMM100F_LLB_HOLE1
	SIMM100F_LLB_PAD1
	SIMM100F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM100FINGERSRP30



Scale 1:1

Attributes:

Size	85.320 x 13.410 MM (visible)
	84.680 x 10.680 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	32
ConnPads	SIMM100F_LLB_HOLE1
	SIMM100F_LLB_PAD1
	SIMM100F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM100FINGERSRP35



Scale 1:1

Attributes:

Size	98.020 x 13.410 MM (visible)
	97.380 x 10.680 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	37
ConnPads	SIMM100F_LLB_HOLE1
	SIMM100F_LLB_PAD1
	SIMM100F_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM100FINGERSRP40



Scale 1:2

Attributes:

Size	110.720 x 13.410 MM (visible)
	110.080 x 10.680 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	42
ConnPads	SIMM100F_LLB_HOLE1
	SIMM100F_LLB_PAD1
	SIMM100F_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SIMM100FINGERSRP42



Attributes:

Size	115.800 x 13.410 MM (visible)
	115.160 x 10.680 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	44
ConnPads	SIMM100F_LLB_HOLE1
	SIMM100F_LLB_PAD1
	SIMM100F_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM100FINGERSRP45




Attributes:

Size	123.420 x 13.410 MM (visible)
	122.780 x 10.680 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	47
ConnPads	SIMM100F_LLB_HOLE1
	SIMM100F_LLB_PAD1
	SIMM100F_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM100LPS2TM30X2




Attributes:

Size	96.720 x 29.340 MM (visible)
	96.720 x 26.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	12.700 MM
ConnPinCnt	64
ConnPads	SIMM100T_LLB_HOLE1
	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM100LPS2TM35X2




Attributes:

Size	109.420 x 29.340 MM (visible)
	109.420 x 26.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	12.700 MM
ConnPinCnt	74
ConnPads	SIMM100T_LLB_HOLE1
	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM100LPS2TM40X2




Attributes:

Size	122.120 x 29.340 MM (visible)
	122.120 x 26.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	12.700 MM
ConnPinCnt	84
ConnPads	SIMM100T_LLB_HOLE1
	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM100LPS2TM42X2



Attributes:


Size	127.200 x 29.340 MM (visible)
	127.200 x 26.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	12.700 MM
ConnPinCnt	88
ConnPads	SIMM100T_LLB_HOLE1
	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SIMM100LPS2TM45X2




Attributes:

Size	134.820 x 29.340 MM (visible)
	134.820 x 26.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	12.700 MM
ConnPinCnt	94
ConnPads	SIMM100T_LLB_HOLE1
	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM100LPSTM30




Attributes:

Size	96.720 x 17.600 MM (visible)
	96.720 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	32
ConnPads	SIMM100T_LLB_HOLE1
	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM100LPSTM35



Attributes:

Size	109.420 x 17.600 MM (visible)
	109.420 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	37
ConnPads	SIMM100T_LLB_HOLE1
	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM100LPSTM40



Attributes:

Size	122.120 x 17.600 MM (visible)
	122.120 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	42
ConnPads	SIMM100T_LLB_HOLE1
	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM100LPSTM42




Attributes:

Size	127.200 x 17.600 MM (visible)
	127.200 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	44
ConnPads	SIMM100T_LLB_HOLE1
	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM100LPSTM45



Attributes:

Size	134.820 x 17.600 MM (visible)
	134.820 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	47
ConnPads	SIMM100T_LLB_HOLE1
	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 87

CB Distribution

SIMM100RSTM30




Scale 1:1

Attributes:

Size	96.720 x 19.200 MM (visible)
	96.720 x 14.810 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	32
ConnPads	SIMM100T_LLB_HOLE1
	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM100VS2TMW30030X2




Scale 1:1

Attributes:

Size	96.720 x 18.230 MM (visible)
	96.720 x 15.440 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	7.620 MM
ConnPinCnt	64
ConnPads	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_HOLE3
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM100VS2TMW40030X2



Scale 1:1

Attributes:

Size	96.720 x 20.770 MM (visible)
	96.720 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	64
ConnPads	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_HOLE3
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM100VS2TMW40035X2



Scale 1:2

Attributes:

Size	109.420 x 20.770 MM (visible)
	109.420 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	74
ConnPads	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_HOLE3
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM100VS2TMW40040X2



Scale 1:2

Attributes:

Size	122.120 x 20.770 MM (visible)
	122.120 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	84
ConnPads	SIMM100T_LLB_HOLE1
	SIMM100T_LLB_HOLE4
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIMM100VS2TMW40042X2



Scale 1:2

Attributes:

Size	127.200 x 20.770 MM (visible)
	127.200 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	88
ConnPads	SIMM100T_LLB_HOLE2
	SIMM100T_LLB_HOLE3
	SIMM100T_LLB_PAD1
	SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SIMM100VS2TMW40045X2




Attributes:

Size	134.820 x 20.770 MM (visible) 134.820 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	10.160 MM
ConnPinCnt	94
ConnPads	SIMM100T_LLB_HOLE2 SIMM100T_LLB_HOLE3 SIMM100T_LLB_PAD1 SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM100VSTM30



Attributes:

Size	96.720 x 10.610 MM (visible) 96.720 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	32
ConnPads	SIMM100T_LLB_HOLE1 SIMM100T_LLB_HOLE2 SIMM100T_LLB_PAD1 SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

SIMM100VSTM35



Attributes:

Size	109.420 x 10.610 MM (visible) 109.420 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	37
ConnPads	SIMM100T_LLB_HOLE1 SIMM100T_LLB_HOLE2 SIMM100T_LLB_PAD1 SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM100VSTM40




Attributes:

Size	122.120 x 10.610 MM (visible) 122.120 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	42
ConnPads	SIMM100T_LLB_HOLE1 SIMM100T_LLB_HOLE2 SIMM100T_LLB_PAD1 SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM100VSTM42




Attributes:

Size	127.200 x 10.610 MM (visible) 127.200 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	44
ConnPads	SIMM100T_LLB_HOLE1 SIMM100T_LLB_HOLE2 SIMM100T_LLB_PAD1 SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

SIMM100VSTM45



Attributes:


Size	134.820 x 10.610 MM (visible) 134.820 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	47
ConnPads	SIMM100T_LLB_HOLE1 SIMM100T_LLB_HOLE2 SIMM100T_LLB_PAD1 SIMM100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 89

SIP10




Attributes:

Size	2.540 x 26.030 MM (visible)
	2.540 x 26.030 MM (PlaceBound)
Height	10.16 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	10
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

Scale 2:1

SIP12




Attributes:

Size	4.940 x 31.110 MM (visible)
	2.540 x 31.110 MM (PlaceBound)
Height	10.16 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	12
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

Scale 2:1

SIP6




Attributes:

Size	2.540 x 15.870 MM (visible)
	2.540 x 15.870 MM (PlaceBound)
Height	10.16 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	6
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

Scale 2:1

SIP8




Attributes:

Size	2.540 x 20.950 MM (visible)
	3.170 x 20.950 MM (PlaceBound)
Height	10.16 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	8
ConnPads	PAD60CIR36D
	PAD60SQ36D
MechPinCnt	0
MechPads	NA

Scale 2:1

SIPSMDILL47516



Attributes:

Size	12.820 x 5.880 MM (visible)
	12.270 x 3.430 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.650 MM
ConnPinCnt	16
ConnPads	SIP_LLB_PAD4
	SIP_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 5:1

SIPSMDILL52518



Attributes:

Size	13.540 x 5.880 MM (visible)
	13.540 x 3.430 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.650 MM
ConnPinCnt	18
ConnPads	SIP_LLB_PAD4
	SIP_LLB_PAD5
MechPinCnt	0
MechPads	NA


Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 90

CB Distribution

SIPSMDILL57520




Attributes:

Size	14.810 x 5.880 MM (visible)
	14.810 x 3.430 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.650 MM
ConnPinCnt	20
ConnPads	SIP_LLB_PAD4
	SIP_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 5:1

SIPSMDILL67524



Attributes:

Size	17.350 x 5.880 MM (visible)
	17.350 x 3.430 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	1.650 MM
ConnPinCnt	24
ConnPads	SIP_LLB_PAD4
	SIP_LLB_PAD5
MechPinCnt	0
MechPads	NA

Scale 5:1

SIPSML4758



Attributes:

Size	12.820 x 5.810 MM (visible)
	12.270 x 3.300 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	8
ConnPads	SIP_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

SIPSML5259



Attributes:

Size	13.540 x 5.810 MM (visible)
	13.540 x 3.300 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	9
ConnPads	SIP_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

SIPSML57510




Attributes:

Size	14.810 x 5.810 MM (visible)
	14.810 x 3.300 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	10
ConnPads	SIP_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

SIPSML67512




Attributes:

Size	17.350 x 5.810 MM (visible)
	17.350 x 3.300 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	12
ConnPads	SIP_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

SIPTML100010




Scale 2:1

Attributes:

Size	25.730 x 5.660 MM (visible)
	25.730 x 2.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	10
ConnPads	SIP_LLB_PAD1
	SIP_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIPTML110011



Scale 2:1

Attributes:

Size	28.270 x 5.660 MM (visible)
	28.270 x 2.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	11
ConnPads	SIP_LLB_PAD1
	SIP_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIPTML120012




Scale 2:1

Attributes:

Size	30.810 x 5.660 MM (visible)
	30.810 x 2.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	12
ConnPads	SIP_LLB_PAD1
	SIP_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIPTML2002




Scale 5:1

Attributes:

Size	12.820 x 5.660 MM (visible)
	5.410 x 2.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SIP_LLB_PAD1
	SIP_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIPTML3003




Scale 5:1

Attributes:

Size	12.820 x 5.660 MM (visible)
	7.950 x 2.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SIP_LLB_PAD1
	SIP_LLB_PAD2
MechPinCnt	0
MechPads	NA

SIPTML4004




Scale 5:1

Attributes:

Size	12.820 x 5.660 MM (visible)
	10.490 x 2.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	4
ConnPads	SIP_LLB_PAD1
	SIP_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 92

SIPTML5005




Attributes:

Size	13.030 x 5.660 MM (visible)
	13.030 x 2.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	5
ConnPads	SIP_LLB_PAD1
	SIP_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

SIPTML6006




Attributes:

Size	15.570 x 5.660 MM (visible)
	15.570 x 2.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	6
ConnPads	SIP_LLB_PAD1
	SIP_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

SIPTML7007




Attributes:

Size	18.110 x 5.660 MM (visible)
	18.110 x 2.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	7
ConnPads	SIP_LLB_PAD1
	SIP_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

SIPTML8008




Attributes:

Size	20.650 x 5.660 MM (visible)
	20.650 x 2.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	SIP_LIB_PAD1
	SIP_LIB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

SIPTML9009



Attributes:

Size	23.190 x 5.660 MM (visible)
	23.190 x 2.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	9
ConnPads	SIP_LLB_PAD1
	SIP_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

SMC0402



Attributes:

Size	12.820 x 4.160 MM (visible)
	2.470 x 1.380 MM (PlaceBound)
Height	0.03 MM
PitchX	1.070 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

SMC0504



Attributes:

Size	12.830 x 4.980 MM (visible)
	3.320 x 2.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.420 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD12_1
	SM_LLB_PAD13
MechPinCnt	0
MechPads	NA

Scale 5:1

SMC0603



Attributes:

Size	12.820 x 4.580 MM (visible)
	3.080 x 1.790 MM (PlaceBound)
Height	0.03 MM
PitchX	1.420 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD7_1
	SM_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMC0805



Attributes:

Size	3.900 x 3.550 MM (visible)
	3.800 x 2.280 MM (PlaceBound)
Height	1.27 MM
PitchX	1.860 MM
PitchY	NA
ConnPinCnt	2
ConnPads	S038X050RCT
MechPinCnt	0
MechPads	NA

Scale 5:1

SMC1206




Attributes:

Size	12.820 x 5.230 MM (visible)
	5.740 x 2.440 MM (PlaceBound)
Height	0.03 MM
PitchX	3.300 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD10_1
	SM_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMC1210




Attributes:

Size	12.820 x 6.250 MM (visible)
	5.930 x 3.460 MM (PlaceBound)
Height	0.03 MM
PitchX	3.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 5:1

SMC1812



Attributes:


Size	12.830 x 6.750 MM (visible)
	7.520 x 3.960 MM (PlaceBound)
Height	0.03 MM
PitchX	4.570 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 94

SMC1825




Attributes:

Size	12.820 x 8.150 MM (visible)
	6.630 x 5.360 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 5:1

SMCT3216




Attributes:

Size	12.820 x 4.980 MM (visible)
	6.690 x 2.180 MM (PlaceBound)
Height	0.03 MM
PitchX	3.200 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD48
MechPinCnt	0
MechPads	NA

Scale 5:1

SMCT321612




Attributes:

Size	12.820 x 4.980 MM (visible)
	6.690 x 2.180 MM (PlaceBound)
Height	0.03 MM
PitchX	3.200 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD48
MechPinCnt	0
MechPads	NA

Scale 5:1

SMCT3528




Attributes:

Size	12.820 x 5.990 MM (visible)
	6.820 x 3.200 MM (PlaceBound)
Height	0.03 MM
PitchX	3.350 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD28
	SM_LLB_PAD29_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMCT352812




Attributes:

Size	12.820 x 5.990 MM (visible)
	6.820 x 3.200 MM (PlaceBound)
Height	0.03 MM
PitchX	3.350 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD28
	SM_LLB_PAD29_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMCT6032



Attributes:


Size	12.820 x 6.500 MM (visible)
	8.860 x 3.700 MM (PlaceBound)
Height	0.03 MM
PitchX	4.980 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD30_1
	SM_LLB_PAD31_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 95

SMCT603212




Scale 5:1

Attributes:

Size	12.820 x 6.500 MM (visible)
	8.860 x 3.700 MM (PlaceBound)
Height	0.03 MM
PitchX	4.980 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD30_1
	SM_LLB_PAD31_1
MechPinCnt	0
MechPads	NA

SMCT7343




Scale 5:1

Attributes:

Size	12.820 x 7.520 MM (visible)
	10.500 x 4.720 MM (PlaceBound)
Height	0.03 MM
PitchX	6.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD32_1
MechPinCnt	0
MechPads	NA

SMCT734312



Scale 5:1

Attributes:

Size	12.820 x 7.520 MM (visible)
	10.500 x 4.720 MM (PlaceBound)
Height	0.03 MM
PitchX	6.600 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD32_1
MechPinCnt	0
MechPads	NA

SMCTHELP



#REFDES

Scale 1:1

Attributes:

Size	52.220 x 33.430 MM (visible)
	162.080 x 114.460 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD25
	SM_LLB_PAD84
MechPinCnt	0
MechPads	NA

SMD0805



Scale 5:1

Attributes:

Size	12.820 x 5.560 MM (visible)
	4.380 x 2.760 MM (PlaceBound)
Height	0.03 MM
PitchX	2.010 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD35_1
	SM_LLB_PAD36_1
MechPinCnt	0
MechPads	NA

SMD080512



Scale 5:1


Attributes:

Size	12.820 x 5.610 MM (visible)
	4.380 x 2.820 MM (PlaceBound)
Height	0.03 MM
PitchX	2.010 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD35_1
	SM_LLB_PAD36_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 96

SMD080521




Attributes:

Size	12.830 x 5.560 MM (visible)
	4.380 x 2.760 MM (PlaceBound)
Height	0.03 MM
PitchX	2.010 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD35_1
	SM_LLB_PAD36_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMD1206




Attributes:

Size	12.820 x 6.120 MM (visible)
	5.530 x 3.320 MM (PlaceBound)
Height	0.03 MM
PitchX	2.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD37_1
	SM_LLB_PAD38_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMD120612




Attributes:

Size	12.820 x 6.120 MM (visible)
	5.530 x 3.320 MM (PlaceBound)
Height	0.03 MM
PitchX	2.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD37
	SM_LLB_PAD38
MechPinCnt	0
MechPads	NA

Scale 5:1

SMD120621




Attributes:

Size	12.820 x 6.190 MM (visible)
	5.530 x 3.390 MM (PlaceBound)
Height	0.03 MM
PitchX	2.970 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD37_1
	SM_LLB_PAD38_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMD1406




Attributes:

Size	12.830 x 5.870 MM (visible)
	6.320 x 3.080 MM (PlaceBound)
Height	0.03 MM
PitchX	3.350 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD39_1
	SM_LLB_PAD40_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMD140612




Attributes:

Size	12.830 x 5.930 MM (visible)
	6.320 x 3.140 MM (PlaceBound)
Height	0.03 MM
PitchX	3.380 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD39_1
	SM_LLB_PAD40_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 97

SMD140621




Attributes:

Size	12.830 x 5.990 MM (visible)
	6.320 x 3.200 MM (PlaceBound)
Height	0.03 MM
PitchX	3.380 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD39_1
	SM_LLB_PAD40_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMD2309




Attributes:

Size	12.830 x 6.750 MM (visible)
	8.350 x 3.960 MM (PlaceBound)
Height	0.03 MM
PitchX	5.610 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD41_1
	SM_LLB_PAD42_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMD230912




Attributes:

Size	12.830 x 6.750 MM (visible)
	8.350 x 3.960 MM (PlaceBound)
Height	0.03 MM
PitchX	5.610 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD41_1
	SM_LLB_PAD42_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMD230921



Attributes:

Size	12.820 x 6.630 MM (visible)
	8.360 x 3.840 MM (PlaceBound)
Height	0.03 MM
PitchX	5.610 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD41_1
	SM_LLB_PAD42_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMDCAP




Attributes:

Size	6.220 x 2.280 MM (visible)
	6.360 x 2.280 MM (PlaceBound)
Height	2.54 MM
PitchX	4.950 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SMD50_87
MechPinCnt	0
MechPads	NA

Scale 5:1

SMDHELP



Attributes:

Size	23.250 x 23.070 MM (visible)
	81.120 x 57.300 MM (PlaceBound)
Height	0.03 MM
PitchX	4.440 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD78
	SM_LLB_PAD79
MechPinCnt	0
MechPads	NA


#REFDES

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 98

SMDMLL34




Attributes:

Size	12.820 x 5.990 MM (visible)
	6.440 x 3.200 MM (PlaceBound)
Height	0.03 MM
PitchX	3.380 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD62_1
	SM_LLB_PAD63_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMDMLL3412




Attributes:

Size	12.820 x 5.990 MM (visible)
	6.440 x 3.200 MM (PlaceBound)
Height	0.03 MM
PitchX	3.380 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD62_1
	SM_LLB_PAD63_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMDMLL3421




Attributes:

Size	12.820 x 5.990 MM (visible)
	6.440 x 3.200 MM (PlaceBound)
Height	0.03 MM
PitchX	3.380 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD62_1
	SM_LLB_PAD63_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMDMLL41




Attributes:

Size	12.830 x 6.720 MM (visible)
	7.310 x 3.940 MM (PlaceBound)
Height	0.03 MM
PitchX	4.800 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD43
	SM_LLB_PAD44
MechPinCnt	0
MechPads	NA

Scale 5:1

SMDMLL4112




Attributes:

Size	12.830 x 6.720 MM (visible)
	7.310 x 3.940 MM (PlaceBound)
Height	0.03 MM
PitchX	4.800 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD43_1
	SM_LLB_PAD44_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMDMLL4121



Attributes:


Size	12.830 x 6.720 MM (visible)
	7.310 x 3.940 MM (PlaceBound)
Height	0.03 MM
PitchX	4.800 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD43_1
	SM_LLB_PAD44_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SMDO213AA




Scale 5:1

Attributes:

Size	12.830 x 5.740 MM (visible)
	6.310 x 2.940 MM (PlaceBound)
Height	0.03 MM
PitchX	3.450 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD68_1
	SM_LLB_PAD69
MechPinCnt	0
MechPads	NA

SMDO213AA12




Scale 5:1

Attributes:

Size	12.830 x 5.740 MM (visible)
	6.310 x 2.940 MM (PlaceBound)
Height	0.03 MM
PitchX	3.450 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD68_1
	SM_LLB_PAD69
MechPinCnt	0
MechPads	NA

SMDO213AA21




Scale 5:1

Attributes:

Size	12.820 x 5.740 MM (visible)
	6.310 x 2.940 MM (PlaceBound)
Height	0.03 MM
PitchX	3.450 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD68_1
	SM_LLB_PAD69
MechPinCnt	0
MechPads	NA

SMDO213AB




Scale 5:1

Attributes:

Size	12.830 x 6.570 MM (visible)
	7.960 x 3.770 MM (PlaceBound)
Height	0.03 MM
PitchX	4.830 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD70
	SM_LLB_PAD71_1
MechPinCnt	0
MechPads	NA

SMDO213AB12




Scale 5:1

Attributes:

Size	12.830 x 6.500 MM (visible)
	7.960 x 3.700 MM (PlaceBound)
Height	0.03 MM
PitchX	4.830 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD70
	SM_LLB_PAD71_1
MechPinCnt	0
MechPads	NA

SMDO213AB21



Scale 5:1


Attributes:

Size	12.820 x 6.630 MM (visible)
	7.900 x 3.840 MM (PlaceBound)
Height	0.03 MM
PitchX	4.830 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD70
	SM_LLB_PAD71_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 100

SMDO213AC




Attributes:

Size	12.820 x 5.490 MM (visible)
	6.440 x 2.700 MM (PlaceBound)
Height	0.03 MM
PitchX	3.560 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD72
	SM_LLB_PAD73_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMDO213AC12




Attributes:

Size	12.820 x 5.490 MM (visible)
	6.440 x 2.700 MM (PlaceBound)
Height	0.03 MM
PitchX	3.560 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD72
	SM_LLB_PAD73_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMDO213AC21




Attributes:

Size	12.830 x 5.490 MM (visible)
	6.440 x 2.700 MM (PlaceBound)
Height	0.03 MM
PitchX	3.560 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD72
	SM_LLB_PAD73_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMDO214AA




Attributes:

Size	12.820 x 6.910 MM (visible)
	8.080 x 4.120 MM (PlaceBound)
Height	0.03 MM
PitchX	4.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD74_1
	SM_LLB_PAD75
MechPinCnt	0
MechPads	NA

Scale 5:1

SMDO214AA12




Attributes:

Size	12.820 x 6.910 MM (visible)
	8.080 x 4.120 MM (PlaceBound)
Height	0.03 MM
PitchX	4.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD74_1
	SM_LLB_PAD75
MechPinCnt	0
MechPads	NA

Scale 5:1

SMDO214AA21



Attributes:


Size	12.820 x 6.910 MM (visible)
	8.080 x 4.120 MM (PlaceBound)
Height	0.03 MM
PitchX	4.700 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD74_1
	SM_LLB_PAD75
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SMDO214AB




Scale 5:1

Attributes:

Size	12.820 x 9.170 MM (visible)
	10.490 x 6.380 MM (PlaceBound)
Height	0.03 MM
PitchX	7.140 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD76_1
	SM_LLB_PAD77
MechPinCnt	0
MechPads	NA

SMDO214AB12




Scale 5:1

Attributes:

Size	12.820 x 9.170 MM (visible)
	10.470 x 6.380 MM (PlaceBound)
Height	0.03 MM
PitchX	7.110 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD76_1
	SM_LLB_PAD77
MechPinCnt	0
MechPads	NA

SMDO214AB21




Scale 5:1

Attributes:

Size	12.820 x 9.170 MM (visible)
	10.470 x 6.380 MM (PlaceBound)
Height	0.03 MM
PitchX	7.110 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD76_1
	SM_LLB_PAD77
MechPinCnt	0
MechPads	NA

SMDO214AC




Scale 5:1

Attributes:

Size	12.820 x 6.500 MM (visible)
	7.620 x 3.700 MM (PlaceBound)
Height	0.03 MM
PitchX	4.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD78
	SM_LLB_PAD79_1
MechPinCnt	0
MechPads	NA

SMDO214AC12




Scale 5:1

Attributes:

Size	12.820 x 6.310 MM (visible)
	7.620 x 3.520 MM (PlaceBound)
Height	0.03 MM
PitchX	4.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD78
	SM_LLB_PAD79_1
MechPinCnt	0
MechPads	NA

SMDO214AC21



Scale 5:1

Attributes:


Size	12.820 x 6.370 MM (visible)
	7.620 x 3.580 MM (PlaceBound)
Height	0.03 MM
PitchX	4.320 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD78
	SM_LLB_PAD79_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 102

CB Distribution

SMDPAK



Scale 5:1

Attributes:

Size	12.830 x 14.370 MM (visible)
	6.860 x 11.970 MM (PlaceBound)
Height	0.03 MM
PitchX	4.570 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD49_1
	SM_LLB_PAD50
	SM_LLB_PAD51
MechPinCnt	0
MechPads	NA

SMDRES




Scale 5:1

Attributes:

Size	4.570 x 1.780 MM (visible)
	4.700 x 1.780 MM (PlaceBound)
Height	2.54 MM
PitchX	3.300 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SMD50_63
MechPinCnt	0
MechPads	NA

SMDSOD87




Scale 5:1

Attributes:

Size	12.830 x 6.720 MM (visible)
	7.310 x 3.940 MM (PlaceBound)
Height	0.03 MM
PitchX	4.800 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD43_1
	SM_LLB_PAD44_1
MechPinCnt	0
MechPads	NA

SMDSOD8712




Scale 5:1

Attributes:

Size	12.830 x 6.720 MM (visible)
	7.310 x 3.940 MM (PlaceBound)
Height	0.03 MM
PitchX	4.800 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD43_1
	SM_LLB_PAD44_1
MechPinCnt	0
MechPads	NA

SMDSOD8721



Scale 5:1

Attributes:

Size	12.830 x 6.720 MM (visible)
	7.310 x 3.940 MM (PlaceBound)
Height	0.03 MM
PitchX	4.800 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD43_1
	SM_LLB_PAD44_1
MechPinCnt	0
MechPads	NA

SMITER



Scale 5:1

Attributes:

Size	1.750 x 1.750 MM (visible)
	1.750 x 1.750 MM (PlaceBound)
Height	NA
PitchX	NA
PitchY	NA
ConnPinCnt	2
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 103

SML0805




Attributes:

Size	12.820 x 4.980 MM (visible)
	3.960 x 2.180 MM (PlaceBound)
Height	0.03 MM
PitchX	2.010 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD14_1
	SM_LLB_PAD15
MechPinCnt	0
MechPads	NA

Scale 5:1

SML1110




Attributes:

Size	12.820 x 6.250 MM (visible)
	5.180 x 3.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.390 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD16_1
	SM_LLB_PAD17_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SML1206




Attributes:

Size	12.830 x 5.610 MM (visible)
	5.180 x 2.820 MM (PlaceBound)
Height	0.03 MM
PitchX	3.000 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD58_1
	SM_LLB_PAD59_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SML1210




Attributes:

Size	12.820 x 5.990 MM (visible)
	5.610 x 3.200 MM (PlaceBound)
Height	0.03 MM
PitchX	2.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD18_1
	SM_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SML1212




Attributes:

Size	12.830 x 5.990 MM (visible)
	5.360 x 3.200 MM (PlaceBound)
Height	0.03 MM
PitchX	2.790 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD33_1
	SM_LLB_PAD34_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SML1614



Attributes:


Size	12.820 x 6.960 MM (visible)
	6.380 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD24_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 104

SML1806



Scale 5:1

Attributes:

Size	12.820 x 5.610 MM (visible)
	6.760 x 2.820 MM (PlaceBound)
Height	0.03 MM
PitchX	4.190 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD60_1
	SM_LLB_PAD61_1
MechPinCnt	0
MechPads	NA

SML1812




Scale 5:1

Attributes:

Size	12.830 x 7.390 MM (visible)
	7.160 x 4.600 MM (PlaceBound)
Height	0.03 MM
PitchX	4.010 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LIB_PAD20
	SM_LIB_PAD21
MechPinCnt	0
MechPads	NA

SML2015




Scale 5:1

Attributes:

Size	12.830 x 7.010 MM (visible)
	7.110 x 4.220 MM (PlaceBound)
Height	0.03 MM
PitchX	4.270 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD22_1
	SM_LLB_PAD23_1
MechPinCnt	0
MechPads	NA

SML2220




Scale 5:1

Attributes:

Size	12.830 x 8.940 MM (visible)
	8.120 x 6.140 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD25_1
MechPinCnt	0
MechPads	NA

SML3312



Scale 5:1

Attributes:

Size	12.830 x 6.960 MM (visible)
	11.170 x 4.160 MM (PlaceBound)
Height	0.03 MM
PitchX	7.370 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD26_1
	SM_LLB_PAD27_1
MechPinCnt	0
MechPads	NA

SMR0402



Scale 5:1

Attributes:

Size	12.820 x 4.160 MM (visible)
	2.470 x 1.380 MM (PlaceBound)
Height	0.03 MM
PitchX	1.070 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 105

SMR0603



Attributes:

Size	12.820 x 4.580 MM (visible)
	3.080 x 1.790 MM (PlaceBound)
Height	0.03 MM
PitchX	1.420 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD7
	SM_LLB_PAD8
MechPinCnt	0
MechPads	NA

Scale 5:1

SMR0805




Attributes:

Size	12.830 x 4.850 MM (visible)
	4.220 x 2.060 MM (PlaceBound)
Height	0.03 MM
PitchX	2.130 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LIB_PAD88
MechPinCnt	0
MechPads	NA

Scale 5:1

SMR1206




Attributes:

Size	12.820 x 5.230 MM (visible)
	5.740 x 2.440 MM (PlaceBound)
Height	0.03 MM
PitchX	3.300 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD10_1
	SM_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMR1210




Attributes:

Size	12.820 x 6.250 MM (visible)
	5.930 x 3.460 MM (PlaceBound)
Height	0.03 MM
PitchX	3.430 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 5:1

SMR2010




Attributes:

Size	12.820 x 6.370 MM (visible)
	7.900 x 3.580 MM (PlaceBound)
Height	0.03 MM
PitchX	5.110 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD11
MechPinCnt	0
MechPads	NA

Scale 5:1

SMR2512



Attributes:

Size	12.820 x 6.750 MM (visible)
	8.910 x 3.960 MM (PlaceBound)
Height	0.03 MM
PitchX	5.990 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

SMSC59123



Attributes:

Size	12.820 x 6.670 MM (visible)
	3.500 x 4.270 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD66_1
	SM_LLB_PAD67
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSC59BEC



Attributes:

Size	12.820 x 6.670 MM (visible)
	3.500 x 4.270 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD66_1
	SM_LLB_PAD67
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSC59EBC



Attributes:

Size	12.820 x 6.670 MM (visible)
	3.500 x 4.270 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD66_1
	SM_LLB_PAD67
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSC59ECB



Attributes:

Size	12.820 x 6.670 MM (visible)
	3.500 x 4.270 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD66_1
	SM_LLB_PAD67
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSC59HELP






Attributes:

Size	12.820 x 11.570 MM (visible)
	20.430 x 14.070 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD66_1
	SM_LLB_PAD67
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSC70123





Attributes:

Size	12.830 x 6.350 MM (visible)
	2.670 x 3.940 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD65_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 107

SMSC70BEC



Attributes:

Size	12.820 x 6.350 MM (visible) 2.670 x 3.940 MM (PlaceBound)
Height	0.03 MM
PitchX	1.280 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD65_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSC70EBC



Attributes:

Size	12.820 x 6.350 MM (visible) 2.670 x 3.940 MM (PlaceBound)
Height	0.03 MM
PitchX	1.280 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD65_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSC70ECB



Attributes:

Size	12.820 x 6.350 MM (visible) 2.670 x 3.940 MM (PlaceBound)
Height	0.03 MM
PitchX	1.280 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD65_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSMB



Attributes:

Size	12.820 x 6.910 MM (visible) 7.670 x 4.120 MM (PlaceBound)
Height	0.03 MM
PitchX	4.470 MM
PitchY	NA
ConnPinCnt	2
ConnPads	SM_LLB_PAD64_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSOT1431234




Attributes:

Size	12.830 x 7.270 MM (visible) 4.210 x 4.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.830 MM
PitchY	2.210 MM
ConnPinCnt	4
ConnPads	SM_LLB_PAD52_1 SM_LLB_PAD53 SM_LLB_PAD54
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSOT143BCEC



Attributes:

Size	12.830 x 7.260 MM (visible) 4.210 x 4.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.830 MM
PitchY	2.240 MM
ConnPinCnt	4
ConnPads	SM_LLB_PAD52_1 SM_LLB_PAD53 SM_LLB_PAD54
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 108

CB Distribution

SMSOT143CBEE




Scale 5:1

Attributes:

Size	12.830 x 7.260 MM (visible)
	4.210 x 4.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.830 MM
PitchY	2.240 MM
ConnPinCnt	4
ConnPads	SM_LLB_PAD52_1
	SM_LLB_PAD53
	SM_LLB_PAD54
MechPinCnt	0
MechPads	NA

SMSOT143CEBE




Scale 5:1

Attributes:

Size	12.830 x 7.260 MM (visible)
	4.210 x 4.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.830 MM
PitchY	2.240 MM
ConnPinCnt	4
ConnPads	SM_LLB_PAD52_1
	SM_LLB_PAD53
	SM_LLB_PAD54
MechPinCnt	0
MechPads	NA

SMSOT2231234




Scale 5:1

Attributes:

Size	12.830 x 11.610 MM (visible)
	6.860 x 9.200 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	6.200 MM
ConnPinCnt	4
ConnPads	SM_LLB_PAD55
	SM_LLB_PAD56
	SM_LLB_PAD57_1
MechPinCnt	0
MechPads	NA

SMSOT223ACNC




Scale 5:1

Attributes:

Size	12.820 x 11.610 MM (visible)
	6.860 x 9.200 MM (PlaceBound)
Height	0.03 MM
PitchX	2.290 MM
PitchY	6.200 MM
ConnPinCnt	4
ConnPads	SM_LLB_PAD55
	SM_LLB_PAD56
	SM_LLB_PAD57_1
MechPinCnt	0
MechPads	NA

SMSOT223BCEC




Scale 5:1

Attributes:

Size	12.820 x 11.610 MM (visible)
	6.860 x 9.200 MM (PlaceBound)
Height	0.03 MM
PitchX	2.290 MM
PitchY	6.200 MM
ConnPinCnt	4
ConnPads	SM_LLB_PAD55
	SM_LLB_PAD56
	SM_LLB_PAD57_1
MechPinCnt	0
MechPads	NA

SMSOT223DGSG



Scale 5:1


Attributes:

Size	12.820 x 11.610 MM (visible)
	6.860 x 9.200 MM (PlaceBound)
Height	0.03 MM
PitchX	2.290 MM
PitchY	6.200 MM
ConnPinCnt	4
ConnPads	SM_LLB_PAD55
	SM_LLB_PAD56
	SM_LLB_PAD57_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SMSOT223GDSD




Scale 5:1

Attributes:

Size	12.820 x 11.610 MM (visible)
	6.860 x 9.200 MM (PlaceBound)
Height	0.03 MM
PitchX	2.290 MM
PitchY	6.200 MM
ConnPinCnt	4
ConnPads	SM_LLB_PAD55
	SM_LLB_PAD56
	SM_LLB_PAD57_1
MechPinCnt	0
MechPads	NA

SMSOT223HELP




Scale 2:1

Attributes:

Size	19.990 x 21.030 MM (visible)
	40.740 x 28.670 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	6.200 MM
ConnPinCnt	4
ConnPads	SM_LLB_PAD55
	SM_LLB_PAD56
	SM_LLB_PAD57
MechPinCnt	0
MechPads	NA

SMSOT223SDGD




Scale 5:1

Attributes:

Size	12.820 x 11.610 MM (visible)
	6.860 x 9.200 MM (PlaceBound)
Height	0.03 MM
PitchX	2.290 MM
PitchY	6.200 MM
ConnPinCnt	4
ConnPads	SM_LLB_PAD55
	SM_LLB_PAD56
	SM_LLB_PAD57_1
MechPinCnt	0
MechPads	NA

SMSOT23123



Scale 5:1

Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LIB_PAD80
	SM_LIB_PAD81
MechPinCnt	0
MechPads	NA

SMSOT23231



Scale 5:1

Attributes:

Size	12.820 x 6.320 MM (visible)
	3.500 x 3.920 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

SMSOT23312



Scale 5:1


Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 110

SMSOT23BCE




Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSOT23BEC




Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSOT23CBE




Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSOT23DGS




Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSOT23DSG




Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

Scale 5:1

SMSOT23EBC



Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 111

SMSOT23ECB




Scale 5:1

Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

SMSOT23GDS



Scale 5:1

Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

SMSOT23GSD



Scale 5:1

Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

SMSOT23HELP





Scale 5:1

Attributes:

Size	13.080 x 13.950 MM (visible)
	25.500 x 18.520 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81
MechPinCnt	0
MechPads	NA

SMSOT23SDG




Scale 5:1

Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

SMSOT23SGD



Scale 5:1


Attributes:

Size	12.820 x 6.330 MM (visible)
	3.500 x 3.910 MM (PlaceBound)
Height	0.03 MM
PitchX	1.880 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD80
	SM_LLB_PAD81_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 112

SMSOT89123




Scale 5:1

Attributes:

Size	12.830 x 8.550 MM (visible)
	4.720 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	3.000 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD45
	SM_LLB_PAD47_1
MechPinCnt	0
MechPads	NA

SMSOT891X3




Scale 5:1

Attributes:

Size	12.830 x 8.560 MM (visible)
	4.720 x 6.140 MM (PlaceBound)
Height	0.03 MM
PitchX	3.000 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD45
	SM_LLB_PAD46_1
MechPinCnt	0
MechPads	NA

SMSOT89EBC




Scale 5:1

Attributes:

Size	12.830 x 8.550 MM (visible)
	4.910 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	3.000 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD45
	SM_LLB_PAD47_1
MechPinCnt	0
MechPads	NA

SMSOT89SDG



Scale 5:1

Attributes:

Size	12.830 x 8.550 MM (visible)
	4.720 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	3.000 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD45
	SM_LLB_PAD47_1
MechPinCnt	0
MechPads	NA

SMSOTHELP



#REFDES

Scale 1:1

Attributes:

Size	63.060 x 42.390 MM (visible)
	162.080 x 114.460 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SM_LLB_PAD82
	SM_LLB_PAD83
MechPinCnt	0
MechPads	NA

SOCLIN




Scale 5:1

Attributes:

Size	1.450 x 1.100 MM (visible)
	1.450 x 1.100 MM (PlaceBound)
Height	NA
PitchX	1.400 MM
PitchY	0.700 MM
ConnPinCnt	4
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

SOD57




Attributes:

Size	11.000 x 5.450 MM (visible)
	11.590 x 3.860 MM (PlaceBound)
Height	3.86 MM
PitchX	9.650 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD43CIR33D
MechPinCnt	0
MechPads	NA

Scale 5:1

SOD80




Attributes:

Size	3.410 x 4.320 MM (visible)
	2.340 x 4.900 MM (PlaceBound)
Height	1.73 MM
PitchX	NA
PitchY	4.020 MM
ConnPinCnt	2
ConnPads	SMD68REC12
MechPinCnt	0
MechPads	NA

Scale 5:1

SOD81




Attributes:

Size	3.710 x 11.130 MM (visible)
	2.260 x 11.710 MM (PlaceBound)
Height	2.21 MM
PitchX	NA
PitchY	9.910 MM
ConnPinCnt	2
ConnPads	PAD43CIR33D
	PAD44CIR33
MechPinCnt	0
MechPads	NA

Scale 5:1

SOD87




Attributes:

Size	3.660 x 3.710 MM (visible)
	2.700 x 4.240 MM (PlaceBound)
Height	2.13 MM
PitchX	NA
PitchY	3.410 MM
ConnPinCnt	2
ConnPads	SMD84REC12
MechPinCnt	0
MechPads	NA

Scale 5:1

SOG02528WG420L375




Attributes:

Size	12.820 x 14.950 MM (visible)
	9.730 x 12.540 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	9.400 MM
ConnPinCnt	28
ConnPads	SOG_LLB_PAD27_1
	SOG_LLB_PAD28_1
	SOG_LLB_PAD29_1
	SOG_LLB_PAD30_1
MechPinCnt	0
MechPads	NA

Scale 2:1

SOG02528WG420L400




Attributes:

Size	12.820 x 14.950 MM (visible)
	10.360 x 12.540 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	9.400 MM
ConnPinCnt	28
ConnPads	SOG_LLB_PAD27_1
	SOG_LLB_PAD28_1
	SOG_LLB_PAD29_1
	SOG_LLB_PAD30_1
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

SOG02548WG420L600




Scale 5:1

Attributes:

Size	15.600 x 14.950 MM (visible)
	15.770 x 12.540 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	9.400 MM
ConnPinCnt	48
ConnPads	SOG_LLB_PAD27_1
	SOG_LLB_PAD28_1
	SOG_LLB_PAD29_1
	SOG_LLB_PAD30_1
MechPinCnt	0
MechPads	NA

SOG02548WG420L625




Scale 5:1

Attributes:

Size	16.080 x 14.950 MM (visible)
	16.080 x 12.540 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	9.400 MM
ConnPinCnt	48
ConnPads	SOG_LLB_PAD27
	SOG_LLB_PAD28
	SOG_LLB_PAD29
	SOG_LLB_PAD30
MechPinCnt	0
MechPads	NA

SOG02548WG420L650




Scale 5:1

Attributes:

Size	16.710 x 14.950 MM (visible)
	16.710 x 12.540 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	9.400 MM
ConnPinCnt	48
ConnPads	SOG_LLB_PAD27_1
	SOG_LLB_PAD28_1
	SOG_LLB_PAD29_1
	SOG_LLB_PAD30_1
MechPinCnt	0
MechPads	NA

SOG02556WG420L700




Scale 2:1

Attributes:

Size	18.460 x 15.200 MM (visible)
	18.460 x 12.800 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	9.650 MM
ConnPinCnt	56
ConnPads	SOG_LLB_PAD27_1
	SOG_LLB_PAD28_1
	SOG_LLB_PAD29_1
	SOG_LLB_PAD30_1
MechPinCnt	0
MechPads	NA

SOG02556WG420L725




Scale 2:1

Attributes:

Size	18.620 x 15.200 MM (visible)
	18.620 x 12.800 MM (PlaceBound)
Height	0.03 MM
PitchX	0.630 MM
PitchY	9.650 MM
ConnPinCnt	56
ConnPads	SOG_LLB_PAD27_1
	SOG_LLB_PAD28_1
	SOG_LLB_PAD29_1
	SOG_LLB_PAD30_1
MechPinCnt	0
MechPads	NA

SOG05010WG275L350




Scale 5:1

Attributes:

Size	12.820 x 10.730 MM (visible)
	9.100 x 8.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	5.380 MM
ConnPinCnt	10
ConnPads	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
	SOG_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 115

SOG05012WG275L350




Scale 5:1

Attributes:

Size	12.820 x 10.730 MM (visible)
	9.090 x 8.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	5.380 MM
ConnPinCnt	12
ConnPads	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
	SOG_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

SOG05014WG244L325




Scale 5:1

Attributes:

Size	12.820 x 10.530 MM (visible)
	9.020 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	4.980 MM
ConnPinCnt	14
ConnPads	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG05014WG244L350




Scale 5:1

Attributes:

Size	12.820 x 10.540 MM (visible)
	9.100 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	4.980 MM
ConnPinCnt	14
ConnPads	SOG_LIB_PAD5
	SOG_LIB_PAD6
	SOG_LIB_PAD7
MechPinCnt	0
MechPads	NA

SOG05014WG244L375




Scale 5:1

Attributes:

Size	12.820 x 10.530 MM (visible)
	9.720 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	4.980 MM
ConnPinCnt	14
ConnPads	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG05014WG275L450




Scale 5:1

Attributes:

Size	12.820 x 10.730 MM (visible)
	11.640 x 8.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	5.380 MM
ConnPinCnt	14
ConnPads	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
	SOG_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

SOG05014WG420L350



Scale 2:1


Attributes:

Size	12.820 x 14.900 MM (visible)
	9.100 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	14
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SOG05014WG420L375




Scale 5:1

Attributes:

Size	12.820 x 14.900 MM (visible)
	9.720 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	14
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
MechPinCnt	0
MechPads	NA

SOG05016WG244L375




Scale 5:1

Attributes:

Size	12.820 x 10.530 MM (visible)
	10.290 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	4.980 MM
ConnPinCnt	16
ConnPads	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG05016WG244L400




Scale 5:1

Attributes:

Size	12.820 x 10.540 MM (visible)
	10.370 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	4.980 MM
ConnPinCnt	16
ConnPads	SOG_LIB_PAD5
	SOG_LIB_PAD6
	SOG_LIB_PAD7
MechPinCnt	0
MechPads	NA

SOG05016WG244L425




Scale 5:1

Attributes:

Size	12.820 x 10.530 MM (visible)
	10.990 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	4.980 MM
ConnPinCnt	16
ConnPads	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG05016WG350L450




Scale 5:1

Attributes:

Size	12.820 x 12.720 MM (visible)
	11.630 x 10.310 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.370 MM
ConnPinCnt	16
ConnPads	SOG_LLB_PAD12_1
	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
MechPinCnt	0
MechPads	NA

SOG05016WG420L400



Scale 2:1


Attributes:

Size	12.820 x 14.900 MM (visible)
	10.370 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	16
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 117

SOG05016WG420L425




Scale 5:1

Attributes:

Size	12.820 x 14.900 MM (visible)
	10.990 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	16
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
MechPinCnt	0
MechPads	NA

SOG05018WG350L550




Scale 5:1

Attributes:

Size	14.170 x 12.690 MM (visible)
	14.180 x 10.280 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.340 MM
ConnPinCnt	18
ConnPads	SOG_LLB_PAD12_1
	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
MechPinCnt	0
MechPads	NA

SOG05020WG350L550




Scale 5:1

Attributes:

Size	14.170 x 12.720 MM (visible)
	14.170 x 10.310 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.370 MM
ConnPinCnt	20
ConnPads	SOG_LLB_PAD12
	SOG_LLB_PAD13
	SOG_LLB_PAD14
MechPinCnt	0
MechPads	NA

SOG05020WG420L500




Scale 5:1

Attributes:

Size	14.170 x 14.900 MM (visible)
	14.170 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	20
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
MechPinCnt	0
MechPads	NA

SOG05020WG420L525




Scale 2:1

Attributes:

Size	13.530 x 14.900 MM (visible)
	13.530 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	20
ConnPads	SOG_LLB_PAD16
	SOG_LLB_PAD17
	SOG_LLB_PAD18
MechPinCnt	0
MechPads	NA

SOG05020WG420L550



Scale 2:1

Attributes:


Size	14.170 x 14.900 MM (visible)
	14.170 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	20
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 118

CB Distribution

SOG05022WG425L650




Scale 5:1

Attributes:

Size	16.710 x 14.540 MM (visible)
	16.720 x 12.140 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	22
ConnPads	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
	SOG_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

SOG05024WG420L600




Scale 5:1

Attributes:

Size	15.440 x 14.900 MM (visible)
	15.450 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	24
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
MechPinCnt	0
MechPads	NA

SOG05024WG420L625




Scale 5:1

Attributes:

Size	16.070 x 14.900 MM (visible)
	16.070 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	24
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
MechPinCnt	0
MechPads	NA

SOG05024WG425L650




Scale 5:1

Attributes:

Size	16.710 x 14.540 MM (visible)
	16.710 x 12.140 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	24
ConnPads	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
	SOG_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

SOG05024WG480L600




Scale 2:1

Attributes:

Size	15.440 x 16.570 MM (visible)
	15.450 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.020 MM
ConnPinCnt	24
ConnPads	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG05024WG480L625



Scale 2:1


Attributes:

Size	16.070 x 16.570 MM (visible)
	16.070 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.020 MM
ConnPinCnt	24
ConnPads	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 119

CB Distribution

SOG05028WG420L700




Scale 5:1

Attributes:

Size	17.980 x 14.900 MM (visible)
	17.990 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	28
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
	SOG_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

SOG05028WG420L725




Scale 5:1

Attributes:

Size	18.610 x 14.900 MM (visible)
	18.610 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	28
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
	SOG_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

SOG05028WG480L700




Scale 2:1

Attributes:

Size	17.980 x 16.570 MM (visible)
	17.990 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.020 MM
ConnPinCnt	28
ConnPads	SOG_LLB_PAD20_1
	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG05028WG480L725




Scale 2:1

Attributes:

Size	18.610 x 16.570 MM (visible)
	18.610 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.020 MM
ConnPinCnt	28
ConnPads	SOG_LLB_PAD20_1
	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG05028WG500L750




Scale 2:1

Attributes:

Size	19.250 x 16.530 MM (visible)
	19.250 x 14.120 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.180 MM
ConnPinCnt	28
ConnPads	SOG_LLB_PAD12_1
	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
	SOG_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

SOG05030WG500L850



Scale 2:1


Attributes:

Size	21.790 x 16.500 MM (visible)
	21.800 x 14.090 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.150 MM
ConnPinCnt	30
ConnPads	SOG_LLB_PAD12_1
	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
	SOG_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SOG05032WG420L800




Scale 2:1

Attributes:

Size	20.520 x 14.900 MM (visible)
	20.530 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	32
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
	SOG_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

SOG05032WG420L825




Scale 2:1

Attributes:

Size	21.150 x 14.900 MM (visible)
	21.150 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	32
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
	SOG_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

SOG05032WG420L850




Scale 2:1

Attributes:

Size	21.790 x 14.900 MM (visible)
	21.790 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	32
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
	SOG_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

SOG05032WG480L825




Scale 2:1

Attributes:

Size	21.150 x 16.570 MM (visible)
	21.150 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.020 MM
ConnPinCnt	32
ConnPads	SOG_LLB_PAD20_1
	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG05032WG480L850




Scale 2:1

Attributes:

Size	21.790 x 16.570 MM (visible)
	21.790 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.020 MM
ConnPinCnt	32
ConnPads	SOG_LLB_PAD20_1
	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG05032WG575L850



Scale 2:1


Attributes:

Size	21.790 x 18.350 MM (visible)
	21.790 x 15.950 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	13.000 MM
ConnPinCnt	32
ConnPads	SOG_LLB_PAD12_1
	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
	SOG_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SOG05036WG575L950




Scale 2:1

Attributes:

Size	24.330 x 18.350 MM (visible)
	24.330 x 15.950 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	13.000 MM
ConnPinCnt	36
ConnPads	SOG_LLB_PAD12_1
	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
	SOG_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

SOG05038WG480L900




Scale 2:1

Attributes:

Size	23.060 x 16.570 MM (visible)
	23.070 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.020 MM
ConnPinCnt	36
ConnPads	SOG_LLB_PAD20_1
	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG05038WG480L925




Scale 2:1

Attributes:

Size	23.690 x 16.570 MM (visible)
	23.690 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.020 MM
ConnPinCnt	36
ConnPads	SOG_LLB_PAD20_1
	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG05040WG650L1100




Scale 2:1

Attributes:

Size	28.140 x 20.340 MM (visible)
	28.150 x 17.930 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	14.990 MM
ConnPinCnt	40
ConnPads	SOG_LLB_PAD12
	SOG_LLB_PAD13
	SOG_LLB_PAD14
	SOG_LLB_PAD15
MechPinCnt	0
MechPads	NA

SOG05042WG650L1100




Scale 2:1

Attributes:

Size	28.140 x 20.340 MM (visible)
	28.140 x 17.930 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	14.990 MM
ConnPinCnt	42
ConnPads	SOG_LLB_PAD12_1
	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
	SOG_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

SOG05044WG642L1150



Scale 2:1


Attributes:

Size	29.410 x 20.950 MM (visible)
	29.410 x 18.540 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	15.750 MM
ConnPinCnt	44
ConnPads	SOG_LLB_PAD57_1
	SOG_LLB_PAD58_1
	SOG_LLB_PAD59_1
	SOG_LLB_PAD60_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 122

CB Distribution

SOG0506WG275L250




Scale 5:1

Attributes:

Size	12.820 x 10.730 MM (visible)
	6.560 x 8.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	5.380 MM
ConnPinCnt	6
ConnPads	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
	SOG_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

SOG0508WG244L175




Scale 5:1

Attributes:

Size	12.820 x 10.530 MM (visible)
	5.210 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	4.980 MM
ConnPinCnt	8
ConnPads	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG0508WG244L200




Scale 5:1

Attributes:

Size	12.820 x 10.530 MM (visible)
	5.290 x 8.120 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	4.980 MM
ConnPinCnt	8
ConnPads	SOG_LLB_PAD5_1
	SOG_LLB_PAD6_1
	SOG_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOG0508WG244L225




Scale 5:1

Attributes:

Size	10.140 x 7.380 MM (visible)
	5.910 x 8.130 MM (PlaceBound)
Height	NA
PitchX	1.270 MM
PitchY	4.980 MM
ConnPinCnt	8
ConnPads	SOG_LIB_PAD5
	SOG_LIB_PAD6
	SOG_LIB_PAD7
MechPinCnt	0
MechPads	NA

SOG0508WG275L250




Scale 5:1

Attributes:

Size	12.820 x 10.730 MM (visible)
	6.550 x 8.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	5.380 MM
ConnPinCnt	8
ConnPads	SOG_LLB_PAD13_1
	SOG_LLB_PAD14_1
	SOG_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

SOG0508WG420L200



Scale 2:1


Attributes:

Size	12.820 x 14.900 MM (visible)
	5.290 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	8
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SOG0508WG420L225




Scale 5:1

Attributes:

Size	12.820 x 14.900 MM (visible)
	5.910 x 12.500 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.190 MM
ConnPinCnt	8
ConnPads	SOG_LLB_PAD16_1
	SOG_LLB_PAD17_1
	SOG_LLB_PAD18_1
MechPinCnt	0
MechPads	NA

SOG30M36WG2020L620




Scale 2:1

Attributes:

Size	12.820 x 24.300 MM (visible)
	6.550 x 21.890 MM (PlaceBound)
Height	0.03 MM
PitchX	0.300 MM
PitchY	19.410 MM
ConnPinCnt	36
ConnPads	SOG_LLB_PAD51_1
	SOG_LLB_PAD52_1
	SOG_LLB_PAD53_1
	SOG_LLB_PAD54_1
MechPinCnt	0
MechPads	NA

SOG30M52WG2020L820




Scale 2:1

Attributes:

Size	12.820 x 24.300 MM (visible)
	8.460 x 21.890 MM (PlaceBound)
Height	0.03 MM
PitchX	0.290 MM
PitchY	19.410 MM
ConnPinCnt	52
ConnPads	SOG_LLB_PAD51_1
	SOG_LLB_PAD52_1
	SOG_LLB_PAD53_1
	SOG_LLB_PAD54_1
MechPinCnt	0
MechPads	NA

SOG30M64WG2020L1020




Scale 2:1

Attributes:

Size	12.820 x 24.300 MM (visible)
	10.370 x 21.890 MM (PlaceBound)
Height	0.03 MM
PitchX	0.290 MM
PitchY	19.410 MM
ConnPinCnt	64
ConnPads	SOG_LLB_PAD51_1
	SOG_LLB_PAD52_1
	SOG_LLB_PAD53_1
	SOG_LLB_PAD54_1
MechPinCnt	0
MechPads	NA

SOG30M76WG2020L1220




Scale 2:1

Attributes:

Size	12.900 x 24.300 MM (visible)
	12.910 x 21.890 MM (PlaceBound)
Height	0.03 MM
PitchX	0.290 MM
PitchY	19.410 MM
ConnPinCnt	76
ConnPads	SOG_LLB_PAD51_1
	SOG_LLB_PAD52_1
	SOG_LLB_PAD53_1
	SOG_LLB_PAD54_1
MechPinCnt	0
MechPads	NA

SOG40M24WG1620L640



Scale 2:1


Attributes:

Size	12.820 x 20.280 MM (visible)
	6.600 x 17.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	15.390 MM
ConnPinCnt	24
ConnPads	SOG_LLB_PAD31_1
	SOG_LLB_PAD32_1
	SOG_LLB_PAD33_1
	SOG_LLB_PAD34_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SOG40M28WG1820L620




Scale 2:1

Attributes:

Size	12.820 x 22.290 MM (visible)
	6.560 x 19.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	17.400 MM
ConnPinCnt	28
ConnPads	SOG_LLB_PAD44_1
	SOG_LLB_PAD45_1
	SOG_LLB_PAD46_1
	SOG_LLB_PAD47_1
MechPinCnt	0
MechPads	NA

SOG40M40WG1820L820




Scale 2:1

Attributes:

Size	12.820 x 22.290 MM (visible)
	8.590 x 19.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	17.400 MM
ConnPinCnt	40
ConnPads	SOG_LLB_PAD44_1
	SOG_LLB_PAD45_1
	SOG_LLB_PAD46_1
	SOG_LLB_PAD47_1
MechPinCnt	0
MechPads	NA

SOG40M48WG1820L1020




Scale 2:1

Attributes:

Size	12.820 x 22.290 MM (visible)
	10.370 x 19.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	17.400 MM
ConnPinCnt	48
ConnPads	SOG_LLB_PAD44_1
	SOG_LLB_PAD45_1
	SOG_LLB_PAD46_1
	SOG_LLB_PAD47_1
MechPinCnt	0
MechPads	NA

SOG40M60WG1820L1220




Scale 2:1

Attributes:

Size	12.900 x 22.290 MM (visible)
	12.900 x 19.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.390 MM
PitchY	17.400 MM
ConnPinCnt	60
ConnPads	SOG_LLB_PAD44_1
	SOG_LLB_PAD45_1
	SOG_LLB_PAD46_1
	SOG_LLB_PAD47_1
MechPinCnt	0
MechPads	NA

SOG50M32WG1620L820




Scale 2:1

Attributes:

Size	12.820 x 20.280 MM (visible)
	8.600 x 17.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	15.390 MM
ConnPinCnt	32
ConnPads	SOG_LLB_PAD31_1
	SOG_LLB_PAD32_1
	SOG_LLB_PAD33_1
	SOG_LLB_PAD34_1
MechPinCnt	0
MechPads	NA

SOG50M32WG2020L825



Scale 2:1


Attributes:

Size	12.820 x 24.250 MM (visible)
	8.570 x 21.840 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	19.300 MM
ConnPinCnt	32
ConnPads	SOG_LLB_PAD61_1
	SOG_LLB_PAD62_1
	SOG_LLB_PAD63_1
	SOG_LLB_PAD64_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 125

SOG50M40WG1620L1020




Scale 2:1

Attributes:

Size	12.820 x 20.280 MM (visible)
	10.600 x 17.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	15.390 MM
ConnPinCnt	40
ConnPads	SOG_LLB_PAD31_1
	SOG_LLB_PAD32_1
	SOG_LLB_PAD33_1
	SOG_LLB_PAD34_1
MechPinCnt	0
MechPads	NA

SOG50M40WG2020L1060




Scale 2:1

Attributes:

Size	12.820 x 24.250 MM (visible)
	11.000 x 21.840 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	19.300 MM
ConnPinCnt	40
ConnPads	SOG_LLB_PAD61_1
	SOG_LLB_PAD62_1
	SOG_LLB_PAD63_1
	SOG_LLB_PAD64_1
MechPinCnt	0
MechPads	NA

SOG50M48WG1620L1220




Scale 2:1

Attributes:

Size	12.900 x 20.280 MM (visible)
	12.900 x 17.880 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	15.390 MM
ConnPinCnt	48
ConnPads	SOG_LLB_PAD31_1
	SOG_LLB_PAD32_1
	SOG_LLB_PAD33_1
	SOG_LLB_PAD34_1
MechPinCnt	0
MechPads	NA

SOG50M48WG840L1270




Scale 5:1

Attributes:

Size	12.900 x 12.570 MM (visible)
	12.900 x 10.160 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	7.620 MM
ConnPinCnt	48
ConnPads	SOG_LLB_PAD61_1
	SOG_LLB_PAD62_1
	SOG_LLB_PAD63_1
	SOG_LLB_PAD64_1
MechPinCnt	0
MechPads	NA

SOG50M48WG840L1333




Scale 5:1

Attributes:

Size	13.540 x 12.570 MM (visible)
	13.540 x 10.160 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	7.620 MM
ConnPinCnt	48
ConnPads	SOG_LLB_PAD61_1
	SOG_LLB_PAD62_1
	SOG_LLB_PAD63_1
	SOG_LLB_PAD64_1
MechPinCnt	0
MechPads	NA

SOG50M56WG2020L1460



Scale 2:1


Attributes:

Size	14.810 x 24.250 MM (visible)
	14.810 x 21.840 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	19.300 MM
ConnPinCnt	56
ConnPads	SOG_LLB_PAD61_1
	SOG_LLB_PAD62_1
	SOG_LLB_PAD63_1
	SOG_LLB_PAD64_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SOG50M56WG840L1397




Scale 5:1

Attributes:

Size	14.370 x 12.570 MM (visible)
	14.570 x 10.160 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	7.620 MM
ConnPinCnt	56
ConnPads	SOG_LLB_PAD61_1
	SOG_LLB_PAD62_1
	SOG_LLB_PAD63_1
	SOG_LLB_PAD64_1
MechPinCnt	0
MechPads	NA

SOG50M56WG840L1460




Scale 5:1

Attributes:

Size	14.810 x 12.570 MM (visible)
	14.810 x 10.160 MM (PlaceBound)
Height	0.03 MM
PitchX	0.500 MM
PitchY	7.620 MM
ConnPinCnt	56
ConnPads	SOG_LLB_PAD61_1
	SOG_LLB_PAD62_1
	SOG_LLB_PAD63_1
	SOG_LLB_PAD64_1
MechPinCnt	0
MechPads	NA

SOG65M14WG820L635




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	6.560 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	14
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

SOG65M14WG820L698




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	7.180 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	14
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

SOG65M16WG1420L620




Scale 2:1

Attributes:

Size	12.820 x 18.230 MM (visible)
	6.430 x 15.820 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	13.340 MM
ConnPinCnt	16
ConnPads	SOG_LLB_PAD1_1
	SOG_LLB_PAD2_1
	SOG_LLB_PAD3_1
MechPinCnt	0
MechPads	NA

SOG65M16WG820L635




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	6.550 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	16
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 127

SOG65M16WG820L699




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	6.550 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	16
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

SOG65M20WG820L698




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	7.190 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	20
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

SOG65M20WG820L762




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	7.830 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	20
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

SOG65M24WG1420L780




Scale 2:1

Attributes:

Size	12.820 x 18.230 MM (visible)
	8.370 x 15.820 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	13.340 MM
ConnPinCnt	24
ConnPads	SOG_LLB_PAD1_1
	SOG_LLB_PAD2_1
	SOG_LLB_PAD3_1
MechPinCnt	0
MechPads	NA

SOG65M24WG820L825




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	8.460 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	24
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

SOG65M24WG820L890



Scale 5:1


Attributes:

Size	12.820 x 12.310 MM (visible)
	9.090 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	24
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 128

CB Distribution

SOG65M28WG1420L980




Scale 2:1

Attributes:

Size	12.820 x 18.230 MM (visible)
	9.980 x 15.820 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	13.340 MM
ConnPinCnt	28
ConnPads	SOG_LLB_PAD1_1
	SOG_LLB_PAD2_1
	SOG_LLB_PAD3_1
	SOG_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

SOG65M28WG820L1016




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	10.370 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	28
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
	SOG_LLB_PAD71_1
MechPinCnt	0
MechPads	NA

SOG65M28WG820L1080




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	11.000 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	28
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
	SOG_LLB_PAD71_1
MechPinCnt	0
MechPads	NA

SOG65M30WG820L1016




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	10.360 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	30
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
	SOG_LLB_PAD71_1
MechPinCnt	0
MechPads	NA

SOG65M30WG820L1080




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	11.000 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	30
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
	SOG_LLB_PAD71_1
MechPinCnt	0
MechPads	NA

SOG65M36WG1420L1180



Scale 2:1


Attributes:

Size	12.820 x 18.230 MM (visible)
	12.270 x 15.820 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	13.340 MM
ConnPinCnt	36
ConnPads	SOG_LLB_PAD1_1
	SOG_LLB_PAD2_1
	SOG_LLB_PAD3_1
	SOG_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 129

CB Distribution

SOG65M38WG820L1270




Scale 5:1

Attributes:

Size	12.900 x 12.310 MM (visible)
	12.900 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	38
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
	SOG_LLB_PAD71_1
MechPinCnt	0
MechPads	NA

SOG65M38WG820L1333




Scale 5:1

Attributes:

Size	13.540 x 12.310 MM (visible)
	13.540 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	38
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
	SOG_LLB_PAD71_1
MechPinCnt	0
MechPads	NA

SOG65M8WG820L317




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	3.370 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	8
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

SOG65M8WG820L380




Scale 5:1

Attributes:

Size	12.820 x 12.310 MM (visible)
	4.010 x 9.900 MM (PlaceBound)
Height	0.03 MM
PitchX	0.650 MM
PitchY	6.860 MM
ConnPinCnt	8
ConnPads	SOG_LLB_PAD65_1
	SOG_LLB_PAD66_1
	SOG_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

SOG80M64WG1450L2643




Scale 2:1

Attributes:

Size	26.880 x 18.810 MM (visible)
	26.880 x 16.410 MM (PlaceBound)
Height	0.03 MM
PitchX	0.800 MM
PitchY	13.610 MM
ConnPinCnt	64
ConnPads	SOG_LLB_PAD10_1
	SOG_LLB_PAD11_1
	SOG_LLB_PAD8_1
	SOG_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

SOIC14



Scale 5:1

Attributes:


Size	6.230 x 8.880 MM (visible)
	6.360 x 8.880 MM (PlaceBound)
Height	1.78 MM
PitchX	4.960 MM
PitchY	1.270 MM
ConnPinCnt	14
ConnPads	SMD50_25
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 130

CB Distribution

SOIC16




Scale 5:1

Attributes:

Size	6.230 x 10.160 MM (visible)
	6.360 x 10.160 MM (PlaceBound)
Height	1.78 MM
PitchX	4.960 MM
PitchY	1.260 MM
ConnPinCnt	16
ConnPads	SMD50_25
MechPinCnt	0
MechPads	NA

SOIC16W




Scale 5:1

Attributes:

Size	10.670 x 10.160 MM (visible)
	10.800 x 10.160 MM (PlaceBound)
Height	2.54 MM
PitchX	9.400 MM
PitchY	1.260 MM
ConnPinCnt	16
ConnPads	SMD50_25
MechPinCnt	0
MechPads	NA

SOIC20




Scale 5:1

Attributes:

Size	10.060 x 12.910 MM (visible)
	10.770 x 13.010 MM (PlaceBound)
Height	2.64 MM
PitchX	8.790 MM
PitchY	1.270 MM
ConnPinCnt	20
ConnPads	SMD25_50
MechPinCnt	0
MechPads	NA

SOIC20W




Scale 5:1

Attributes:

Size	10.670 x 12.700 MM (visible)
	10.790 x 12.700 MM (PlaceBound)
Height	2.67 MM
PitchX	9.400 MM
PitchY	1.260 MM
ConnPinCnt	20
ConnPads	SMD50_25
MechPinCnt	0
MechPads	NA

SOIC24




Scale 2:1

Attributes:

Size	8.130 x 15.740 MM (visible)
	9.140 x 16.260 MM (PlaceBound)
Height	2.64 MM
PitchX	6.860 MM
PitchY	1.260 MM
ConnPinCnt	24
ConnPads	SMD25_50
MechPinCnt	0
MechPads	NA

SOIC24W



Scale 2:1


Attributes:

Size	10.670 x 15.240 MM (visible)
	10.790 x 15.240 MM (PlaceBound)
Height	2.67 MM
PitchX	9.400 MM
PitchY	1.260 MM
ConnPinCnt	24
ConnPads	SMD50_25
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 131

SOIC28




Attributes:

Size	11.020 x 18.040 MM (visible)
	11.180 x 18.800 MM (PlaceBound)
Height	NA
PitchX	9.500 MM
PitchY	1.260 MM
ConnPinCnt	28
ConnPads	SMD60REC20
MechPinCnt	0
MechPads	NA

Scale 2:1

SOIC28W




Attributes:

Size	10.160 x 19.050 MM (visible)
	10.160 x 19.050 MM (PlaceBound)
Height	6.35 MM
PitchX	7.620 MM
PitchY	1.270 MM
ConnPinCnt	28
ConnPads	SMD50_36
MechPinCnt	0
MechPads	NA

Scale 2:1

SOIC32W




Attributes:

Size	10.770 x 20.320 MM (visible)
	11.000 x 20.880 MM (PlaceBound)
Height	NA
PitchX	9.500 MM
PitchY	1.260 MM
ConnPinCnt	32
ConnPads	SMD50_25
MechPinCnt	0
MechPads	NA

Scale 2:1

SOIC48W




Attributes:

Size	12.550 x 15.900 MM (visible)
	10.520 x 15.900 MM (PlaceBound)
Height	2.79 MM
PitchX	10.260 MM
PitchY	0.600 MM
ConnPinCnt	48
ConnPads	SMD90REC19
MechPinCnt	0
MechPads	NA

Scale 2:1

SOIC56W




Attributes:

Size	12.550 x 18.440 MM (visible)
	10.540 x 18.440 MM (PlaceBound)
Height	2.79 MM
PitchX	10.260 MM
PitchY	0.600 MM
ConnPinCnt	56
ConnPads	SMD90REC19
MechPinCnt	0
MechPads	NA

Scale 2:1

SOIC8



Attributes:


Size	7.010 x 5.220 MM (visible)
	7.240 x 5.340 MM (PlaceBound)
Height	NA
PitchX	4.980 MM
PitchY	1.260 MM
ConnPinCnt	8
ConnPads	SMD80_24
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SOJ05014WB300L350




Scale 5:1

Attributes:

Size	12.820 x 12.590 MM (visible)
	9.100 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	14
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05014WB300L375




Scale 5:1

Attributes:

Size	12.820 x 12.590 MM (visible)
	9.720 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	14
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05014WB300L400




Scale 5:1

Attributes:

Size	12.820 x 12.590 MM (visible)
	10.360 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	14
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05014WB350L350




Scale 5:1

Attributes:

Size	12.820 x 13.730 MM (visible)
	9.100 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	14
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05014WB350L375




Scale 5:1

Attributes:

Size	12.820 x 13.730 MM (visible)
	9.720 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	14
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05014WB350L400



Scale 5:1


Attributes:

Size	12.820 x 13.730 MM (visible)
	10.360 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	14
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SOJ05014WB400L350




Scale 5:1

Attributes:

Size	12.820 x 14.870 MM (visible)
	9.100 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	14
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05014WB400L375




Scale 5:1

Attributes:

Size	12.820 x 14.870 MM (visible)
	9.720 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	14
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05014WB400L400




Scale 5:1

Attributes:

Size	12.820 x 14.870 MM (visible)
	10.360 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	14
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05014WB450L350




Scale 2:1

Attributes:

Size	12.820 x 16.400 MM (visible)
	9.100 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	14
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05014WB450L375




Scale 2:1

Attributes:

Size	12.820 x 16.400 MM (visible)
	9.720 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	14
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05014WB450L400



Scale 2:1


Attributes:

Size	12.820 x 16.400 MM (visible)
	10.360 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	14
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SOJ05016WB300L400




Scale 5:1

Attributes:

Size	12.820 x 12.590 MM (visible)
	10.370 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	16
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05016WB300L425




Scale 5:1

Attributes:

Size	12.820 x 12.590 MM (visible)
	10.990 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	16
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05016WB300L450




Scale 5:1

Attributes:

Size	12.820 x 12.590 MM (visible)
	11.630 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	16
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05016WB350L400




Scale 5:1

Attributes:

Size	12.820 x 13.730 MM (visible)
	10.370 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	16
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05016WB350L425




Scale 5:1

Attributes:

Size	12.820 x 13.730 MM (visible)
	10.990 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	16
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05016WB350L450



Scale 5:1


Attributes:

Size	12.820 x 13.730 MM (visible)
	11.630 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	16
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SOJ05016WB400L400




Scale 5:1

Attributes:

Size	12.820 x 14.870 MM (visible)
	10.370 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	16
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05016WB400L425




Scale 5:1

Attributes:

Size	12.820 x 14.870 MM (visible)
	10.990 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	16
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05016WB400L450




Scale 5:1

Attributes:

Size	12.820 x 14.870 MM (visible)
	11.630 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	16
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05016WB450L400




Scale 2:1

Attributes:

Size	12.820 x 16.400 MM (visible)
	10.370 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	16
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05016WB450L425




Scale 2:1

Attributes:

Size	12.820 x 16.400 MM (visible)
	10.990 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	16
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05016WB450L450



Scale 2:1


Attributes:

Size	12.820 x 16.400 MM (visible)
	11.630 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	16
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SOJ05018WB300L450




Scale 5:1

Attributes:

Size	12.820 x 12.590 MM (visible)
	11.640 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	18
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05018WB300L500




Scale 5:1

Attributes:

Size	12.900 x 12.590 MM (visible)
	12.900 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	18
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05018WB350L450




Scale 5:1

Attributes:

Size	12.820 x 13.730 MM (visible)
	11.640 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	18
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05018WB350L500




Scale 5:1

Attributes:

Size	12.900 x 13.730 MM (visible)
	12.900 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	18
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05018WB400L450




Scale 5:1

Attributes:

Size	12.820 x 14.870 MM (visible)
	11.640 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	18
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05018WB400L500



Scale 5:1

Attributes:


Size	12.900 x 14.870 MM (visible)
	12.900 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	18
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 137

CB Distribution

SOJ05018WB450L450




Scale 2:1

Attributes:

Size	12.820 x 16.400 MM (visible)
	11.640 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	18
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05018WB450L500




Scale 2:1

Attributes:

Size	12.900 x 16.400 MM (visible)
	12.900 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	18
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05020WB300L450




Scale 5:1

Attributes:

Size	12.900 x 12.590 MM (visible)
	12.910 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	20
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05020WB300L550




Scale 5:1

Attributes:

Size	14.170 x 12.590 MM (visible)
	14.170 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	20
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05020WB350L500




Scale 5:1

Attributes:

Size	12.900 x 13.730 MM (visible)
	12.910 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	20
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05020WB350L550



Scale 5:1


Attributes:

Size	14.170 x 13.730 MM (visible)
	14.170 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	20
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SOJ05020WB400L500




Scale 5:1

Attributes:

Size	12.900 x 14.870 MM (visible)
	12.910 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	20
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05020WB400L550




Scale 5:1

Attributes:

Size	12.900 x 14.870 MM (visible)
	12.910 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	20
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05020WB450L500




Scale 2:1

Attributes:

Size	12.900 x 16.400 MM (visible)
	12.910 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	20
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05020WB450L550




Scale 2:1

Attributes:

Size	14.170 x 16.400 MM (visible)
	14.170 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	20
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05022WB300L550




Scale 5:1

Attributes:

Size	14.180 x 12.590 MM (visible)
	14.180 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	22
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05022WB300L600




Scale 5:1

Attributes:

Size	15.440 x 12.590 MM (visible)
	15.440 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	22
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

SOJ05022WB350L550




Scale 5:1

Attributes:

Size	14.180 x 13.730 MM (visible)
	14.180 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	22
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05022WB350L600




Scale 5:1

Attributes:

Size	15.440 x 13.730 MM (visible)
	15.440 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	22
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05022WB400L550




Scale 5:1

Attributes:

Size	14.180 x 14.870 MM (visible)
	14.180 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	22
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05022WB400L600




Scale 5:1

Attributes:

Size	15.440 x 14.870 MM (visible)
	15.440 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	22
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05022WB450L550




Scale 2:1

Attributes:

Size	14.180 x 16.400 MM (visible)
	14.180 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	22
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05022WB450L600




Scale 2:1

Attributes:

Size	15.440 x 16.400 MM (visible)
	15.440 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	22
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

SOJ05024WB300L600




Scale 5:1

Attributes:

Size	15.440 x 12.590 MM (visible)
	15.450 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	24
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05024WB300L625




Scale 5:1

Attributes:

Size	16.070 x 12.590 MM (visible)
	16.070 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	24
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05024WB300L650




Scale 5:1

Attributes:

Size	16.710 x 12.590 MM (visible)
	16.710 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	24
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05024WB350L600




Scale 5:1

Attributes:

Size	15.440 x 13.730 MM (visible)
	15.450 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	24
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05024WB350L625




Scale 5:1

Attributes:

Size	16.070 x 13.730 MM (visible)
	16.070 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	24
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05024WB350L650



Scale 5:1


Attributes:

Size	16.710 x 13.730 MM (visible)
	16.710 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	24
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SOJ05024WB400L600




Scale 5:1

Attributes:

Size	15.440 x 14.870 MM (visible)
	15.450 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	24
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05024WB400L625




Scale 5:1

Attributes:

Size	16.070 x 14.870 MM (visible)
	16.070 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	24
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05024WB400L650




Scale 5:1

Attributes:

Size	16.710 x 14.870 MM (visible)
	16.710 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	24
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05024WB450L600




Scale 2:1

Attributes:

Size	15.440 x 16.400 MM (visible)
	15.450 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	24
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05024WB450L625




Scale 2:1

Attributes:

Size	16.070 x 16.400 MM (visible)
	16.070 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	24
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05024WB450L650



Scale 2:1


Attributes:

Size	16.710 x 16.400 MM (visible)
	16.710 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	24
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 142

CB Distribution

SOJ05025WB300L700




Scale 5:1

Attributes:

Size	17.980 x 12.590 MM (visible)
	17.980 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	26
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ050266WB300L650




Scale 5:1

Attributes:

Size	16.720 x 12.590 MM (visible)
	16.720 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	20
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ050266WB300L700




Scale 5:1

Attributes:

Size	17.980 x 12.590 MM (visible)
	17.980 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	20
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05026WB300L650




Scale 5:1

Attributes:

Size	16.720 x 12.590 MM (visible)
	16.720 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	26
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05026WB350L650




Scale 5:1

Attributes:

Size	16.720 x 13.730 MM (visible)
	16.720 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	26
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05026WB350L700



Scale 5:1


Attributes:

Size	17.980 x 13.730 MM (visible)
	17.980 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	26
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SOJ05026WB400L650



Scale 5:1

Attributes:

Size	16.720 x 14.870 MM (visible)
	16.720 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	26
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05026WB400L700




Scale 5:1

Attributes:

Size	17.980 x 14.870 MM (visible)
	17.980 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	26
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05026WB450L650




Scale 2:1

Attributes:

Size	16.720 x 16.400 MM (visible)
	16.720 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	26
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05026WB450L700




Scale 2:1

Attributes:

Size	17.980 x 16.400 MM (visible)
	17.980 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	26
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05028SS




Scale 2:1

Attributes:

Size	25.920 x 19.500 MM (visible)
	25.920 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.400 MM
ConnPinCnt	30
ConnPads	SOJ_LLB_HOLE1
	SOJ_LLB_PAD10_1
	SOJ_LLB_PAD11_1
	SOJ_LLB_PAD12_1
	SOJ_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

SOJ05028WB300L700



Scale 5:1


Attributes:

Size	17.980 x 12.590 MM (visible)
	17.990 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	28
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SOJ05028WB300L750




Scale 5:1

Attributes:

Size	19.250 x 12.590 MM (visible)
	19.250 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	28
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05028WB350L700




Scale 5:1

Attributes:

Size	17.980 x 13.730 MM (visible)
	17.990 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	28
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05028WB350L750




Scale 5:1

Attributes:

Size	19.250 x 13.730 MM (visible)
	19.250 x 11.330 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	8.380 MM
ConnPinCnt	28
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05028WB400L700




Scale 5:1

Attributes:

Size	17.980 x 14.870 MM (visible)
	17.990 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	28
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05028WB400L750




Scale 5:1

Attributes:

Size	19.250 x 14.870 MM (visible)
	19.250 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	28
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05028WB450L700



Scale 2:1


Attributes:

Size	17.980 x 16.400 MM (visible)
	17.990 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	28
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

SOJ05028WB450L750




Scale 2:1

Attributes:

Size	19.250 x 16.400 MM (visible)
	19.250 x 13.990 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	11.050 MM
ConnPinCnt	28
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05032SS




Scale 2:1

Attributes:

Size	28.770 x 19.500 MM (visible)
	28.770 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.400 MM
ConnPinCnt	34
ConnPads	SOJ_LLB_HOLE1
	SOJ_LLB_PAD10_1
	SOJ_LLB_PAD11_1
	SOJ_LLB_PAD12_1
	SOJ_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

SOJ05032WB300L800




Scale 2:1

Attributes:

Size	20.520 x 12.590 MM (visible)
	20.530 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	32
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05032WB300L850




Scale 2:1

Attributes:

Size	21.790 x 12.590 MM (visible)
	21.790 x 10.180 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	7.240 MM
ConnPinCnt	32
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05032WB400L800




Scale 2:1

Attributes:

Size	20.520 x 14.870 MM (visible)
	20.530 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	32
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

SOJ05032WB400L850



Scale 2:1


Attributes:

Size	21.790 x 14.870 MM (visible)
	21.790 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	32
ConnPads	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
	SOJ_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 146

CB Distribution

SOJ05034WB400L850




Scale 2:1

Attributes:

Size	21.800 x 14.870 MM (visible)
	21.800 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	34
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05034WB400L900




Scale 2:1

Attributes:

Size	23.060 x 14.870 MM (visible)
	23.060 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	34
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05036WB400L900




Scale 2:1

Attributes:

Size	23.060 x 14.870 MM (visible)
	23.070 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	36
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05036WB400L950




Scale 2:1

Attributes:

Size	24.330 x 14.870 MM (visible)
	24.330 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	36
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05040SS




Scale 2:1

Attributes:

Size	33.850 x 19.500 MM (visible)
	33.850 x 16.720 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.400 MM
ConnPinCnt	42
ConnPads	SOJ_LLB_HOLE1
	SOJ_LLB_PAD10_1
	SOJ_LLB_PAD11_1
	SOJ_LLB_PAD12_1
	SOJ_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

SOJ05040WB400L1000



Scale 2:1


Attributes:

Size	25.600 x 14.870 MM (visible)
	25.610 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	40
ConnPads	SOJ_LLB_PAD4
	SOJ_LLB_PAD5
	SOJ_LLB_PAD6
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SOJ05040WB400L1050



Scale 2:1

Attributes:

Size	26.870 x 14.870 MM (visible)
	26.870 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	40
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05042WB400L1050




Scale 2:1

Attributes:

Size	26.870 x 14.870 MM (visible)
	26.880 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	42
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05042WB400L1100




Scale 2:1

Attributes:

Size	28.140 x 14.870 MM (visible)
	28.140 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	42
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05044WB400L1100




Scale 2:1

Attributes:

Size	28.140 x 14.870 MM (visible)
	28.150 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	44
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ05044WB400L1150




Scale 2:1

Attributes:

Size	29.410 x 14.870 MM (visible)
	29.410 x 12.470 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	9.520 MM
ConnPinCnt	44
ConnPads	SOJ_LLB_PAD4_1
	SOJ_LLB_PAD5_1
	SOJ_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

SOJ20



Scale 5:1


Attributes:

Size	8.970 x 13.480 MM (visible)
	9.320 x 13.510 MM (PlaceBound)
Height	0.51 MM
PitchX	6.760 MM
PitchY	1.260 MM
ConnPinCnt	20
ConnPads	SOJ
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SOJ24




Attributes:

Size	8.970 x 15.840 MM (visible)
	9.320 x 15.840 MM (PlaceBound)
Height	3.76 MM
PitchX	6.760 MM
PitchY	1.260 MM
ConnPinCnt	24
ConnPads	SOJ
MechPinCnt	0
MechPads	NA

Scale 2:1

SOJ26




Attributes:

Size	9.070 x 17.120 MM (visible)
	9.400 x 17.120 MM (PlaceBound)
Height	5.59 MM
PitchX	6.860 MM
PitchY	1.270 MM
ConnPinCnt	20
ConnPads	SOJ
MechPinCnt	0
MechPads	NA

Scale 2:1

SOJ26_20




Attributes:

Size	9.530 x 17.380 MM (visible)
	10.160 x 17.780 MM (PlaceBound)
Height	NA
PitchX	7.320 MM
PitchY	1.270 MM
ConnPinCnt	20
ConnPads	SOJ
MechPinCnt	0
MechPads	NA

Scale 2:1

SOJ26_24




Attributes:

Size	9.010 x 16.560 MM (visible)
	9.340 x 16.540 MM (PlaceBound)
Height	NA
PitchX	6.800 MM
PitchY	1.270 MM
ConnPinCnt	24
ConnPads	SOJ
MechPinCnt	0
MechPads	NA

Scale 2:1

SOJ26_26




Attributes:

Size	9.010 x 16.560 MM (visible)
	9.340 x 16.540 MM (PlaceBound)
Height	NA
PitchX	6.800 MM
PitchY	1.270 MM
ConnPinCnt	26
ConnPads	SOJ
MechPinCnt	0
MechPads	NA

Scale 2:1

SOJ26W




Attributes:

Size	10.430 x 17.180 MM (visible)
	10.790 x 17.180 MM (PlaceBound)
Height	3.76 MM
PitchX	8.220 MM
PitchY	1.270 MM
ConnPinCnt	20
ConnPads	SOJ
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

SOJ28




Scale 2:1

Attributes:

Size	8.970 x 18.380 MM (visible)
	9.300 x 18.380 MM (PlaceBound)
Height	3.76 MM
PitchX	6.760 MM
PitchY	1.260 MM
ConnPinCnt	28
ConnPads	SOJ
MechPinCnt	0
MechPads	NA

SOJ32




Scale 2:1

Attributes:

Size	9.470 x 21.340 MM (visible)
	11.440 x 22.860 MM (PlaceBound)
Height	NA
PitchX	7.260 MM
PitchY	1.260 MM
ConnPinCnt	32
ConnPads	SOJ
MechPinCnt	0
MechPads	NA

SOJ36




Scale 2:1

Attributes:

Size	12.110 x 23.620 MM (visible)
	12.440 x 23.880 MM (PlaceBound)
Height	NA
PitchX	9.900 MM
PitchY	1.260 MM
ConnPinCnt	36
ConnPads	SOJ
MechPinCnt	0
MechPads	NA

SOJ40




Scale 2:1

Attributes:

Size	11.610 x 26.260 MM (visible)
	11.940 x 26.260 MM (PlaceBound)
Height	3.76 MM
PitchX	9.400 MM
PitchY	1.260 MM
ConnPinCnt	40
ConnPads	SOJ
MechPinCnt	0
MechPads	NA

SOJ42




Scale 2:1

Attributes:

Size	12.010 x 27.680 MM (visible)
	13.960 x 29.200 MM (PlaceBound)
Height	NA
PitchX	9.800 MM
PitchY	1.270 MM
ConnPinCnt	42
ConnPads	SOJ
MechPinCnt	0
MechPads	NA

SOL16



Scale 5:1


Attributes:

Size	10.930 x 10.740 MM (visible)
	11.480 x 12.930 MM (PlaceBound)
Height	2.64 MM
PitchX	9.660 MM
PitchY	1.260 MM
ConnPinCnt	16
ConnPads	SMD25_50
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 150

SOL20




Scale 5:1

Attributes:

Size	10.930 x 12.880 MM (visible)
	11.480 x 12.930 MM (PlaceBound)
Height	2.64 MM
PitchX	9.660 MM
PitchY	1.260 MM
ConnPinCnt	20
ConnPads	SMD25_50
MechPinCnt	0
MechPads	NA

SOP24




Scale 2:1

Attributes:

Size	12.800 x 16.520 MM (visible)
	13.720 x 16.760 MM (PlaceBound)
Height	NA
PitchX	11.280 MM
PitchY	1.260 MM
ConnPinCnt	24
ConnPads	SMD60REC25
MechPinCnt	0
MechPads	NA

SOP44




Scale 2:1

Attributes:

Size	11.020 x 25.530 MM (visible)
	11.180 x 26.420 MM (PlaceBound)
Height	NA
PitchX	9.500 MM
PitchY	1.260 MM
ConnPinCnt	40
ConnPads	SMD60REC20
MechPinCnt	0
MechPads	NA

SOT121




Scale 2:1

Attributes:

Size	24.830 x 19.250 MM (visible)
	25.530 x 19.820 MM (PlaceBound)
Height	7.14 MM
PitchX	18.520 MM
PitchY	NA
ConnPinCnt	2
ConnPads	HOLE135
MechPinCnt	0
MechPads	NA

SOT123




Scale 2:1

Attributes:

Size	24.830 x 18.210 MM (visible)
	25.140 x 18.670 MM (PlaceBound)
Height	7.14 MM
PitchX	18.520 MM
PitchY	NA
ConnPinCnt	2
ConnPads	HOLE135
MechPinCnt	0
MechPads	NA

SOT143



Scale 5:1

Attributes:

Size	3.160 x 3.390 MM (visible)
	3.730 x 3.790 MM (PlaceBound)
Height	1.12 MM
PitchX	2.040 MM
PitchY	1.940 MM
ConnPinCnt	4
ConnPads	SMD44REC32
	SMD44REC72
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 151

CB Distribution

SOT23




Attributes:

Size	2.290 x 2.920 MM (visible)
	2.480 x 3.020 MM (PlaceBound)
Height	1.12 MM
PitchX	NA
PitchY	1.910 MM
ConnPinCnt	3
ConnPads	SMD20_17
MechPinCnt	0
MechPads	NA

Scale 5:1

SOT89




Attributes:

Size	4.120 x 4.570 MM (visible)
	4.470 x 4.680 MM (PlaceBound)
Height	1.6 MM
PitchX	NA
PitchY	3.000 MM
ConnPinCnt	3
ConnPads	SMD162BY68
	SMD32_17
MechPinCnt	0
MechPads	NA

Scale 5:1

SPAK




Attributes:

Size	4.540 x 3.560 MM (visible)
	4.060 x 2.060 MM (PlaceBound)
Height	4.6 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PAD35CIR25D
MechPinCnt	0
MechPads	NA

Scale 5:1

SPGA325




Attributes:

Size	47.240 x 47.240 MM (visible)
	47.240 x 47.240 MM (PlaceBound)
Height	5.59 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	325
ConnPads	PGA
MechPinCnt	0
MechPads	NA

Scale 1:1

SSOP14




Attributes:

Size	8.540 x 6.360 MM (visible)
	9.660 x 7.370 MM (PlaceBound)
Height	NA
PitchX	7.020 MM
PitchY	0.650 MM
ConnPinCnt	14
ConnPads	SMD60REC19
MechPinCnt	0
MechPads	NA

Scale 5:1

SSOP16



Attributes:


Size	8.670 x 6.360 MM (visible)
	9.660 x 7.370 MM (PlaceBound)
Height	NA
PitchX	7.020 MM
PitchY	0.650 MM
ConnPinCnt	16
ConnPads	SMD65REC13
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 152

SSOP20




Attributes:

Size	8.670 x 7.360 MM (visible)
	9.660 x 7.360 MM (PlaceBound)
Height	NA
PitchX	7.020 MM
PitchY	0.650 MM
ConnPinCnt	20
ConnPads	SMD65REC13
MechPinCnt	0
MechPads	NA

Scale 5:1

SSOP24




Attributes:

Size	8.670 x 8.380 MM (visible)
	10.660 x 9.140 MM (PlaceBound)
Height	NA
PitchX	7.020 MM
PitchY	0.650 MM
ConnPinCnt	24
ConnPads	SMD65REC13
MechPinCnt	0
MechPads	NA

Scale 5:1

SSOP56




Attributes:

Size	8.670 x 18.780 MM (visible)
	10.660 x 19.540 MM (PlaceBound)
Height	NA
PitchX	7.020 MM
PitchY	0.650 MM
ConnPinCnt	56
ConnPads	SMD65REC13
MechPinCnt	0
MechPads	NA

Scale 2:1

SWITCH




Attributes:

Size	33.740 x 12.700 MM (visible)
	34.030 x 12.700 MM (PlaceBound)
Height	NA
PitchX	NA
PitchY	3.960 MM
ConnPinCnt	5
ConnPads	PAD125CIR63D
MechPinCnt	0
MechPads	NA

Scale 2:1

SWITCH6




Attributes:

Size	12.820 x 11.300 MM (visible)
	10.280 x 8.250 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	4
ConnPads	55R36
	55S36
	75R47
MechPinCnt	0
MechPads	NA

Scale 5:1

TELESM310FACE6X2



Attributes:


Size	13.530 x 24.860 MM (visible)
	13.530 x 22.070 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	4
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 153

TELESM310FACE6X2ALT




Scale 2:1

Attributes:

Size	13.530 x 24.860 MM (visible)
	13.530 x 22.070 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	4
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELESM310FACE6X4




Scale 2:1

Attributes:

Size	13.530 x 24.860 MM (visible)
	13.530 x 22.070 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	6
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELESM310FACE6X4ALT




Scale 2:1

Attributes:

Size	13.530 x 24.860 MM (visible)
	13.530 x 22.070 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	6
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELESM310FACE6X6




Scale 2:1

Attributes:

Size	13.530 x 24.860 MM (visible)
	13.530 x 22.070 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	8
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELESM310FACE8X6




Scale 2:1

Attributes:

Size	15.440 x 24.860 MM (visible)
	15.450 x 22.070 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	8
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELESM310FACE8X6ALT




Scale 2:1

Attributes:

Size	15.440 x 24.860 MM (visible)
	15.450 x 22.070 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	8
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

TELESM310FACE8X8




Scale 2:1

Attributes:

Size	15.450 x 24.860 MM (visible)
	15.450 x 22.070 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	10
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELESM420FACE6X2




Scale 2:1

Attributes:

Size	13.530 x 27.650 MM (visible)
	13.530 x 24.870 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	4
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELESM420FACE6X2ALT




Scale 2:1

Attributes:

Size	13.530 x 27.650 MM (visible)
	13.530 x 24.870 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	4
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELESM420FACE6X4




Scale 2:1

Attributes:

Size	13.530 x 27.650 MM (visible)
	13.530 x 24.870 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	6
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELESM420FACE6X4ALT




Scale 2:1

Attributes:

Size	13.530 x 27.650 MM (visible)
	13.530 x 24.870 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	6
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELESM420FACE6X6



Scale 2:1


Attributes:

Size	13.530 x 27.650 MM (visible)
	13.530 x 24.870 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	8
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 155

TELESM420FACE8X6




Scale 2:1

Attributes:

Size	15.440 x 27.650 MM (visible)
	15.450 x 24.870 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	8
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELESM420FACE8X6ALT




Scale 2:1

Attributes:

Size	15.440 x 27.650 MM (visible)
	15.450 x 24.870 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	8
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELESM420FACE8X8




Scale 2:1

Attributes:

Size	15.450 x 27.650 MM (visible)
	15.450 x 24.870 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	10
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD3
MechPinCnt	0
MechPads	NA

TELETM310FACE6X2




Scale 2:1

Attributes:

Size	13.530 x 21.150 MM (visible)
	13.530 x 18.370 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	4
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
MechPinCnt	0
MechPads	NA

TELETM310FACE6X2ALT




Scale 2:1

Attributes:

Size	13.530 x 21.150 MM (visible)
	13.530 x 18.370 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	4
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
	TELE_LLB_PAD2
MechPinCnt	0
MechPads	NA

TELETM310FACE6X4




Scale 2:1

Attributes:

Size	13.530 x 21.150 MM (visible)
	13.530 x 18.370 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	6
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
MechPinCnt	0
MechPads	NA

TELETM310FACE6X4ALT




Scale 2:1

Attributes:

Size	13.530 x 21.150 MM (visible)
	13.530 x 18.370 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	6
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
	TELE_LLB_PAD2
MechPinCnt	0
MechPads	NA

TELETM310FACE6X6




Scale 2:1

Attributes:

Size	13.530 x 21.150 MM (visible)
	13.530 x 18.370 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
	TELE_LLB_PAD2
MechPinCnt	0
MechPads	NA

TELETM310FACE8X6




Scale 2:1

Attributes:

Size	15.440 x 21.150 MM (visible)
	15.450 x 18.370 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
MechPinCnt	0
MechPads	NA

TELETM310FACE8X6ALT




Scale 2:1

Attributes:

Size	15.440 x 21.150 MM (visible)
	15.450 x 18.370 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
	TELE_LLB_PAD2
MechPinCnt	0
MechPads	NA

TELETM310FACE8X8




Scale 2:1

Attributes:

Size	15.450 x 21.150 MM (visible)
	15.450 x 18.370 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	10
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
	TELE_LLB_PAD2
MechPinCnt	0
MechPads	NA

TELETM420FACE6X2



Scale 2:1


Attributes:

Size	13.530 x 23.950 MM (visible)
	13.530 x 21.160 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	4
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 157

CB Distribution

TELETM420FACE6X2ALT




Scale 2:1

Attributes:

Size	13.530 x 23.950 MM (visible)
	13.530 x 21.160 MM (PlaceBound)
Height	0.03 MM
PitchX	10.160 MM
PitchY	NA
ConnPinCnt	4
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
	TELE_LLB_PAD2
MechPinCnt	0
MechPads	NA

TELETM420FACE6X4




Scale 2:1

Attributes:

Size	13.530 x 23.950 MM (visible)
	13.530 x 21.160 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	6
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
MechPinCnt	0
MechPads	NA

TELETM420FACE6X4ALT




Scale 2:1

Attributes:

Size	13.530 x 23.950 MM (visible)
	13.530 x 21.160 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	6
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
	TELE_LLB_PAD2
MechPinCnt	0
MechPads	NA

TELETM420FACE6X6




Scale 2:1

Attributes:

Size	13.530 x 23.950 MM (visible)
	13.530 x 21.160 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
	TELE_LLB_PAD2
MechPinCnt	0
MechPads	NA

TELETM420FACE8X6




Scale 2:1

Attributes:

Size	15.440 x 23.950 MM (visible)
	15.450 x 21.160 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
MechPinCnt	0
MechPads	NA

TELETM420FACE8X6ALT



Scale 2:1


Attributes:

Size	15.440 x 23.950 MM (visible)
	15.450 x 21.160 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	8
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
	TELE_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

TELETM420FACE8X8



Scale 2:1

Attributes:

Size	15.450 x 23.950 MM (visible)
	15.450 x 21.160 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	10
ConnPads	TELE_LLB_HOLE1
	TELE_LLB_PAD1
	TELE_LLB_PAD2
MechPinCnt	0
MechPads	NA

TESTCOUP



Scale 5:1

Attributes:

Size	12.820 x 4.720 MM (visible)
	2.280 x 2.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	T1_1
MechPinCnt	0
MechPads	NA

TESTCOUPF



Scale 5:1

Attributes:

Size	12.820 x 4.720 MM (visible)
	2.280 x 2.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	T1_1
MechPinCnt	0
MechPads	NA

TFC

RFU*

Scale 5:1

Attributes:

Size	2.090 x 0.850 MM (visible)
	25.400 x 25.400 MM (PlaceBound)
Height	NA
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	2
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

TFR


RFU*

Scale 5:1

Attributes:

Size	2.090 x 0.850 MM (visible)
	25.400 x 25.400 MM (PlaceBound)
Height	NA
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	2
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

TO3-8



Scale 2:1


Attributes:

Size	42.140 x 28.830 MM (visible)
	42.150 x 26.040 MM (PlaceBound)
Height	0.03 MM
PitchX	30.170 MM
PitchY	4.340 MM
ConnPinCnt	10
ConnPads	TO_LLB_HOLE1_1
	TO_LLB_PAD48
	TO_LLB_PAD93_1
	TO_LLB_PAD94_1
	TO_LLB_PAD95_1
	TO_LLB_PAD96_1
	TO_LLB_PAD97_1
	TO_LLB_PAD98_1
	TO_LLB_PAD99_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 159

TO3




Attributes:

Size	39.990 x 29.850 MM (visible)
	39.990 x 27.060 MM (PlaceBound)
Height	0.03 MM
PitchX	30.160 MM
PitchY	10.920 MM
ConnPinCnt	4
ConnPads	TO_LLB_HOLE1_1
	TO_LLB_PAD1_1
	TO_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

Scale 2:1

TO5




Attributes:

Size	12.820 x 12.510 MM (visible)
	9.720 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 160

TO100




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.800 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	1.800 MM
PitchY	3.440 MM
ConnPinCnt	10
ConnPads	TO_LLB_PAD27_1
	TO_LLB_PAD28_1
	TO_LLB_PAD29_1
	TO_LLB_PAD30_1
	TO_LLB_PAD31_1
	TO_LLB_PAD32_1
	TO_LLB_PAD33_1
	TO_LLB_PAD34_1
	TO_LLB_PAD3_1
	TO_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

TO101




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	10.060 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	2.920 MM
PitchY	2.920 MM
ConnPinCnt	12
ConnPads	TO_LLB_PAD36_1
	TO_LLB_PAD37_1
	TO_LLB_PAD38_1
	TO_LLB_PAD39_1
	TO_LLB_PAD40_1
	TO_LLB_PAD41_1
	TO_LLB_PAD42_1
	TO_LLB_PAD43_1
	TO_LLB_PAD44
	TO_LLB_PAD45_1
	TO_LLB_PAD46_1
	TO_LLB_PAD47_1
MechPinCnt	0
MechPads	NA

TO101R125




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	10.060 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	3.170 MM
PitchY	3.180 MM
ConnPinCnt	12
ConnPads	TO_LLB_PAD35_1
	TO_LLB_PAD36_1
	TO_LLB_PAD37_1
	TO_LLB_PAD38_1
	TO_LLB_PAD39_1
	TO_LLB_PAD40_1
	TO_LLB_PAD41_1
	TO_LLB_PAD42_1
	TO_LLB_PAD43_1
	TO_LLB_PAD44
	TO_LLB_PAD45_1
	TO_LLB_PAD46_1
MechPinCnt	0
MechPads	NA

TO107




Scale 5:1

Attributes:

Size	8.540 x 10.620 MM (visible)
	8.510 x 8.510 MM (PlaceBound)
Height	3.43 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	3
ConnPads	PAD45CIR30D
MechPinCnt	0
MechPads	NA

TO117




Scale 2:1

Attributes:

Size	37.040 x 37.060 MM (visible)
	38.580 x 38.610 MM (PlaceBound)
Height	5.84 MM
PitchX	11.510 MM
PitchY	23.090 MM
ConnPinCnt	5
ConnPads	HOLE145
	SMD550REC60
MechPinCnt	0
MechPads	NA

TO12



Scale 5:1

Attributes:


Size	12.820 x 12.510 MM (visible)
	9.720 x 9.720 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 1

CB Distribution

TO123




Scale 2:1

Attributes:

Size	32.200 x 20.770 MM (visible)
	32.200 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	24.380 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_HOLE3
	TO_LLB_PAD10_1
	TO_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

TO124




Scale 2:1

Attributes:

Size	32.200 x 20.770 MM (visible)
	32.200 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	24.380 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_HOLE3
	TO_LLB_PAD10_1
	TO_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

TO126




Scale 5:1

Attributes:

Size	12.820 x 6.160 MM (visible)
	8.710 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD48
	TO_LLB_PAD49
MechPinCnt	0
MechPads	NA

TO126H




Scale 5:1

Attributes:

Size	14.190 x 10.140 MM (visible)
	14.610 x 7.880 MM (PlaceBound)
Height	3.05 MM
PitchX	NA
PitchY	2.280 MM
ConnPinCnt	4
ConnPads	HOLE120
	PAD60CIR35D
MechPinCnt	0
MechPads	NA

TO126V




Scale 5:1

Attributes:

Size	7.620 x 14.250 MM (visible)
	7.980 x 14.520 MM (PlaceBound)
Height	3.05 MM
PitchX	2.280 MM
PitchY	9.680 MM
ConnPinCnt	4
ConnPads	HOLE120
	PAD60CIR35D
MechPinCnt	0
MechPads	NA

TO127



Scale 5:1

Attributes:


Size	13.460 x 3.810 MM (visible)
	13.460 x 3.810 MM (PlaceBound)
Height	20.14 MM
PitchX	4.320 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PAD100CIR84D
	PAD80CIR65D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 2

CB Distribution

TO17R050




Scale 5:1

Attributes:

Size	12.820 x 8.730 MM (visible)
	5.940 x 5.940 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	4
ConnPads	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO18




Scale 5:1

Attributes:

Size	12.820 x 9.110 MM (visible)
	6.320 x 6.320 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD4
	TO_LLB_PAD5
	TO_LLB_PAD7
MechPinCnt	0
MechPads	NA

TO202AA




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	10.620 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD52_1
	TO_LLB_PAD53_1
MechPinCnt	0
MechPads	NA

TO202AB




Scale 5:1

Attributes:

Size	12.820 x 8.710 MM (visible)
	10.620 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD50_1
	TO_LLB_PAD51_1
MechPinCnt	0
MechPads	NA

TO202AC




Scale 5:1

Attributes:

Size	12.820 x 8.580 MM (visible)
	10.620 x 5.790 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD50_1
	TO_LLB_PAD51_1
MechPinCnt	0
MechPads	NA

TO204AA



Scale 2:1


Attributes:

Size	39.660 x 26.670 MM (visible)
	39.800 x 26.810 MM (PlaceBound)
Height	11.43 MM
PitchX	30.180 MM
PitchY	10.930 MM
ConnPinCnt	4
ConnPads	HOLE160
	PAD70CIR45D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 3

TO204AD




Scale 2:1

Attributes:

Size	39.690 x 26.670 MM (visible)
	39.960 x 26.980 MM (PlaceBound)
Height	11.43 MM
PitchX	30.230 MM
PitchY	11.050 MM
ConnPinCnt	4
ConnPads	HOLE165
	PAD80CIR55D
MechPinCnt	0
MechPads	NA

TO204AE




Scale 2:1

Attributes:

Size	39.690 x 26.670 MM (visible)
	39.830 x 26.980 MM (PlaceBound)
Height	11.43 MM
PitchX	30.230 MM
PitchY	10.920 MM
ConnPinCnt	4
ConnPads	HOLE165
	PAD80CIR65D
MechPinCnt	0
MechPads	NA

TO205AA




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

TO205AB




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

TO205AC




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

TO205AD



Scale 5:1

Attributes:


Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 4

CB Distribution

TO205AE




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

TO205AF




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

TO205AG




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

TO206AA




Scale 5:1

Attributes:

Size	12.820 x 14.670 MM (visible)
	11.880 x 11.880 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO206AB




Scale 5:1

Attributes:

Size	12.820 x 14.670 MM (visible)
	11.880 x 11.880 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO206AC



Scale 5:1


Attributes:

Size	12.820 x 14.670 MM (visible)
	11.880 x 11.880 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

TO206AD




Scale 5:1

Attributes:

Size	12.820 x 14.670 MM (visible)
	11.880 x 11.880 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO206AE




Scale 5:1

Attributes:

Size	12.820 x 14.670 MM (visible)
	11.880 x 11.880 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO206AF




Scale 5:1

Attributes:

Size	12.820 x 14.670 MM (visible)
	11.880 x 11.880 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO209AC




Scale 2:1

Attributes:

Size	31.140 x 26.980 MM (visible)
	31.220 x 31.240 MM (PlaceBound)
Height	190.5 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	HOLE540
MechPinCnt	0
MechPads	NA

TO213AA




Scale 2:1

Attributes:

Size	31.950 x 20.770 MM (visible)
	31.950 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	24.390 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_HOLE1_1
	TO_LLB_PAD54
	TO_LLB_PAD55
MechPinCnt	0
MechPads	NA

TO213AB



Scale 2:1

Attributes:


Size	31.950 x 20.770 MM (visible)
	31.950 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	24.390 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_HOLE1_1
	TO_LLB_PAD54
	TO_LLB_PAD55
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 6

CB Distribution

TO213AC




Scale 2:1

Attributes:

Size	31.950 x 20.770 MM (visible)
	31.950 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	24.390 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_HOLE1_1
	TO_LLB_PAD54
	TO_LLB_PAD55
MechPinCnt	0
MechPads	NA

TO218AA




Scale 5:1

Attributes:

Size	15.950 x 8.830 MM (visible)
	15.950 x 6.040 MM (PlaceBound)
Height	0.03 MM
PitchX	5.460 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD60
	TO_LLB_PAD61
MechPinCnt	0
MechPads	NA

TO218AB




Scale 2:1

Attributes:

Size	22.940 x 18.740 MM (visible)
	23.320 x 15.950 MM (PlaceBound)
Height	0.03 MM
PitchX	16.890 MM
PitchY	5.460 MM
ConnPinCnt	4
ConnPads	TO_LLB_HOLE1_1
	TO_LLB_PAD62_1
	TO_LLB_PAD63_1
MechPinCnt	0
MechPads	NA

TO218AC




Scale 5:1

Attributes:

Size	16.460 x 8.960 MM (visible)
	16.460 x 6.180 MM (PlaceBound)
Height	0.03 MM
PitchX	5.460 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD58
	TO_LLB_PAD59
MechPinCnt	0
MechPads	NA

TO218AD




Scale 2:1

Attributes:

Size	22.990 x 19.250 MM (visible)
	23.370 x 16.460 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	10.920 MM
ConnPinCnt	3
ConnPads	TO_LLB_HOLE4_1
	TO_LLB_PAD56_1
	TO_LLB_PAD57_1
MechPinCnt	0
MechPads	NA

TO220AA



Scale 5:1


Attributes:

Size	10.670 x 4.830 MM (visible)
	10.820 x 5.410 MM (PlaceBound)
Height	16.51 MM
PitchX	5.000 MM
PitchY	NA
ConnPinCnt	2
ConnPads	PAD80CIR55D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 7

TO220AARF1




Scale 5:1

Attributes:

Size	19.210 x 13.650 MM (visible)
	19.590 x 10.880 MM (PlaceBound)
Height	0.03 MM
PitchX	15.110 MM
PitchY	2.540 MM
ConnPinCnt	4
ConnPads	TO_LLB_HOLE5_1
	TO_LLB_PAD66_1
	TO_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

TO220AARF2




Scale 2:1

Attributes:

Size	21.750 x 13.650 MM (visible)
	22.130 x 10.880 MM (PlaceBound)
Height	0.03 MM
PitchX	17.650 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_HOLE5_1
	TO_LLB_PAD66_1
	TO_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

TO220AARF3




Scale 2:1

Attributes:

Size	24.290 x 13.650 MM (visible)
	24.670 x 10.880 MM (PlaceBound)
Height	0.03 MM
PitchX	20.190 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_HOLE5_1
	TO_LLB_PAD66_1
	TO_LLB_PAD67_1
MechPinCnt	0
MechPads	NA

TO220AB




Scale 5:1

Attributes:

Size	12.820 x 8.700 MM (visible)
	10.880 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD48
	TO_LLB_PAD49
MechPinCnt	0
MechPads	NA

TO220ABH




Scale 5:1

Attributes:

Size	18.790 x 10.160 MM (visible)
	19.260 x 10.440 MM (PlaceBound)
Height	4.83 MM
PitchX	14.600 MM
PitchY	2.540 MM
ConnPinCnt	4
ConnPads	HOLE150
	PAD80CIR55D
MechPinCnt	0
MechPads	NA

TO220ABV



Scale 2:1


Attributes:

Size	10.160 x 18.800 MM (visible)
	10.690 x 19.500 MM (PlaceBound)
Height	4.83 MM
PitchX	2.540 MM
PitchY	14.600 MM
ConnPinCnt	4
ConnPads	HOLE150
	PAD80CIR55D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 8

TO220ABVF1




Scale 5:1

Attributes:

Size	12.820 x 9.680 MM (visible)
	10.880 x 6.890 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD48
	TO_LLB_PAD49
MechPinCnt	0
MechPads	NA

TO220ABVF2




Scale 5:1

Attributes:

Size	12.820 x 10.320 MM (visible)
	10.880 x 7.530 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD48
	TO_LLB_PAD49
MechPinCnt	0
MechPads	NA

TO220AC




Scale 5:1

Attributes:

Size	12.820 x 8.700 MM (visible)
	10.880 x 5.920 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TO_LLB_PAD48
	TO_LLB_PAD49
MechPinCnt	0
MechPads	NA

TO220H




Scale 2:1

Attributes:

Size	10.160 x 18.580 MM (visible)
	10.490 x 19.000 MM (PlaceBound)
Height	4.83 MM
PitchX	2.540 MM
PitchY	14.580 MM
ConnPinCnt	4
ConnPads	HOLE150
	PAD80CIR55D
MechPinCnt	0
MechPads	NA

TO220V




Scale 5:1

Attributes:

Size	18.540 x 10.190 MM (visible)
	19.020 x 10.340 MM (PlaceBound)
Height	4.83 MM
PitchX	NA
PitchY	2.510 MM
ConnPinCnt	4
ConnPads	HOLE150
	PAD80CIR55D
MechPinCnt	0
MechPads	NA

TO221AA



Scale 5:1

Attributes:


Size	12.820 x 8.570 MM (visible)
	10.360 x 5.800 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD60
	TO_LLB_PAD61
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 9

CB Distribution

TO221AB




Scale 5:1

Attributes:

Size	12.820 x 8.570 MM (visible)
	10.360 x 5.800 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD64
	TO_LLB_PAD65
MechPinCnt	0
MechPads	NA

TO225AA




Scale 5:1

Attributes:

Size	12.820 x 6.290 MM (visible)
	8.840 x 3.510 MM (PlaceBound)
Height	0.03 MM
PitchX	2.280 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD49
	TO_LLB_PAD54
	TO_LLB_PAD55
MechPinCnt	0
MechPads	NA

TO225AB




Scale 5:1

Attributes:

Size	12.820 x 7.050 MM (visible)
	12.650 x 4.270 MM (PlaceBound)
Height	0.03 MM
PitchX	4.190 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD68
	TO_LLB_PAD69
MechPinCnt	0
MechPads	NA

TO226AA




Scale 5:1

Attributes:

Size	12.820 x 7.560 MM (visible)
	5.420 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD75
	TO_LLB_PAD76
MechPinCnt	0
MechPads	NA

TO226AB




Scale 5:1

Attributes:

Size	12.820 x 7.560 MM (visible)
	5.560 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD72_1
	TO_LLB_PAD73_1
	TO_LLB_PAD74_1
MechPinCnt	0
MechPads	NA

TO226ABR050



Scale 5:1


Attributes:

Size	12.820 x 7.560 MM (visible)
	5.510 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 10

TO226AC




Scale 5:1

Attributes:

Size	12.820 x 7.560 MM (visible)
	5.420 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TO_LLB_PAD70
	TO_LLB_PAD71
MechPinCnt	0
MechPads	NA

TO226AE




Scale 5:1

Attributes:

Size	12.820 x 7.560 MM (visible)
	5.420 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD75
	TO_LLB_PAD76
MechPinCnt	0
MechPads	NA

TO236




Scale 5:1

Attributes:

Size	3.300 x 3.050 MM (visible)
	3.660 x 3.210 MM (PlaceBound)
Height	1.22 MM
PitchX	NA
PitchY	1.960 MM
ConnPinCnt	3
ConnPads	SMD36_49
MechPinCnt	0
MechPads	NA

TO236AA




Scale 5:1

Attributes:

Size	3.330 x 3.050 MM (visible)
	3.630 x 3.280 MM (PlaceBound)
Height	1.22 MM
PitchX	NA
PitchY	2.080 MM
ConnPinCnt	3
ConnPads	SMD50_36
MechPinCnt	0
MechPads	NA

TO236AASOT23




Scale 5:1

Attributes:

Size	12.820 x 6.640 MM (visible)
	3.680 x 4.090 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD84_1
	TO_LLB_PAD86
MechPinCnt	0
MechPads	NA

TO236AB



Scale 5:1

Attributes:

Size	3.330 x 3.050 MM (visible)
	3.660 x 3.280 MM (PlaceBound)
Height	1.22 MM
PitchX	NA
PitchY	2.080 MM
ConnPinCnt	3
ConnPads	SMD50_36
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 11

TO236ABSOT23




Scale 5:1

Attributes:

Size	12.820 x 6.640 MM (visible)
	3.680 x 4.090 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD84_1
	TO_LLB_PAD86
MechPinCnt	0
MechPads	NA

TO237




Scale 5:1

Attributes:

Size	5.610 x 4.270 MM (visible)
	5.690 x 4.340 MM (PlaceBound)
Height	8.38 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PAD40CIR25D
MechPinCnt	0
MechPads	NA

TO237AA




Scale 5:1

Attributes:

Size	12.820 x 7.560 MM (visible)
	5.800 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD75
	TO_LLB_PAD76
MechPinCnt	0
MechPads	NA

TO243AASOT89




Scale 5:1

Attributes:

Size	12.820 x 8.930 MM (visible)
	4.780 x 5.160 MM (PlaceBound)
Height	0.03 MM
PitchX	1.500 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD91
	TO_LLB_PAD92_1
MechPinCnt	0
MechPads	NA

TO243ABSOT892




Scale 5:1

Attributes:

Size	12.820 x 8.550 MM (visible)
	4.780 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	3.000 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TO_LLB_PAD91
MechPinCnt	0
MechPads	NA

TO247AA



Scale 5:1


Attributes:

Size	16.080 x 8.840 MM (visible)
	16.080 x 6.050 MM (PlaceBound)
Height	0.03 MM
PitchX	5.460 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD68
	TO_LLB_PAD69
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

TO247AB




Scale 5:1

Attributes:

Size	16.080 x 8.320 MM (visible)
	16.080 x 5.530 MM (PlaceBound)
Height	0.03 MM
PitchX	5.560 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD68
	TO_LLB_PAD69
MechPinCnt	0
MechPads	NA

TO247AC




Scale 5:1

Attributes:

Size	16.080 x 8.840 MM (visible)
	16.080 x 6.050 MM (PlaceBound)
Height	0.03 MM
PitchX	5.460 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD68
	TO_LLB_PAD69
MechPinCnt	0
MechPads	NA

TO247AD




Scale 5:1

Attributes:

Size	16.330 x 8.570 MM (visible)
	16.330 x 5.800 MM (PlaceBound)
Height	0.03 MM
PitchX	5.460 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD68
	TO_LLB_PAD69
MechPinCnt	0
MechPads	NA

TO247AE




Scale 5:1

Attributes:

Size	15.870 x 5.300 MM (visible)
	15.950 x 5.310 MM (PlaceBound)
Height	24.59 MM
PitchX	5.440 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PAD80CIR65D
MechPinCnt	0
MechPads	NA

TO250AA




Scale 5:1

Attributes:

Size	8.890 x 4.920 MM (visible)
	9.520 x 5.000 MM (PlaceBound)
Height	4.57 MM
PitchX	7.620 MM
PitchY	2.540 MM
ConnPinCnt	4
ConnPads	PAD50CIR30D
MechPinCnt	0
MechPads	NA

TO251AA



Scale 5:1


Attributes:

Size	6.730 x 2.390 MM (visible)
	6.730 x 2.510 MM (PlaceBound)
Height	9.78 MM
PitchX	2.280 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PAD65CIR43D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 13

CB Distribution

TO252AA




Scale 5:1

Attributes:

Size	6.730 x 12.670 MM (visible)
	7.030 x 13.360 MM (PlaceBound)
Height	2.39 MM
PitchX	4.600 MM
PitchY	NA
ConnPinCnt	3
ConnPads	SMD240_235
	SMD70_230
MechPinCnt	0
MechPads	NA

TO252AADPAK




Scale 5:1

Attributes:

Size	12.820 x 9.700 MM (visible)
	12.220 x 6.910 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	4.440 MM
ConnPinCnt	3
ConnPads	TO_LLB_PAD81_1
	TO_LLB_PAD82_1
	TO_LLB_PAD83_1
MechPinCnt	0
MechPads	NA

TO252ABDPAK



Scale 5:1

Attributes:

Size	12.820 x 9.700 MM (visible)
	12.220 x 6.910 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	4.440 MM
ConnPinCnt	3
ConnPads	TO_LLB_PAD81_1
	TO_LLB_PAD82_1
	TO_LLB_PAD83_1
MechPinCnt	0
MechPads	NA

TO253AASOT143




Scale 5:1

Attributes:

Size	12.820 x 6.640 MM (visible)
	3.780 x 4.090 MM (PlaceBound)
Height	0.03 MM
PitchX	1.900 MM
PitchY	1.900 MM
ConnPinCnt	4
ConnPads	TO_LLB_PAD84_1
	TO_LLB_PAD85
	TO_LLB_PAD86
MechPinCnt	0
MechPads	NA

TO254AA




Scale 5:1

Attributes:

Size	14.040 x 9.590 MM (visible)
	14.040 x 6.810 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD48
	TO_LLB_PAD49
MechPinCnt	0
MechPads	NA

TO256AA



Scale 5:1


Attributes:

Size	16.200 x 9.340 MM (visible)
	16.200 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD48
	TO_LLB_PAD49
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 14

CB Distribution

TO257AA




Attributes:

Size	12.820 x 8.070 MM (visible)
	11.000 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD54
	TO_LLB_PAD55
MechPinCnt	0
MechPads	NA

Scale 5:1

TO257AB




Attributes:

Size	12.820 x 8.320 MM (visible)
	11.120 x 5.540 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD48
	TO_LLB_PAD49
MechPinCnt	0
MechPads	NA

Scale 5:1

TO258AA




Attributes:

Size	17.860 x 9.850 MM (visible)
	17.860 x 7.060 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD77
	TO_LLB_PAD78
MechPinCnt	0
MechPads	NA

Scale 5:1

TO260AA




Attributes:

Size	12.820 x 4.690 MM (visible)
	5.020 x 2.280 MM (PlaceBound)
Height	0.03 MM
PitchX	1.270 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD75
	TO_LLB_PAD76
MechPinCnt	0
MechPads	NA

Scale 5:1

TO261AASOT223




Attributes:

Size	12.820 x 11.680 MM (visible)
	7.060 x 9.350 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	6.350 MM
ConnPinCnt	4
ConnPads	TO_LLB_PAD87
	TO_LLB_PAD88
	TO_LLB_PAD89_1
	TO_LLB_PAD90_1
MechPinCnt	0
MechPads	NA

Scale 5:1

TO262AA



Attributes:

Size	12.820 x 8.200 MM (visible)
	10.500 x 5.410 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD48
	TO_LLB_PAD49
MechPinCnt	0
MechPads	NA


Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 15

CB Distribution

TO263AA




Scale 5:1

Attributes:

Size	16.990 x 13.270 MM (visible)
	16.990 x 10.500 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	3
ConnPads	TO_LLB_PAD79
MechPinCnt	0
MechPads	NA

TO263AB




Scale 5:1

Attributes:

Size	17.520 x 13.270 MM (visible)
	17.910 x 10.500 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	5.080 MM
ConnPinCnt	3
ConnPads	TO_LLB_PAD79
	TO_LLB_PAD80
MechPinCnt	0
MechPads	NA

TO264AA




Scale 2:1

Attributes:

Size	20.390 x 8.580 MM (visible)
	20.390 x 5.790 MM (PlaceBound)
Height	0.03 MM
PitchX	5.460 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD77
	TO_LLB_PAD78
MechPinCnt	0
MechPads	NA

TO265AA




Scale 5:1

Attributes:

Size	14.170 x 10.740 MM (visible)
	14.180 x 7.950 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD48
	TO_LLB_PAD49
MechPinCnt	0
MechPads	NA

TO33




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

TO37




Scale 2:1

Attributes:

Size	20.280 x 12.890 MM (visible)
	20.280 x 10.100 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	5.080 MM
ConnPinCnt	5
ConnPads	TO_LLB_HOLE2_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
	TO_LLB_PAD8_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 16

TO39




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

TO42




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

TO46




Scale 5:1

Attributes:

Size	12.820 x 9.000 MM (visible)
	6.210 x 6.210 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO48




Scale 2:1

Attributes:

Size	14.280 x 16.520 MM (visible)
	16.640 x 16.660 MM (PlaceBound)
Height	30.3 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	HOLE265
MechPinCnt	0
MechPads	NA

TO52




Scale 5:1

Attributes:

Size	12.830 x 8.940 MM (visible)
	6.140 x 6.140 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO59



Scale 5:1

Attributes:


Size	11.160 x 12.800 MM (visible)
	12.900 x 12.900 MM (PlaceBound)
Height	19.41 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	HOLE210
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 17

CB Distribution

TO64




Scale 5:1

Attributes:

Size	12.620 x 10.940 MM (visible)
	12.900 x 12.830 MM (PlaceBound)
Height	21.72 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	PAD170H
MechPinCnt	0
MechPads	NA

TO66




Scale 2:1

Attributes:

Size	31.940 x 20.770 MM (visible)
	31.940 x 17.980 MM (PlaceBound)
Height	0.03 MM
PitchX	24.380 MM
PitchY	5.080 MM
ConnPinCnt	4
ConnPads	TO_LLB_HOLE3_1
	TO_LLB_PAD10_1
	TO_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

TO72




Scale 5:1

Attributes:

Size	6.200 x 6.200 MM (visible)
	6.250 x 6.250 MM (PlaceBound)
Height	5.33 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	4
ConnPads	PAD31CIR21D
MechPinCnt	0
MechPads	NA

TO73R125




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	3.180 MM
PitchY	3.180 MM
ConnPinCnt	12
ConnPads	TO_LLB_PAD36_1
	TO_LLB_PAD37_1
	TO_LLB_PAD38_1
	TO_LLB_PAD39_1
	TO_LLB_PAD40_1
	TO_LLB_PAD41_1
	TO_LLB_PAD42_1
	TO_LLB_PAD43_1
	TO_LLB_PAD44
	TO_LLB_PAD45_1
	TO_LLB_PAD46_1
	TO_LLB_PAD47_1
MechPinCnt	0
MechPads	NA

TO74R125




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.680 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	3.740 MM
PitchY	1.960 MM
ConnPinCnt	10
ConnPads	TO_LLB_PAD11_1
	TO_LLB_PAD12_1
	TO_LLB_PAD13_1
	TO_LLB_PAD14_1
	TO_LLB_PAD15_1
	TO_LLB_PAD16_1
	TO_LLB_PAD17_1
	TO_LLB_PAD18_1
	TO_LLB_PAD4_1
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

TO75



Scale 5:1


Attributes:

Size	12.820 x 12.980 MM (visible)
	9.600 x 10.190 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	4.400 MM
ConnPinCnt	6
ConnPads	TO_LLB_PAD22_1
	TO_LLB_PAD23_1
	TO_LLB_PAD24_1
	TO_LLB_PAD25_1
	TO_LLB_PAD3_1
	TO_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 18

TO76




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	3.600 MM
PitchY	3.600 MM
ConnPinCnt	8
ConnPads	TO_LLB_PAD19_1
	TO_LLB_PAD20_1
	TO_LLB_PAD21_1
	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO77




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	3.600 MM
PitchY	3.600 MM
ConnPinCnt	8
ConnPads	TO_LLB_PAD19_1
	TO_LLB_PAD20_1
	TO_LLB_PAD21_1
	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO78




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	3.600 MM
PitchY	3.600 MM
ConnPinCnt	8
ConnPads	TO_LLB_PAD19_1
	TO_LLB_PAD20_1
	TO_LLB_PAD21_1
	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO79




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	3.600 MM
PitchY	3.600 MM
ConnPinCnt	8
ConnPads	TO_LLB_PAD19_1
	TO_LLB_PAD20_1
	TO_LLB_PAD21_1
	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO80




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.600 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	3.600 MM
PitchY	3.600 MM
ConnPinCnt	8
ConnPads	TO_LLB_PAD19_1
	TO_LLB_PAD20_1
	TO_LLB_PAD21_1
	TO_LLB_PAD3_1
	TO_LLB_PAD4_1
	TO_LLB_PAD5_1
	TO_LLB_PAD6
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO89



Scale 5:1


Attributes:

Size	6.630 x 7.420 MM (visible)
	6.680 x 7.510 MM (PlaceBound)
Height	1.78 MM
PitchX	5.840 MM
PitchY	1.210 MM
ConnPinCnt	10
ConnPads	PAD31CIR21D
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

TO92




Attributes:

Size	3.810 x 4.760 MM (visible)
	4.070 x 5.020 MM (PlaceBound)
Height	NA
PitchX	NA
PitchY	1.270 MM
ConnPinCnt	3
ConnPads	PAD35CIR25D
MechPinCnt	0
MechPads	NA

Scale 5:1

TO92100




Attributes:

Size	12.820 x 7.560 MM (visible)
	7.240 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD26
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 5:1

TO92100DGS




Attributes:

Size	12.820 x 7.560 MM (visible)
	7.240 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD26
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 5:1

TO92100EBC




Attributes:

Size	12.820 x 7.560 MM (visible)
	7.240 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD26
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 5:1

TO92100GDS




Attributes:

Size	12.820 x 7.560 MM (visible)
	7.240 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD26
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 5:1

TO92100GSD




Attributes:

Size	12.820 x 7.560 MM (visible)
	7.240 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD26
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

TO92100SDG




Scale 5:1

Attributes:

Size	12.820 x 7.560 MM (visible)
	7.240 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD26
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

TO922




Scale 5:1

Attributes:

Size	12.820 x 7.560 MM (visible)
	5.540 x 4.780 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	TO_LLB_PAD26
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

TO92R050




Scale 5:1

Attributes:

Size	12.820 x 7.900 MM (visible)
	5.570 x 5.120 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD6
	TO_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

TO92R100




Scale 5:1

Attributes:

Size	12.820 x 9.170 MM (visible)
	7.240 x 6.390 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	TO_LLB_PAD26
	TO_LLB_PAD6
MechPinCnt	0
MechPads	NA

TO92VAR




Scale 5:1

Attributes:

Size	4.220 x 4.840 MM (visible)
	4.290 x 4.880 MM (PlaceBound)
Height	7.62 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	3
ConnPads	PAD40CIR28D
MechPinCnt	0
MechPads	NA

TO96



Scale 5:1


Attributes:

Size	12.820 x 12.390 MM (visible)
	9.680 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	1.800 MM
PitchY	3.440 MM
ConnPinCnt	10
ConnPads	TO_LLB_PAD27_1
	TO_LLB_PAD28_1
	TO_LLB_PAD29_1
	TO_LLB_PAD30_1
	TO_LLB_PAD31_1
	TO_LLB_PAD32_1
	TO_LLB_PAD33_1
	TO_LLB_PAD34_1
	TO_LLB_PAD3_1
	TO_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

TO97




Scale 5:1

Attributes:

Size	12.820 x 12.390 MM (visible)
	9.680 x 9.600 MM (PlaceBound)
Height	0.03 MM
PitchX	1.800 MM
PitchY	3.440 MM
ConnPinCnt	10
ConnPads	TO_LLB_PAD27_1
	TO_LLB_PAD28_1
	TO_LLB_PAD29_1
	TO_LLB_PAD30_1
	TO_LLB_PAD31_1
	TO_LLB_PAD32_1
	TO_LLB_PAD33_1
	TO_LLB_PAD34_1
	TO_LLB_PAD3_1
	TO_LLB_PAD5_1
MechPinCnt	0
MechPads	NA

TO99




Scale 5:1

Attributes:

Size	14.340 x 10.410 MM (visible)
	6.180 x 6.180 MM (PlaceBound)
Height	3 MM
PitchX	3.600 MM
PitchY	3.600 MM
ConnPinCnt	8
ConnPads	T1_1
	T2_1
MechPinCnt	0
MechPads	NA

TOSH_2_8H1A



Scale 5:1

Attributes:

Size	8.330 x 4.850 MM (visible)
	8.380 x 3.310 MM (PlaceBound)
Height	13.21 MM
PitchX	2.410 MM
PitchY	NA
ConnPinCnt	3
ConnPads	PAD75CIR51D
MechPinCnt	0
MechPads	NA

TP



Scale 5:1

Attributes:

Size	12.820 x 4.570 MM (visible)
	2.160 x 2.160 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	55R36
MechPinCnt	0
MechPads	NA

TP1




Scale 5:1

Attributes:

Size	12.820 x 4.720 MM (visible)
	2.280 x 2.280 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	T1_1
MechPinCnt	0
MechPads	NA

TP2



Scale 5:1

Attributes:


Size	12.820 x 8.130 MM (visible)
	2.160 x 2.160 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	55R36
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

CB Distribution

Size | Cage Code | Page 22

TP2P




Scale 5:1

Attributes:

Size	12.820 x 4.570 MM (visible)
	2.160 x 2.160 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	2
ConnPads	55R36
MechPinCnt	0
MechPads	NA

TPPROBESOCKET




Scale 5:1

Attributes:

Size	12.820 x 9.650 MM (visible)
	2.160 x 2.160 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	5.080 MM
ConnPinCnt	5
ConnPads	55R36
MechPinCnt	0
MechPads	NA

TQFP100




Scale 2:1

Attributes:

Size	16.610 x 16.610 MM (visible)
	16.860 x 16.860 MM (PlaceBound)
Height	1.6 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	100
ConnPads	SMD36REC12
MechPinCnt	0
MechPads	NA

TQFP32




Scale 5:1

Attributes:

Size	13.150 x 10.520 MM (visible)
	11.180 x 11.190 MM (PlaceBound)
Height	0.64 MM
PitchX	0.800 MM
PitchY	0.800 MM
ConnPinCnt	32
ConnPads	SMD60REC13
MechPinCnt	0
MechPads	NA

TRAINING




Scale 5:1

Attributes:

Size	12.820 x 5.590 MM (visible)
	7.430 x 2.540 MM (PlaceBound)
Height	0.03 MM
PitchX	7.620 MM
PitchY	NA
ConnPinCnt	2
ConnPads	T3_1
	T4_1
MechPinCnt	0
MechPads	NA

TSOP26_24



Scale 2:1


Attributes:

Size	10.150 x 17.520 MM (visible)
	10.420 x 18.280 MM (PlaceBound)
Height	NA
PitchX	8.740 MM
PitchY	1.270 MM
ConnPinCnt	24
ConnPads	SMD50REC25
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 23

TSOP26_3




Attributes:

Size	10.010 x 17.520 MM (visible)
	10.420 x 18.280 MM (PlaceBound)
Height	NA
PitchX	8.740 MM
PitchY	1.270 MM
ConnPinCnt	20
ConnPads	SMD50REC25
MechPinCnt	0
MechPads	NA

Scale 2:1

TSOP28_4




Attributes:

Size	12.550 x 18.800 MM (visible)
	12.960 x 20.320 MM (PlaceBound)
Height	NA
PitchX	11.280 MM
PitchY	1.260 MM
ConnPinCnt	28
ConnPads	SMD50REC25
MechPinCnt	0
MechPads	NA

Scale 2:1

TSOP28F_TOS




Attributes:

Size	13.760 x 8.020 MM (visible)
	13.860 x 8.020 MM (PlaceBound)
Height	1.22 MM
PitchX	13.000 MM
PitchY	0.500 MM
ConnPinCnt	28
ConnPads	SMD30REC14
MechPinCnt	0
MechPads	NA

Scale 5:1

TSOP28R_TOS




Attributes:

Size	13.760 x 8.020 MM (visible)
	13.860 x 8.020 MM (PlaceBound)
Height	1.22 MM
PitchX	13.000 MM
PitchY	0.500 MM
ConnPinCnt	28
ConnPads	SMD30REC14
MechPinCnt	0
MechPads	NA

Scale 5:1

TSOP32_4



Attributes:

Size	12.550 x 21.140 MM (visible)
	12.700 x 21.600 MM (PlaceBound)
Height	NA
PitchX	11.280 MM
PitchY	1.260 MM
ConnPinCnt	32
ConnPads	SMD50REC25
MechPinCnt	0
MechPads	NA

Scale 2:1

TSOP32_8



Attributes:


Size	20.310 x 8.020 MM (visible)
	20.450 x 8.100 MM (PlaceBound)
Height	1.22 MM
PitchX	19.550 MM
PitchY	0.500 MM
ConnPinCnt	32
ConnPads	SMD30REC14
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 24

TSOP40_4




Scale 2:1

Attributes:

Size	12.930 x 18.800 MM (visible)
	12.700 x 19.300 MM (PlaceBound)
Height	NA
PitchX	11.280 MM
PitchY	0.800 MM
ConnPinCnt	40
ConnPads	SMD65REC16
MechPinCnt	0
MechPads	NA

TSOP50_4




Scale 2:1

Attributes:

Size	12.930 x 21.140 MM (visible)
	13.100 x 21.610 MM (PlaceBound)
Height	NA
PitchX	11.280 MM
PitchY	0.800 MM
ConnPinCnt	50
ConnPads	SMD65REC16
MechPinCnt	0
MechPads	NA

TSSOP14




Scale 5:1

Attributes:

Size	7.390 x 5.080 MM (visible)
	7.620 x 5.080 MM (PlaceBound)
Height	NA
PitchX	5.740 MM
PitchY	0.650 MM
ConnPinCnt	14
ConnPads	SMD65REC13
MechPinCnt	0
MechPads	NA

TSSOP16




Scale 5:1

Attributes:

Size	7.870 x 5.140 MM (visible)
	8.880 x 6.120 MM (PlaceBound)
Height	1.12 MM
PitchX	5.840 MM
PitchY	0.650 MM
ConnPinCnt	16
ConnPads	S080X014RCT
MechPinCnt	0
MechPads	NA

TSSOP20




Scale 5:1

Attributes:

Size	7.390 x 6.600 MM (visible)
	9.400 x 7.620 MM (PlaceBound)
Height	NA
PitchX	5.740 MM
PitchY	0.650 MM
ConnPinCnt	20
ConnPads	SMD65REC13
MechPinCnt	0
MechPads	NA

TSSOP24



Scale 5:1


Attributes:

Size	7.390 x 7.880 MM (visible)
	7.120 x 8.890 MM (PlaceBound)
Height	NA
PitchX	5.740 MM
PitchY	0.650 MM
ConnPinCnt	24
ConnPads	SMD65REC13
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code

CB Distribution

UNIT_BODY_A




Scale 5:1

Attributes:

Size	3.710 x 12.700 MM (visible)
	2.240 x 13.280 MM (PlaceBound)
Height	2.16 MM
PitchX	NA
PitchY	11.430 MM
ConnPinCnt	2
ConnPads	PAD50CIR30D
MechPinCnt	0
MechPads	NA

UNIT_BODY_B



Scale 5:1

Attributes:

Size	5.660 x 14.350 MM (visible)
	3.940 x 14.860 MM (PlaceBound)
Height	3.68 MM
PitchX	NA
PitchY	12.700 MM
ConnPinCnt	2
ConnPads	PAD65CIR41D
MechPinCnt	0
MechPads	NA

USRDEF_1



Scale 5:1

Attributes:

Size	2.250 x 3.740 MM (visible)
	6.000 x 6.000 MM (PlaceBound)
Height	NA
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

USRDEF_2



Scale 5:1

Attributes:

Size	2.250 x 3.740 MM (visible)
	6.000 x 6.000 MM (PlaceBound)
Height	NA
PitchX	NA
PitchY	0.640 MM
ConnPinCnt	2
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

USRDEF_3



Scale 5:1

Attributes:

Size	2.250 x 3.740 MM (visible)
	0.640 x 0.630 MM (PlaceBound)
Height	NA
PitchX	NA
PitchY	0.640 MM
ConnPinCnt	3
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

USRDEF_4



Scale 5:1

Attributes:

Size	2.250 x 3.740 MM (visible)
	1.270 x 0.630 MM (PlaceBound)
Height	NA
PitchX	0.630 MM
PitchY	0.640 MM
ConnPinCnt	4
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 26

USRDEF_5



Scale 5:1

Attributes:

Size	2.250 x 3.740 MM (visible)
	1.900 x 0.630 MM (PlaceBound)
Height	NA
PitchX	0.630 MM
PitchY	0.640 MM
ConnPinCnt	5
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

USRDEF_6



Scale 5:1

Attributes:

Size	2.250 x 3.740 MM (visible)
	1.900 x 1.270 MM (PlaceBound)
Height	NA
PitchX	0.630 MM
PitchY	0.640 MM
ConnPinCnt	6
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

USRDEF_7



Scale 5:1

Attributes:

Size	2.250 x 3.740 MM (visible)
	1.900 x 1.910 MM (PlaceBound)
Height	NA
PitchX	0.630 MM
PitchY	0.640 MM
ConnPinCnt	7
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

USRDEF_8



Scale 5:1

Attributes:

Size	2.250 x 3.740 MM (visible)
	1.900 x 1.910 MM (PlaceBound)
Height	NA
PitchX	0.630 MM
PitchY	0.640 MM
ConnPinCnt	8
ConnPads	XPINTOP
MechPinCnt	0
MechPads	NA

VIA




Scale 5:1

Attributes:

Size	12.820 x 5.270 MM (visible)
	2.160 x 2.160 MM (PlaceBound)
Height	0.03 MM
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	55R36
MechPinCnt	0
MechPads	NA

VIA2P



Scale 5:1

Attributes:

Size	12.820 x 5.270 MM (visible)
	3.560 x 3.560 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	2
ConnPads	55R36
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

VNOISE

Scale 5:1

Attributes:

Size	0.610 x 0.150 MM (visible)
	0.760 x 0.300 MM (PlaceBound)
Height	NA
PitchX	0.460 MM
PitchY	NA
ConnPinCnt	2
ConnPads	VPIN
MechPinCnt	0
MechPads	NA


VPROBE

Scale 5:1

Attributes:

Size	0.200 x 0.200 MM (visible)
	0.200 x 0.200 MM (PlaceBound)
Height	NA
PitchX	NA
PitchY	NA
ConnPinCnt	1
ConnPads	VPIN
MechPinCnt	0
MechPads	NA

VQFP100




Scale 2:1

Attributes:

Size	16.610 x 16.610 MM (visible)
	16.860 x 16.860 MM (PlaceBound)
Height	1.22 MM
PitchX	0.500 MM
PitchY	0.500 MM
ConnPinCnt	100
ConnPads	SMD36REC12
MechPinCnt	0
MechPads	NA

VRES1




Scale 5:1

Attributes:

Size	12.820 x 10.930 MM (visible)
	7.180 x 8.140 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD17_1
	VRES_LLB_PAD24_1
MechPinCnt	0
MechPads	NA

VRES10




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	8.140 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD17_1
	VRES_LLB_PAD24_1
MechPinCnt	0
MechPads	NA

VRES11



Scale 5:1


Attributes:

Size	12.820 x 13.390 MM (visible)
	10.360 x 10.980 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD29_1
	VRES_LLB_PAD33_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 28

VRES12




Attributes:

Size	12.820 x 8.250 MM (visible)
	5.240 x 5.840 MM (PlaceBound)
Height	0.03 MM
PitchX	1.600 MM
PitchY	3.760 MM
ConnPinCnt	4
ConnPads	VRES_LLB_PAD10_1
	VRES_LLB_PAD8_1
	VRES_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

Scale 5:1

VRES13




Attributes:

Size	12.820 x 8.070 MM (visible)
	10.360 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD31
	VRES_LLB_PAD32
MechPinCnt	0
MechPads	NA

Scale 5:1

VRES14




Attributes:

Size	12.820 x 8.070 MM (visible)
	10.360 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD29_1
	VRES_LLB_PAD33_1
MechPinCnt	0
MechPads	NA

Scale 5:1

VRES15




Attributes:

Size	12.820 x 9.340 MM (visible)
	11.310 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD13_1
	VRES_LLB_PAD23_1
MechPinCnt	0
MechPads	NA

Scale 5:1

VRES16




Attributes:

Size	12.820 x 8.070 MM (visible)
	10.360 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD31
	VRES_LLB_PAD32
MechPinCnt	0
MechPads	NA

Scale 5:1

VRES17



Attributes:


Size	12.820 x 11.140 MM (visible)
	7.820 x 8.730 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD38
	VRES_LLB_PAD39
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Distribution

VRES18




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD29_1
	VRES_LLB_PAD33_1
MechPinCnt	0
MechPads	NA

VRES19




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	10.360 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD29_1
	VRES_LLB_PAD33_1
MechPinCnt	0
MechPads	NA

VRES2




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	7.180 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD17_1
	VRES_LLB_PAD24_1
MechPinCnt	0
MechPads	NA

VRES20




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	11.310 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11_1
	VRES_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

VRES21




Scale 5:1

Attributes:

Size	12.820 x 11.240 MM (visible)
	7.360 x 8.450 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD36
	VRES_LLB_PAD37
MechPinCnt	0
MechPads	NA

VRES22



Scale 5:1


Attributes:

Size	12.820 x 13.150 MM (visible)
	10.370 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	3.590 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD29_1
	VRES_LLB_PAD30_1
	VRES_LLB_PAD33_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

VRES23




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	7.180 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD17_1
	VRES_LLB_PAD18
	VRES_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

VRES24




Scale 5:1

Attributes:

Size	12.820 x 7.430 MM (visible)
	10.360 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11_1
	VRES_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

VRES25




Scale 2:1

Attributes:

Size	33.540 x 8.070 MM (visible)
	33.540 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD14_1
	VRES_LLB_PAD15_1
	VRES_LLB_PAD16_1
MechPinCnt	0
MechPads	NA

VRES26




Scale 2:1

Attributes:

Size	12.900 x 16.640 MM (visible)
	12.900 x 13.850 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD21_1
	VRES_LLB_PAD22_1
MechPinCnt	0
MechPads	NA

VRES27




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	10.360 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD31
	VRES_LLB_PAD32
MechPinCnt	0
MechPads	NA

VRES28



Scale 5:1


Attributes:

Size	12.820 x 8.630 MM (visible)
	9.720 x 6.220 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD29_1
	VRES_LLB_PAD31
	VRES_LLB_PAD33_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 31

VRES29




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD31
	VRES_LLB_PAD32
MechPinCnt	0
MechPads	NA

VRES3




Scale 5:1

Attributes:

Size	12.820 x 10.950 MM (visible)
	7.820 x 8.540 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD36
	VRES_LLB_PAD37
MechPinCnt	0
MechPads	NA

VRES30




Scale 5:1

Attributes:

Size	12.820 x 10.610 MM (visible)
	7.180 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD17_1
	VRES_LLB_PAD18
	VRES_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

VRES31




Scale 5:1

Attributes:

Size	13.530 x 6.170 MM (visible)
	13.540 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD16_1
	VRES_LLB_PAD20_1
MechPinCnt	0
MechPads	NA

VRES32




Scale 5:1

Attributes:

Size	12.820 x 14.100 MM (visible)
	10.360 x 11.310 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11_1
	VRES_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

VRES33



Scale 5:1

Attributes:


Size	12.820 x 8.070 MM (visible)
	11.310 x 5.290 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11_1
	VRES_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 32

CB Distribution

VRES34




Scale 5:1

Attributes:

Size	12.820 x 7.850 MM (visible)
	5.600 x 5.440 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD1_1
	VRES_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

VRES35




Scale 2:1

Attributes:

Size	21.140 x 8.070 MM (visible)
	21.140 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	17.780 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11_1
	VRES_LLB_PAD12_1
	VRES_LLB_PAD13_1
MechPinCnt	0
MechPads	NA

VRES36




Scale 5:1

Attributes:

Size	12.820 x 8.240 MM (visible)
	4.930 x 5.830 MM (PlaceBound)
Height	0.03 MM
PitchX	2.900 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD8_1
	VRES_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

VRES37




Scale 5:1

Attributes:

Size	12.820 x 10.100 MM (visible)
	7.310 x 7.320 MM (PlaceBound)
Height	0.03 MM
PitchX	3.590 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD29_1
	VRES_LLB_PAD30_1
MechPinCnt	0
MechPads	NA

VRES38




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	7.180 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD17_1
	VRES_LLB_PAD18
	VRES_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

VRES39



Scale 5:1


Attributes:

Size	12.820 x 9.340 MM (visible)
	7.320 x 6.560 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD17_1
	VRES_LLB_PAD18
	VRES_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

VRES4




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD31
	VRES_LLB_PAD32
MechPinCnt	0
MechPads	NA

VRES40




Scale 5:1

Attributes:

Size	12.820 x 10.290 MM (visible)
	7.360 x 7.590 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD36
	VRES_LLB_PAD37
MechPinCnt	0
MechPads	NA

VRES41




Scale 5:1

Attributes:

Size	12.820 x 9.770 MM (visible)
	5.600 x 7.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.290 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD3
	VRES_LLB_PAD4_1
MechPinCnt	0
MechPads	NA

VRES42




Scale 5:1

Attributes:

Size	12.900 x 6.170 MM (visible)
	12.900 x 3.380 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD16
	VRES_LLB_PAD20
MechPinCnt	0
MechPads	NA

VRES43




Scale 5:1

Attributes:

Size	12.820 x 9.470 MM (visible)
	7.320 x 6.680 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD17_1
	VRES_LLB_PAD18
	VRES_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

VRES44



Scale 5:1

Attributes:


Size	12.820 x 11.880 MM (visible)
	8.460 x 9.090 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD17_1
	VRES_LLB_PAD18
	VRES_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 34

CB Distribution

VRES45




Attributes:

Size	12.820 x 8.070 MM (visible)
	10.360 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11
	VRES_LLB_PAD12
MechPinCnt	0
MechPads	NA

Scale 5:1

VRES46




Attributes:

Size	12.820 x 7.720 MM (visible)
	4.000 x 5.310 MM (PlaceBound)
Height	0.03 MM
PitchX	2.410 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD34_1
	VRES_LLB_PAD35_1
MechPinCnt	0
MechPads	NA

Scale 5:1

VRES47




Attributes:

Size	12.820 x 11.240 MM (visible)
	8.450 x 8.450 MM (PlaceBound)
Height	0.03 MM
PitchX	3.590 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD25_1
	VRES_LLB_PAD26_1
	VRES_LLB_PAD27_1
MechPinCnt	0
MechPads	NA

Scale 5:1

VRES48




Attributes:

Size	12.820 x 11.880 MM (visible)
	8.460 x 9.090 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD17_1
	VRES_LLB_PAD18
	VRES_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

Scale 5:1

VRES49




Attributes:

Size	12.820 x 6.650 MM (visible)
	3.060 x 4.240 MM (PlaceBound)
Height	0.03 MM
PitchX	1.140 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD5_1
	VRES_LLB_PAD6_1
MechPinCnt	0
MechPads	NA

Scale 5:1

VRES5




Attributes:

Size	12.820 x 13.150 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD29_1
	VRES_LLB_PAD33_1
MechPinCnt	0
MechPads	NA

Scale 5:1

Library Name	Name	Date					
symbols	NYE	09.11.17				CB Distribution	
					Size	Cage Code	Page 35

VRES50




Scale 5:1

Attributes:

Size	12.820 x 14.100 MM (visible)
	10.360 x 11.310 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11_1
	VRES_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

VRES51




Scale 5:1

Attributes:

Size	12.820 x 8.410 MM (visible)
	7.820 x 6.000 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD36
	VRES_LLB_PAD37
MechPinCnt	0
MechPads	NA

VRES52




Scale 5:1

Attributes:

Size	12.820 x 9.210 MM (visible)
	10.360 x 6.420 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11_1
	VRES_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

VRES53




Scale 5:1

Attributes:

Size	12.820 x 9.470 MM (visible)
	7.320 x 6.680 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD24_1
	VRES_LLB_PAD25_1
	VRES_LLB_PAD28_1
MechPinCnt	0
MechPads	NA

VRES54




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD31
	VRES_LLB_PAD32
MechPinCnt	0
MechPads	NA

VRES55



Scale 5:1

Attributes:

Size	12.820 x 9.340 MM (visible)
	11.310 x 6.550 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD13_1
	VRES_LLB_PAD23_1
MechPinCnt	0
MechPads	NA


Library Name	Name	Date
symbols	NYE	09.11.17

Size

CB Distribution

Cage Code

VRES56




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	10.360 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	3.810 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD29_1
	VRES_LLB_PAD33_1
MechPinCnt	0
MechPads	NA

VRES57




Scale 5:1

Attributes:

Size	12.820 x 8.240 MM (visible)
	4.930 x 5.830 MM (PlaceBound)
Height	0.03 MM
PitchX	2.900 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD8_1
	VRES_LLB_PAD9_1
MechPinCnt	0
MechPads	NA

VRES58




Scale 5:1

Attributes:

Size	12.820 x 8.070 MM (visible)
	10.360 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11_1
	VRES_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

VRES59




Scale 5:1

Attributes:

Size	12.820 x 9.650 MM (visible)
	10.360 x 6.870 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11_1
	VRES_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

VRES6




Scale 2:1

Attributes:

Size	33.540 x 8.070 MM (visible)
	33.540 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD14_1
	VRES_LLB_PAD15_1
MechPinCnt	0
MechPads	NA

VRES60



Scale 5:1


Attributes:

Size	12.820 x 10.610 MM (visible)
	7.180 x 7.820 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD17_1
	VRES_LLB_PAD18
	VRES_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 37

VRES61




Scale 2:1

Attributes:

Size	20.840 x 9.570 MM (visible)
	20.840 x 7.160 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11_1
	VRES_LLB_PAD12_1
	VRES_LLB_PAD13_1
MechPinCnt	0
MechPads	NA

VRES62




Scale 5:1

Attributes:

Size	12.820 x 8.680 MM (visible)
	4.960 x 6.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD1_1
	VRES_LLB_PAD7_1
MechPinCnt	0
MechPads	NA

VRES63




Scale 5:1

Attributes:

Size	12.820 x 13.150 MM (visible)
	10.360 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD31
	VRES_LLB_PAD32
MechPinCnt	0
MechPads	NA

VRES7




Scale 5:1

Attributes:

Size	12.820 x 7.430 MM (visible)
	11.310 x 4.640 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11_1
	VRES_LLB_PAD12_1
MechPinCnt	0
MechPads	NA

VRES8




Scale 5:1

Attributes:

Size	12.820 x 11.250 MM (visible)
	8.460 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	5.080 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD17_1
	VRES_LLB_PAD18
	VRES_LLB_PAD19_1
MechPinCnt	0
MechPads	NA

VRES9



Scale 2:1

Attributes:

Size	20.840 x 8.070 MM (visible)
	20.840 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	12.700 MM
PitchY	NA
ConnPinCnt	3
ConnPads	VRES_LLB_PAD11_1
	VRES_LLB_PAD13_1
	VRES_LLB_PAD23_1
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size		Cage Code


VVRM

Attributes:

Size	0.610 x 0.150 MM (visible)
	0.760 x 0.300 MM (PlaceBound)
Height	NA
PitchX	0.460 MM
PitchY	NA
ConnPinCnt	2
ConnPads	VPIN
MechPinCnt	0
MechPads	NA

Scale 5:1

WALCON100RHTM2OESW55010




Attributes:

Size	21.800 x 16.960 MM (visible)
	21.800 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	10
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

WALCON100RHTM2OESW55012




Attributes:

Size	24.340 x 16.960 MM (visible)
	24.340 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	12
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

WALCON100RHTM2OESW55014




Attributes:

Size	26.880 x 16.960 MM (visible)
	26.880 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	14
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

WALCON100RHTM2OESW55016




Attributes:

Size	29.420 x 16.960 MM (visible)
	29.420 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

WALCON100RHTM2OESW55020



Attributes:


Size	34.500 x 16.960 MM (visible)
	34.500 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 39

WALCON100RHTM2OESW55024




Scale 2:1

Attributes:

Size	39.580 x 16.960 MM (visible)
	39.580 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	24
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OESW55026




Scale 2:1

Attributes:

Size	42.120 x 16.960 MM (visible)
	42.120 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	26
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OESW55030




Scale 2:1

Attributes:

Size	47.200 x 16.960 MM (visible)
	47.200 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	30
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OESW55034




Scale 1:1

Attributes:

Size	52.270 x 16.960 MM (visible)
	52.280 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	34
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OESW55040




Scale 1:1

Attributes:

Size	59.900 x 16.960 MM (visible)
	59.900 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	40
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OESW55050



Scale 1:1


Attributes:

Size	72.600 x 16.960 MM (visible)
	72.600 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	50
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 40

CB Distribution

WALCON100RHTM2OESW55060




Scale 1:1

Attributes:

Size	85.300 x 16.960 MM (visible)
	85.300 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	60
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OESW55064




Scale 1:1

Attributes:

Size	90.380 x 16.960 MM (visible)
	90.380 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OESW550HELP




Scale 1:2

Attributes:

Size	122.760 x 38.550 MM (visible)
	162.130 x 114.500 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	60
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OEW55010




Scale 2:1

Attributes:

Size	21.800 x 16.960 MM (visible)
	21.800 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	10
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OEW55012




Scale 2:1

Attributes:

Size	24.340 x 16.960 MM (visible)
	24.340 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	12
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OEW55014



Scale 2:1


Attributes:

Size	26.880 x 16.960 MM (visible)
	26.880 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	14
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 41

WALCON100RHTM2OEW55016




Scale 2:1

Attributes:

Size	29.420 x 16.960 MM (visible)
	29.420 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OEW55020




Scale 2:1

Attributes:

Size	34.500 x 16.960 MM (visible)
	34.500 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OEW55024




Scale 2:1

Attributes:

Size	39.580 x 16.960 MM (visible)
	39.580 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	24
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OEW55026




Scale 2:1

Attributes:

Size	42.120 x 16.960 MM (visible)
	42.120 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	26
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OEW55030




Scale 2:1

Attributes:

Size	47.200 x 16.960 MM (visible)
	47.200 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	30
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OEW55034



Scale 1:1


Attributes:

Size	52.270 x 16.960 MM (visible)
	52.280 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	34
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date					
symbols	NYE	09.11.17					
					Size	Cage Code	Page 42

CB Distribution

WALCON100RHTM2OEW55040




Scale 1:1

Attributes:

Size	59.900 x 16.960 MM (visible)
	59.900 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	40
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OEW55050




Scale 1:1

Attributes:

Size	72.600 x 16.960 MM (visible)
	72.600 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	50
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OEW55060



Scale 1:1

Attributes:

Size	85.300 x 16.960 MM (visible)
	85.300 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	60
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100RHTM2OEW55064




Scale 1:1

Attributes:

Size	90.380 x 16.960 MM (visible)
	90.380 x 14.170 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100VHTM2OESW32510




Scale 2:1

Attributes:

Size	21.800 x 11.250 MM (visible)
	21.800 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	10
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100VHTM2OESW32514



Scale 2:1


Attributes:

Size	26.880 x 11.250 MM (visible)
	26.880 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	14
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

WALCON100VHTM2OESW32516




Attributes:

Size	29.420 x 11.250 MM (visible) 29.420 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	WCON100T_LLB_PAD1 WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

WALCON100VHTM2OESW32520




Attributes:

Size	34.500 x 11.250 MM (visible) 34.500 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	WCON100T_LLB_PAD1 WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

WALCON100VHTM2OESW32524




Attributes:

Size	39.580 x 11.250 MM (visible) 39.580 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	24
ConnPads	WCON100T_LLB_PAD1 WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

WALCON100VHTM2OESW32526




Attributes:

Size	42.120 x 11.250 MM (visible) 42.120 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	26
ConnPads	WCON100T_LLB_PAD1 WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

WALCON100VHTM2OESW32530




Attributes:

Size	47.200 x 11.250 MM (visible) 47.200 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	30
ConnPads	WCON100T_LLB_PAD1 WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 2:1

WALCON100VHTM2OESW32534



Attributes:


Size	52.270 x 11.250 MM (visible) 52.280 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	34
ConnPads	WCON100T_LLB_PAD1 WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

Scale 1:1

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 44

WALCON100VHTM2OESW32540




Scale 1:1

Attributes:

Size	59.900 x 11.250 MM (visible)
	59.900 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	40
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100VHTM2OESW32550




Scale 1:1

Attributes:

Size	72.600 x 11.250 MM (visible)
	72.600 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	50
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100VHTM2OESW32560




Scale 1:1

Attributes:

Size	85.300 x 11.250 MM (visible)
	85.300 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	60
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100VHTM2OESW32564




Scale 1:1

Attributes:

Size	90.380 x 11.250 MM (visible)
	90.380 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100VHTM2OESW325HELP




Scale 1:2

Attributes:

Size	123.710 x 35.380 MM (visible)
	162.120 x 114.500 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	60
ConnPads	WCON100T_LLB_PAD1
	WCON100T_LLB_PAD2
MechPinCnt	0
MechPads	NA

WALCON100VHTM2OEW32510



Scale 2:1


Attributes:

Size	21.800 x 11.250 MM (visible)
	21.800 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	10
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 45

WALCON100VHTM2OEW32514




Scale 2:1

Attributes:

Size	26.880 x 11.250 MM (visible)
	26.880 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	14
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100VHTM2OEW32516




Scale 2:1

Attributes:

Size	29.420 x 11.250 MM (visible)
	29.420 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	16
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100VHTM2OEW32520




Scale 2:1

Attributes:

Size	34.500 x 11.250 MM (visible)
	34.500 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	20
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100VHTM2OEW32524




Scale 2:1

Attributes:

Size	39.580 x 11.250 MM (visible)
	39.580 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	24
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100VHTM2OEW32526




Scale 2:1

Attributes:

Size	42.120 x 11.250 MM (visible)
	42.120 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	26
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

WALCON100VHTM2OEW32530



Scale 2:1


Attributes:

Size	47.200 x 11.250 MM (visible)
	47.200 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	30
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

WALCON100VHTM2OEW32534




Attributes:

Size	52.270 x 11.250 MM (visible)
	52.280 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	34
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

WALCON100VHTM2OEW32540




Attributes:

Size	59.900 x 11.250 MM (visible)
	59.900 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	40
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

WALCON100VHTM2OEW32550




Attributes:

Size	72.600 x 11.250 MM (visible)
	72.600 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	50
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

WALCON100VHTM2OEW32560




Attributes:

Size	85.300 x 11.250 MM (visible)
	85.300 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	60
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

WALCON100VHTM2OEW32564



Attributes:

Size	90.380 x 11.250 MM (visible)
	90.380 x 8.460 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:1

WALCON100VHTM2OEW325HELP



Attributes:


Size	123.710 x 35.380 MM (visible)
	162.120 x 114.500 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	2.540 MM
ConnPinCnt	60
ConnPads	WCON100T_LLB_PAD3
	WCON100T_LLB_PAD4
MechPinCnt	0
MechPads	NA

Scale 1:2

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

X2Y_0603



Scale 5:1

Attributes:

Size	2.540 x 3.070 MM (visible)
	2.540 x 2.040 MM (PlaceBound)
Height	NA
PitchX	1.800 MM
PitchY	1.480 MM
ConnPinCnt	4
ConnPads	X2Y_0603_GND
	X2Y_0603_PWR
MechPinCnt	0
MechPads	NA

XTFINGERS




Scale 1:1

Attributes:

Size	86.130 x 13.230 MM (visible)
	82.560 x 11.610 MM (PlaceBound)
Height	0.03 MM
PitchX	0.000 MM
PitchY	0.000 MM
ConnPinCnt	62
ConnPads	XT_LLB_PAD3
	XT_LLB_PAD4
	XT_LLB_PAD5
	XT_LLB_PAD6
MechPinCnt	0
MechPads	NA

XTSOCKET




Scale 1:1

Attributes:

Size	86.560 x 14.750 MM (visible)
	86.560 x 10.360 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	5.080 MM
ConnPinCnt	62
ConnPads	XT_LLB_PAD1
	XT_LLB_PAD2
MechPinCnt	0
MechPads	NA

ZIGZAG100L105020




Scale 2:1

Attributes:

Size	26.870 x 7.400 MM (visible)
	26.870 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	20
ConnPads	ZIGZAG_LLB_PAD1_1
	ZIGZAG_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

ZIGZAG100L125024




Scale 2:1

Attributes:

Size	31.950 x 7.400 MM (visible)
	31.950 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	24
ConnPads	ZIGZAG_LLB_PAD1_1
	ZIGZAG_LLB_PAD2_1
MechPinCnt	0
MechPads	NA

ZIGZAG100L145028



Scale 2:1


Attributes:

Size	37.040 x 7.460 MM (visible)
	37.040 x 5.290 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	28
ConnPads	ZIGZAG_LLB_PAD4
	ZIGZAG_LLB_PAD5
MechPinCnt	0
MechPads	NA

Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code | Page 48

ZIGZAG100L205040




Scale 1:1

Attributes:

Size	52.270 x 7.400 MM (visible)
	52.270 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	40
ConnPads	ZIGZAG_LLB_PAD1
	ZIGZAG_LLB_PAD2
MechPinCnt	0
MechPads	NA

ZIGZAG100L85016




Scale 2:1

Attributes:

Size	21.790 x 7.440 MM (visible)
	21.790 x 5.280 MM (PlaceBound)
Height	0.03 MM
PitchX	2.540 MM
PitchY	NA
ConnPinCnt	16
ConnPads	ZIGZAG_LLB_PAD1_1
	ZIGZAG_LLB_PAD2_1
	ZIGZAG_LLB_PAD3_1
MechPinCnt	0
MechPads	NA

ZIP28




Scale 2:1

Attributes:

Size	3.750 x 35.960 MM (visible)
	4.240 x 36.350 MM (PlaceBound)
Height	10.16 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	28
ConnPads	PAD45CIR30D
	PAD50SQ30D
MechPinCnt	0
MechPads	NA

ZIP40



Scale 1:1

Attributes:

Size	3.750 x 51.200 MM (visible)
	5.080 x 52.070 MM (PlaceBound)
Height	NA
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	40
ConnPads	PAD45CIR30D
	PAD50SQ30D
MechPinCnt	0
MechPads	NA

ZIP60_MOT




Scale 1:2

Attributes:

Size	9.400 x 87.630 MM (visible)
	9.400 x 87.630 MM (PlaceBound)
Height	12.7 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	60
ConnPads	PAD45CIR30D
	PAD50SQ30D
MechPinCnt	0
MechPads	NA

ZIP64_MOT



Scale 1:2

Attributes:

Size	9.400 x 92.710 MM (visible)
	9.400 x 92.710 MM (PlaceBound)
Height	13.97 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	64
ConnPads	PAD45CIR30D
	PAD50SQ30D
MechPinCnt	0
MechPads	NA


Library Name	Name	Date
symbols	NYE	09.11.17

Size | Cage Code

SIP30

Attributes:

Size	5.080 x 76.200 MM (visible)
	5.590 x 76.710 MM (PlaceBound)
Height	17.02 MM
PitchX	NA
PitchY	2.540 MM
ConnPinCnt	30
ConnPads	60C85C35D
	60S85C35D
MechPinCnt	0
MechPads	NA



Scale 1:2

Library Name	Name	Date						
symbols	NYE	09.11.17						
					Size		Cage Code	Page 1

CB Distribution